UC Irvine

Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health

Title

Appendicitis in an Uncommon Location

Permalink

https://escholarship.org/uc/item/00c009ts

Journal

Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health, 11(1)

ISSN

1936-900X

Authors

Pillow, Malford T Valle, Christopher

Publication Date

2010

Copyright Information

Copyright 2010 by the author(s). This work is made available under the terms of a Creative Commons Attribution-NonCommercial License, available at https://creativecommons.org/licenses/by-nc/4.0/

Peer reviewed

Appendicitis in an Uncommon Location

Malford T. Pillow, MD Christopher Valle, MD Baylor College of Medicine, Section of Emergency Medicine, Department of Medicine, Houston, TX

Supervising Section Editor: Sean Henderson, MD
Submission history: Submitted December 9, 2009; Accepted December 14, 2009
Reprints available through open access at http://escholarship.org/uc/uciem_westjem
[West J Emerg Med. 2010; 11(1):115.]



Figure 1. Transverse computed tomography of left-sided appendicitis

A 37-year-old woman presented to the emergency department with 12 hours of gradually worsening left lower quadrant pain with anorexia, vomiting, and diarrhea. She also reported intermittent fever and chills. On exam, her initial vital signs were 102/68, pulse of 102, respirations 18, temperature of 97.5° F. She was mildly anxious secondary to pain. Abdominal exam revealed a soft abdomen with left lower quadrant tenderness with voluntary guarding and mild rebound tenderness. Pelvic exam and urinalysis were normal. Urine pregnancy test was negative. The WBC returned at $15.3 \times 10^3/\mu L$ with 78% neutrophils. A computed tomography scan was performed and showed a left-sided appendicitis with situs inversus totalis (Figure 1 and 2).

Situs inversus totalis is a complete mirror reversal of the organs. The yearly incidence of acute appendicitis alone is approximately 1:1000 with approximately 6-7% of the population having appendicitis at some point during their lives. The total incidence of left-sided acute appendicitis is 0.04%, with 0.024% having abdominal viscera situs inversus and 0.016% having situs inversus totalis, as in this patient's case. Her diagnosis of situs inversus was previously undiagnosed. This is only the ninth case report in the literature.



Figure 2. Coronal computed tomography of left-sided appendicitis

Address for Correspondence: JM. Tyson Pillow, MD, Section of Emergency Medicine, Depart. of Medicine, Baylor College of Medicine, 1504 Taub Loop, Houston, TX, 77030. Email pillow@bcm.edu

REFERENCES

- Collins, D. Seventy-one thousand human appendix specimens: a final reports summarizing 40 years' study. J Am Proctol. 1963; 14:365-81
- Nelson, M. and Pesola, G. Left Lower Quadrant Pain of Unusual Cause. J Emerg Med. 2001; 20(3):241-5.