

UCLA

Recent Work

Title

Health of Older Californians: County Data Book

Permalink

<https://escholarship.org/uc/item/01c989xw>

Authors

Wallace, Steven P.
Pourat, Nadereh
Enriquez-Haass, Vilma
et al.

Publication Date

2003-10-01

Data from the 2001
California Health
Interview Survey
and 2000 U.S. Census

HEALTH OF OLDER CALIFORNIANS: COUNTY DATA BOOK

Steven P. Wallace, PhD

Nadereh Pourat, PhD

Vilma Enriquez-Haass, MPH

Alek Sripipatana, MPH



UCLA CENTER FOR HEALTH POLICY RESEARCH



Funded by grants from
the Archstone Foundation
and



The California Endowment

Data from the 2001
California Health
Interview Survey
and 2000 U.S. Census

HEALTH OF OLDER CALIFORNIANS: COUNTY DATA BOOK

Steven P. Wallace, PhD

Nadereh Pourat, PhD

Vilma Enriquez-Haass, MPH

Alek Sripipatana, MPH



UCLA CENTER FOR HEALTH POLICY RESEARCH



Funded by grants from
the Archstone Foundation
and



The California Endowment

Copyright © 2003 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

Wallace SP, Pourat N, Enriquez-Haass V, Sripipatana A, *Health of Older Californians: County Data Book*, Los Angeles: UCLA Center for Health Policy Research, October 2003.

The views expressed in this report are those of the authors and do not necessarily represent the UCLA Center for Health Policy Research, the Regents of the University of California, the Archstone Foundation, or The California Endowment.



The UCLA Center for Health Policy Research is based in the UCLA School of Public Health and is affiliated with the UCLA School of Public Policy and Social Research.

Visit the Center's Web site at: www.healthpolicy.ucla.edu



Funded by grants from the Archstone Foundation and The California Endowment



*california
health
interview
survey*

The California Health Interview Survey (CHIS) is a collaboration of the UCLA Center for Health Policy Research, the California Department of Health Services, and the Public Health Institute. Funding for the 2001 California Health Interview Survey was provided by the California Department of Health Services, The California Endowment, the National Cancer Institute, the California Children and Families Commission, the Centers for Disease Control and Prevention (CDC), and the Indian Health Service. For more information on CHIS and access to CHIS 2001 data and results, visit www.chis.ucla.edu.

SECTION 1: INTRODUCTION	1
Summary of Findings	1
SECTION 2: MAPS, CALIFORNIA BY COUNTY	5
Age 65 and Over as Percentage of Total Population	5
Latinos as Percentage of Total Age 65 and Over	6
Asians as Percentage of Total Age 65 and Over	7
African Americans as Percentage of Total Age 65 and Over	8
White Non-Latinos as Percentage of Total Age 65 and Over	9
Population Age 65 and Over with Income Below 200% of the Federal Poverty Level	10
Population Age 65 and Over with Limited-English Proficiency	11
SECTION 3: HEALTH BEHAVIOR, HEALTH STATUS AND HEALTH CARE UTILIZATION FROM CHIS 2001	12
CALIFORNIA	12
REGIONS	14
Northern and Sierra Counties:	14
<i>Alpine, Amador, Butte, Calaveras, Colusa, Del Norte, Glenn, Humboldt, Inyo, Lake, Lassen, Mariposa, Mendocino, Modoc, Mono, Nevada, Plumas, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Tuolumne, Yuba</i>	
Greater Bay Area Counties:	16
<i>Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Sonoma, Solano</i>	
Sacramento Area Counties:	18
<i>El Dorado, Placer, Sacramento, Yolo</i>	
San Joaquin Valley Counties:	20
<i>Fresno, Kern, Kings, Madera, Merced, San Joaquin, Stanislaus, Tulare</i>	
Central Coast Counties:	22
<i>Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz, Ventura</i>	
Los Angeles County	24
Other Southern California Counties:	26
<i>Imperial, Orange, Riverside, San Bernardino, San Diego</i>	
COUNTIES:	28
Alameda County	28
Alpine County (<i>Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne Counties combined</i>)	30
Amador County (<i>see Alpine County</i>)	30
Butte County (<i>Butte, Colusa, Glenn and Tehama Counties combined</i>)	32
Calaveras County (<i>see Alpine County</i>)	30
Colusa County (<i>see Butte County</i>)	32
Contra Costa County	34
Del Norte County (<i>Del Norte, Humboldt, Lake and Mendocino Counties combined</i>)	36
El Dorado County (<i>El Dorado, Placer, Sutter, Yolo and Yuba Counties combined</i>)	38
Fresno County	40
Glenn County (<i>see Butte County</i>)	32
Humboldt County (<i>see Del Norte County</i>)	36
Imperial County (<i>Imperial and Riverside Counties combined</i>)	42
Inyo County (<i>see Alpine County</i>)	30

Kern County	44
Kings County (<i>Kings and Tulare Counties combined</i>)	46
Lake County (<i>see Del Norte County</i>)	36
Lassen County (<i>Lassen, Modoc, Siskiyou and Trinity Counties combined</i>)	48
Los Angeles County	50
Madera County	52
Marin County (<i>Marin and Sonoma Counties</i>)	54
Mariposa County (<i>see Alpine County</i>)	30
Mendocino County (<i>see Del Norte County</i>)	36
Merced County (<i>Merced and Stanislaus Counties combined</i>)	56
Modoc County (<i>see Lassen County</i>)	48
Mono County (<i>see Alpine County</i>)	30
Monterey County (<i>Monterey, San Benito and Santa Cruz Counties combined</i>)	58
Napa County	60
Nevada County (<i>Nevada, Plumas and Sierra Counties combined</i>)	62
Orange County	64
Placer County (<i>see El Dorado County</i>)	38
Plumas County (<i>see Nevada County</i>)	62
Riverside County (<i>see Imperial County</i>)	42
Sacramento County	66
San Benito County (<i>see Monterey County</i>)	58
San Bernardino County	68
San Diego County	70
San Francisco County	72
San Joaquin County	74
San Luis Obispo County	76
San Mateo County	78
Santa Barbara County	80
Santa Clara County	82
Santa Cruz County (<i>see Monterey County</i>)	58
Shasta County	84
Sierra County (<i>see Nevada County</i>)	62
Siskiyou County (<i>see Lassen County</i>)	48
Solano County	86
Sonoma County (<i>see Marin County</i>)	54
Stanislaus County (<i>see Merced County</i>)	56
Sutter County (<i>see El Dorado County</i>)	38
Tehama County (<i>see Butte County</i>)	32
Trinity County (<i>see Lassen County</i>)	48
Tulare County (<i>see Kings County</i>)	46
Tuolumne County (<i>see Alpine County</i>)	30
Ventura County	88
Yolo County (<i>see El Dorado County</i>)	38
Yuba County (<i>see El Dorado County</i>)	38
Summary Table of Health Indicators by Region	90
Summary Table of Health Indicators by County	92

SECTION 4: DEMOGRAPHIC DATA FROM CENSUS 2000	97
CALIFORNIA	97
REGIONS	98
Northern and Sierra Counties: <i>Alpine, Amador, Butte, Calaveras, Colusa, Del Norte, Glenn, Humboldt, Inyo, Lake, Lassen, Mariposa, Mendocino, Modoc, Mono, Nevada, Plumas, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Tuolumne, Yuba</i>	98
Greater Bay Area Counties: <i>Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Sonoma, Solano</i>	98
Sacramento Area Counties: <i>El Dorado, Placer, Sacramento, Yolo</i>	99
San Joaquin Valley Counties: <i>Fresno, Kern, Kings, Madera, Merced, San Joaquin, Stanislaus, Tulare</i>	99
Central Coast Counties: <i>Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz</i>	100
Los Angeles County	100
Other Southern California Counties: <i>Imperial, Orange, Riverside, San Bernardino, San Diego</i>	101
COUNTIES:	102
Alameda County	102
Alpine County	102
Amador County	103
Butte County	103
Calaveras County	104
Colusa County	104
Contra Costa County	105
Del Norte County	105
El Dorado County	106
Fresno County	106
Glenn County	107
Humboldt County	107
Imperial County	108
Inyo County	108
Kern County	109
Kings County	109
Lake County	110
Lassen County	110
Los Angeles County	111
Madera County	111
Marin County	112
Mariposa County	112
Mendocino County	113
Merced County	113
Modoc County	114
Mono County	114
Monterey County	115
Napa County	115
Nevada County	116
Orange County	116

Placer County	117
Plumas County	117
Riverside County	118
Sacramento County	118
San Benito County	119
San Bernardino County	119
San Diego County	120
San Francisco County	120
San Joaquin County	121
San Luis Obispo County	121
San Mateo County	122
Santa Barbara County	122
Santa Clara County	123
Santa Cruz County)	123
Shasta County	124
Sierra County	124
Siskiyou County	125
Solano County	125
Sonoma County	126
Stanislaus County	126
Sutter County	127
Tehama County	127
Trinity County	128
Tulare County	128
Tuolumne County	129
Ventura County	129
Yolo County	130
Yuba County	130

SECTION 5: APPENDICES	131
Methodological Appendix	131
Acknowledgments	133

This data book provides important new information about the health behaviors, health status, and the use of health services by Older Californians.¹ It is unique in the detailed health data it provides about counties and regions in the state, and in profiling different segments of the older population. The rapidly increasing number and diversity of older Californians makes this data particularly important for service providers, policy makers, and advocates in their efforts to improve the health and quality of life of the elderly.

This data book is divided into five sections. The first section contains a narrative summary about the health of the older people in California. The second section has maps that show the distribution of the older population along several of the basic demographic characteristics used in this report, including race/ethnicity, low-income, and limited-English proficiency. The third section provides a series of two-page tables with the rates of selected health behaviors, the health status, and the use of health services of older Californians. These tables are repeated for the entire state, seven substate regions, the 20 largest counties, and the remaining counties grouped into 11 geographic clusters that provide sufficient sample sizes for reliable estimates. Each geographic area has columns with information for elders of different races and ethnicities, older women, older people with low-incomes, older people with limited-English abilities, and for Medi-Cal recipients age 65 and over. This section ends with a summary table that makes comparisons between counties easier for the total county populations of older adults. The fourth section has demographic data for the state, substate regions, and each of the 58 counties. The fifth section contains technical appendices and acknowledgments.

The health data in this report is from the 2001 California Health Interview Survey (CHIS 2001), the largest state-level health survey in the country. More than 10,000 people age 65 and over living in households (excluding nursing homes or residential care facilities) responded to this statewide telephone survey. The data in each table in section three provides the rates of health behaviors, health statuses, and health services use for all older people in the first column, followed by the rates for different groups of the older population in subsequent columns. This means that at the statewide level, 29.6% of all elderly people report fair or poor health, 30.6% of older women report fair or poor health, and

49.0% of older people who report having Medi-Cal insurance report fair or poor health. Because of space limitations, the rates for groups of older people including men, those with higher incomes, native/very good English speakers, and those without Medi-Cal are not reported. No data is reported for a variable in a population group when fewer than five people report the outcome (e.g. fair or poor health). Similarly, when there are too few respondents in a group to report most outcomes, the entire group is dropped from a table.

The last line of each health table provides the number of people age 65 and over from the 2000 Census, so that users can calculate the number of people with a particular health status or service by multiplying the rate of interest by the population of interest. For example, the number of women age 65 and over living in Kern County who have not had a mammogram in the past year can be calculated by multiplying the percent of women in that county without a mammogram times the Census population size at the end of the table. The 2000 Census shows there are 33,630 older women in Kern County, one-third of whom have not had a recent mammogram, resulting in an estimate of 11,000 older women (33,630 times 33%) who have not had a recent mammogram.

This data book also provides demographic data from the 2000 Census for all 58 California counties in Section 4. Information that is useful for planning and policy development includes detailed data by race/ethnicity for the oldest old (age 85 and over), those living alone, the institutionalized, MediCal enrollees (from Medi-Cal administrative records), limited-English speakers, women, those with incomes under 100% and under 200% of the Federal poverty level, and those reporting any disability.

Additional health data on the elderly population in California can be obtained using AskCHIS, an interactive web-based data query system that allows users to construct their own tables at the California state or county level (<http://www.chis.ucla.edu>). This data query system allows users to specify different population subsets (for example, age 75 and over), cross tabulations of interest (e.g., diabetes by self-assessed health), and variables not presented in this book (such as “went to Mexico to buy medications”).

¹ Useful data on long-term care is available from the California Association for Adult Day Services *Long Term Care County Data Book*, available at <http://www.caads.org>.

SUMMARY OF FINDINGS

The following summary provides a general overview of key findings on the demographics, health behavior, health status, preventive care, and medical service use of older people in California. It presents highlights of the extensive data available in the subsequent maps, health tables, and demographic tables.

Demographics

- California was home to 3.6 million people age 65 and over in 2000, accounting for 10.6% of the state's population. Nationally, 12.4% of the population is age 65 and over.
- Counties in the state vary widely in the proportion of their population that is age 65 and over – from 7%-19%. Counties with the highest percentage of older adults are primarily in the Sierras and far Northern California (19% of both Lake and Inyo Counties are older people). The largest numbers of people age 65 and over are in the large counties of Los Angeles (927,000 older people) and San Diego (314,000 older people); these two counties account for one-third of all older people in the entire state.
- **Hispanic/Latino** elderly have the highest concentrations in Southern California counties (54% of Imperial County's elders are Hispanic) and the Central Valley. Statewide, 13% of the older population is Hispanic/Latino.
- **Asian American** elderly have the highest concentrations in the San Francisco Bay Area (37% of San Francisco's elders are Asian American), Sacramento area, and Los Angeles-Orange Counties. Statewide, 10% of the older population is Asian American.
- **African American** elderly have the highest concentrations in the San Francisco Bay Area (14% of Alameda's elders and 10% of Solano's are African American). Statewide, 5% of the older population is African American.
- **Limited-English speakers** account for a substantial proportion of the older population in several Bay Area Counties (41% of San Francisco's elders speak limited-English), a few Southern California Counties (40% of Imperial County's elders speak limited-English), and scattered mid-coastal and Central Valley counties. Statewide, 17% of the older population has limited-English ability.
- **Low-income**, defined as incomes below 200% of the Federal Poverty Level (FPL), is most common (49%) in Imperial County, followed by several counties in Northern California and the Central Valley where about two-fifths of the older population is low income. When analyzing

economic vulnerability, the segment of the older population that has incomes between 100-199% of the FPL needs to be included. While 8% of people age 65 and over have incomes below the FPL statewide, an additional 21% have incomes between 100-199% of the FPL. The latter group has incomes that make them ineligible for many public assistance programs, yet often fail to provide them with sufficient resources for their basic needs.

Health Behavior

- **Smoking and heavy drinking** are relatively uncommon among the older population in California. Fewer than one in ten are current smokers and fewer than one in twenty drank three or more drinks at a sitting during the past month – rates that are lower than the national averages for older people.
- **Smoking** rates vary widely among California counties. Shasta, Napa, and Sacramento Counties report the highest rates (over 12%), while Fresno, Contra Costa, Santa Barbara, and San Francisco report the lowest rates of smoking at 5% or less. Nationally, 9.7% of persons age 65 and over are current smokers.²
- Older African Americans are substantially more likely to report **smoking** than other races and ethnicities.
- **Heavy drinking** is particularly rare among older Asian Americans, and is substantially lower than average among older women.

Health Status

- About 30% of older Californians report that their **health is poor or fair** (versus good, very good, or excellent), which is slightly higher than the national average of 26% reporting poor or fair health.³ About 40% of older adults report that their health is fair or poor in Tulare/Kings, Kern, and San Francisco Counties. Just over 20% report fair or poor health in Marin/Sonoma, Napa, and the combined group of mountain counties (Alpine, Amador, Calaveras, Inyo, Mariposa, Mono, and Tuolumne).
- All minority groups report **poor or fair health** more often than non-Latino whites. Similarly, those with low incomes (less than 200% of the FPL), limited-English skills and Medi-Cal coverage more often report poor or fair health than the statewide average for all older people.

2 National data from the 2000 CDC Behavioral Risk Factor Surveillance System.

3 National data from the 1999 Medicare Current Beneficiary Survey.

- **Heart disease** is reported by about 24% of older Californians, a rate slightly above the national average of 21%.⁴ Heart disease is most commonly reported in Tulare/Kings and Madera Counties (over 30%) and least commonly reported in San Francisco and San Luis Obispo Counties (under 18%). Among subgroups of older Californians, heart disease was most commonly reported by non-Latino whites and elders on Medi-Cal.
- **Diabetes** is most common in counties with large proportions of minority elderly such as Fresno, San Joaquin, and Imperial/Riverside Counties (over 18%), and least common in Ventura and Kern Counties (about 9%). Older Latinos and African Americans report twice the rate of diabetes as non-Latino whites. The statewide diabetes rate of 15% is slightly below the national average of 17%.⁵
- **Asthma** is reported by one in ten elders, close to the national average of 9%.⁶ Over 16% of elders report asthma in Shasta and Alameda counties, and 15% of Asian American elders statewide report asthma.
- **Hypertension** among older people in California is similar to the 55% national average.⁷ The higher hypertension rate in California is among older African Americans (70%) and is lowest in Marin/Sonoma counties (43%).
- **Arthritis** is reported by half of older Californians and 55% of older people nationally,⁸ with similar rates among all subgroups in California except for older Asians who report lower arthritis rates (36%). The highest arthritis rate among counties is 62% in Tulare/Kings.
- **Skin cancer** affects primarily non-Latino white elderly, 12% of whom report the condition. The overall rate in California of 9% is lower than the national rate of 17%.⁹ All other cancers are most commonly reported by non-Latino whites (19%) and by older people in Santa Barbara County (25%). Both statewide and nationally,¹⁰ 17% of older people report having had cancer other than skin cancer.
- A lot of **difficulty in climbing stairs** is the only functional limitation indicator asked in CHIS 2001. About one-quarter of all older Californians reported this difficulty, while about one-third of older Medi-Cal recipients reported the difficulty. About one-third of older residents of Madera, Shasta, and Kern Counties also reported a lot of difficulty climbing stairs.
- One in ten California elders report they did less than they would have liked in the past month because of **emotional problems**. One-quarter report that they did not feel **calm and peaceful** most or all of the time in the past month, and almost half report that they **did not have a lot of energy** most or all of the time in the past month. Only one in twenty report feeling sad most or all of the time.
- **Emotional problems** have similar rates across most counties, although Tulare/Kings Counties stand out as having consistently high rates of poor mental health indicators. About 25% of older people in Tulare/Kings Counties report that they did less than they would like in the past month because of emotional problems, compared to 11% statewide. Tulare/Kings Counties have the highest rate of older people reporting that they did not feel calm and peaceful most of the time (31% versus 25% statewide) and the highest rate of older people reporting that they felt sad most or all of the time (9% versus 4% statewide). Older Medi-Cal recipients were the group to most often report emotional distress.

Preventive care

- One-quarter of older women have not had a **pap smear** in the past three years, and 30% have not had a **mammogram** in the past year. These rates are somewhat lower than the national averages of 28% of older women without a pap smear in the past three years, and 35% without a mammogram in the past year.¹¹ Contra Costa County has the highest proportion of older women who have not received a mammogram in the past year (39%), while Santa Barbara has the best mammography coverage with only 21% reporting no mammogram in the past year.
- **Bone density tests** are reported by two-fifths of older women in the state. Bone density tests are most common among non-Latino white women (46%) and least common among African American women (18%), consistent with their relative risks of osteoporosis.
- One-third of older California women report taking **hormone replacement therapy**.

4 National data from the 1999 Medicare Current Beneficiary Survey.

5 Ibid.

6 National data from the 2001 CDC Behavioral Risk Factor Surveillance System.

7 National data from the 1999 Medicare Current Beneficiary Survey.

8 Ibid.

9 Ibid.

10 Ibid.

11 National data from the 1999 and 2000 CDC Behavioral Risk Factor Surveillance System.

- About one-third of older Californians and all older people nationally report not receiving an **influenza immunization** in the past year.¹² The worst rates are in Imperial/Riverside and Napa Counties (37-38%). Under one-quarter of older people report no flu shot in eleven counties, with the lowest rate in Sacramento County (21%). Older African Americans (47%) and Latinos (45%) were the groups most likely to report not receiving an influenza immunization.
- About two in five older people report never having had a **colonoscopy** (37%) and a similar proportion report never having had a **blood-stool test** (40%), both of which are tests for colon cancer. These screening rates are better than the national averages for older people – nationwide 48% never had a colonoscopy and 54% never had a blood stool test.¹³ Asian Americans (57%) and those reporting limited-English proficiency (59%) were the groups most likely to report never having had a blood stool test.

Medical Service Use

- Having **no or only one doctor visit** in the past year may indicate excellent health, or it could indicate problems with access to care. Overall, one in five older adults reported zero to one doctor visit, with similar rates across counties and subgroups.
- One or more **emergency room** visits in the past year is reported by about one in seven older people, and 16% were hospitalized. Medi-Cal recipients were the most likely to report a hospitalization.
- Statewide 12% of older people **report a delay in obtaining care**, with more than 15% reporting delays in five counties (Tulare/Kings, San Joaquin, Orange, and San Diego).
- Medicare does not cover **dental care** and many older people have unmet dental care needs. Almost one-third of older Californians report not having seen a dentist in the past year. Two in every five older people report not having seen a dentist in the past year in eight counties (San Bernardino, Kern, San Joaquin, Stanislaus/Merced, and Tulare/Kings). Even though Medi-Cal covers dental care, almost half (48%) of older people with Medi-Cal did not have a dental visit.
- **Prescription medications** are not covered under fee-for-service Medicare, and 15% of older people in the state report having no insurance coverage for prescriptions. Over one-third of older people in 23 counties report not having prescriptions covered by any other insurance. These

counties are mostly rural and also have low rates of membership in HMOs that typically offer some prescription benefits for Medicare members. In six counties (Solano, San Bernardino, Sacramento, Santa Clara, Ventura, and Alameda) under 10% of older respondents report having no insurance for prescriptions.

SUMMARY

Older Latinos and those with limited-English abilities have the worst health profiles compared to the statewide averages.

- Both older Latinos and older Californians with limited-English are more likely than the total state average to report diabetes and fair or poor health.
- Both groups are more likely to report emotional difficulties.
- Both groups have lower rates of several screening procedures and preventive services, and have less generous health insurance.
- A partial overlap exists between these two groups. About 40% of older Latinos are limited-English, and about 45% of the older limited-English group is Latino in the CHIS 2001 data.

Skin cancer and private supplemental health insurance had the most variation by segment of the older population.

- Less than 1% of African Americans and Asian Americans reported skin cancer in contrast to over 12% of non-Latino whites, the largest relative difference between groups for any indicator.
- While 78% of non-Latino whites reported having private supplemental health insurance, only 37% of limited-English speakers reported having that insurance, the largest absolute difference for any indicator.

Other health indicators also vary.

- There is a substantial variation between subgroups of older people around the statewide average for two emotional health indicators (sad, and did less due to emotional problems), as well as for fair/poor self-assessed health, dental care, and health insurance.
- The overall county trends in the health behaviors, health status, and health services use suggest that Marin County has among the best outcomes and Tulare/Kings Counties have the worst. Every county has room for improvement in one or more of the health indicators, and variations exist among subgroups within counties as well.
- Some of these variations may indicate disparities in access to health care, and clearly indicate areas where targeted attention to health issues is merited.

12 National data from the 2001 CDC Behavioral Risk Factor Surveillance System.


13 National data from the 1999 and 2000 CDC Behavioral Risk Factor Surveillance System.

AGE 65 AND OVER AS PERCENTAGE OF TOTAL POPULATION

(label in each county shows number of people age 65 and over)




Age 65 and Over as Percentage of Total Population




LATINOS AS PERCENTAGE OF TOTAL AGE 65 AND OVER

(label in each county shows number of Latinos age 65 and over)




Latinos as Percentage of Total Age 65 and Over




UCLA Center for Health Policy Research
Source: Census 2000

ASIANS AS PERCENTAGE OF TOTAL AGE 65 AND OVER

(label in each county shows number of Asians age 65 and over)




Asians as Percentage of Total Age 65 and Over




AFRICAN AMERICANS AS PERCENTAGE OF TOTAL AGE 65 AND OVER

(label in each county shows number of African Americans age 65 and over)




African Americans as Percentage of Total 65 and Over




WHITE NON-LATINOS AS PERCENTAGE OF TOTAL AGE 65 AND OVER

(label in each county shows number of White Non-Latinos age 65 and over)




White Non-Latinos as Percentage of Total Age 65 and Over



POPULATION AGE 65 AND OVER WITH INCOME BELOW 200% OF THE FEDERAL POVERTY LEVEL



Population Age 65 and Over with Income Below 200% Poverty Level




UCLA Center for Health Policy Research
Source: Census 2000

POPULATION AGE 65 AND OVER WITH LIMITED-ENGLISH PROFICIENCY



Population Age 65 and Over with Limited-English Proficiency



UCLA Center for Health Policy Research
Source: Census 2000

CALIFORNIA, AGE 65 AND OVER, 2001									
	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS									
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	70.8%	57.8%	64.0%	61.7%	74.9%	74.3%	64.0%	57.0%	60.5%
CURRENTLY SMOKING	8.0%	6.3%	5.0%	14.0%	8.3%	8.3%	9.3%	5.6%	10.7%
DRANK THREE OR MORE DRINKS AT A TIME LAST MONTH	4.0%	5.0%	0.8%	5.3%	4.2%	1.6%	2.8%	2.8%	3.6%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	37.2%	28.7%	44.0%	40.1%	37.6%	34.4%	37.9%	36.3%	42.8%
OBESE: BODY MASS INDEX 30 OR MORE	16.6%	23.9%	6.0%	27.3%	15.8%	16.7%	19.3%	17.8%	19.8%
HEALTH STATUS									
FAIR OR POOR HEALTH	29.6%	44.7%	38.8%	39.7%	24.5%	30.6%	41.3%	46.2%	49.0%
DIABETES – EVER DIAGNOSED	14.8%	24.1%	15.9%	24.6%	12.1%	12.9%	17.4%	18.6%	21.4%
THOSE WITH DIABETES WHO TAKE MEDICINE OR INSULIN	82.0%	83.8%	87.7%	86.4%	79.5%	81.0%	83.8%	83.8%	83.9%
HYPERTENSION – EVER DIAGNOSED	53.5%	53.5%	59.0%	69.7%	51.4%	55.0%	58.3%	54.5%	57.9%
THOSE WITH HYPERTENSION WHO TAKE MEDICINE	87.6%	85.7%	92.1%	91.1%	86.8%	88.4%	87.6%	88.5%	88.6%
HEART DISEASE – EVER DIAGNOSED	23.7%	18.7%	19.5%	19.0%	25.5%	20.3%	23.9%	19.7%	26.1%
THOSE WITH HEART DISEASE WHO TAKE MEDICINE OR ASPIRIN	81.2%	82.6%	78.5%	81.5%	81.4%	78.1%	80.1%	75.5%	82.8%
ARTHRITIS – EVER DIAGNOSED	50.0%	49.8%	35.5%	55.2%	51.5%	56.2%	51.2%	42.0%	51.7%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	57.7%	53.1%	62.7%	64.4%	57.2%	59.4%	63.1%	63.8%	66.9%
ASTHMA – EVER DIAGNOSED	10.3%	10.2%	14.1%	11.8%	9.6%	11.1%	10.7%	10.2%	12.0%
THOSE WITH ASTHMA WHO TAKE MEDICINE	64.7%	61.8%	70.5%	58.2%	64.2%	63.3%	65.2%	63.9%	73.1%
CANCER OF SKIN – EVER DIAGNOSED	9.0%	1.6%	0.7%	0.7%	12.3%	7.3%	6.4%	1.9%	4.2%
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	17.3%	12.8%	8.8%	14.9%	19.5%	17.1%	14.9%	10.2%	13.2%
LIMITED A LOT IN CLIMBING STAIRS	23.4%	23.7%	19.2%	24.8%	23.5%	27.4%	28.8%	22.8%	33.5%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY	11.5%	18.1%	18.3%	14.0%	8.9%	12.8%	16.8%	22.0%	20.9%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME IN PAST MONTH	25.0%	34.8%	30.0%	28.2%	22.2%	26.9%	32.6%	33.7%	38.6%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	46.0%	48.6%	48.8%	50.7%	44.7%	49.1%	54.8%	51.1%	60.5%
FELT SAD AT LEAST MOST OF THE TIME LAST MONTH	4.1%	6.8%	6.8%	7.5%	2.9%	4.4%	6.9%	8.1%	8.3%

CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE									
NO PAP SMEAR PAST THREE YEARS (WOMEN)	23.7%	19.4%	25.2%	17.7%	24.5%	23.7%	26.3%	22.3%	23.4%
NO MAMMOGRAM PAST YEAR (WOMEN)	29.8%	34.9%	30.3%	26.7%	29.0%	29.8%	35.6%	37.5%	35.5%
EVER HAD BONE DENSITY TEST (WOMEN)	41.1%	31.0%	35.3%	18.4%	45.8%	41.1%	32.8%	30.5%	31.7%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	33.5%	24.9%	27.1%	23.0%	36.9%	33.5%	26.6%	20.6%	23.9%
NEVER HAD COLONOSCOPY	37.3%	49.1%	48.1%	38.3%	33.3%	42.7%	46.4%	50.0%	48.1%
NEVER TESTED FOR BLOOD IN STOOL	39.5%	56.8%	57.3%	38.1%	33.7%	39.0%	48.6%	59.0%	54.5%
NO FLU SHOT PAST YEAR	32.8%	45.4%	26.9%	47.2%	30.0%	33.5%	35.2%	39.1%	37.3%

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE									
FEWER THAN TWO DOCTOR VISITS PAST YEAR	19.7%	20.7%	17.9%	19.3%	19.9%	20.0%	20.0%	19.9%	16.8%
EMERGENCY ROOM VISIT PAST YEAR	21.8%	22.7%	18.3%	24.1%	21.7%	20.9%	21.0%	20.1%	24.5%
HOSPITALIZED PAST YEAR	15.7%	14.4%	12.8%	16.9%	16.0%	14.8%	15.8%	12.0%	19.6%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	12.4%	10.5%	11.4%	12.2%	12.8%	13.9%	13.2%	10.2%	12.1%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	32.0%	44.0%	37.4%	45.2%	28.1%	32.0%	45.0%	45.2%	47.5%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	67.9%	40.8%	44.0%	45.5%	78.4%	67.7%	49.4%	36.7%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	20.2%	40.6%	38.7%	41.9%	11.8%	20.8%	36.2%	42.3%	95.7%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	6.7%	9.7%	7.8%	6.0%	6.0%	6.7%	9.0%	11.3%	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	14.6%	10.8%	8.0%	6.9%	16.9%	15.5%	13.3%	11.3%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	19.3%	12.4%	10.7%	7.2%	22.6%	19.0%	14.1%	12.2%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	30.9%	20.3%	19.8%	14.6%	36.0%	30.8%	20.9%	20.3%	*
NO DENTAL INSURANCE	41.9%	26.9%	28.9%	19.1%	48.5%	43.6%	35.9%	30.2%	*
STATE POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	3,425,705	460,017	345,489	171,763	2,379,146	1,961,662	554,921	579,186	738,444

Source: California Health Interview Survey (CHIS 2001).

Notes:

Underlined *italic* estimates are not reliable.

*Less than five observations

NORTHERN AND SIERRA REGION**
CALIFORNIA, AGE 65 AND OVER, 2001

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	72.0%	54.0%	73.3%	76.0%	67.2%	38.0%	65.0%
CURRENTLY SMOKING	9.5%	12.0%	9.6%	10.3%	*	*	13.3%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	38.1%	43.3%	37.4%	37.0%	41.0%	53.8%	49.4%
OBESE: BODY MASS INDEX 30 OR MORE	17.6%	21.1%	17.7%	19.7%	19.5%	16.3%	17.6%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS							
FAIR OR POOR HEALTH	29.8%	<u>29.2%</u>	30.1%	30.7%	42.2%	<u>24.1%</u>	46.5%
DIABETES – EVER DIAGNOSED	14.4%	<u>25.3%</u>	13.9%	12.7%	16.0%	<u>16.2%</u>	19.0%
THOSE WITH DIABETES WHO TAKE MEDICINE OR INSULIN	75.7%	*	75.2%	77.3%	*	*	<u>79.3%</u>
HYPERTENSION – EVER DIAGNOSED	50.4%	<u>37.0%</u>	50.5%	52.8%	55.3%	54.1%	50.9%
THOSE WITH HYPERTENSION WHO TAKE MEDICINE	83.9%	*	83.9%	85.9%	85.4%	<u>66.5%</u>	81.8%
HEART DISEASE – EVER DIAGNOSED	25.9%	<u>14.0%</u>	26.2%	23.6%	27.9%	<u>11.1%</u>	32.5%
THOSE WITH HEART DISEASE WHO TAKE MEDICINE OR ASPIRIN	83.4%	*	84.4%	83.0%	*	*	<u>84.3%</u>
ARTHRITIS – EVER DIAGNOSED	51.7%	<u>30.8%</u>	52.9%	59.3%	56.9%	<u>29.3%</u>	61.1%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	62.3%	*	62.7%	63.5%	*	*	75.2%
ASTHMA – EVER DIAGNOSED	12.0%	*	12.1%	14.0%	*	*	13.8%
THOSE WITH ASTHMA WHO TAKE MEDICINE	67.3%	*	69.2%	71.8%	*	*	77.0%
CANCER OF SKIN – EVER DIAGNOSED	12.1%	*	12.5%	11.1%	*	*	12.0%
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	19.5%	<u>13.1%</u>	20.0%	19.6%	*	*	22.4%
LIMITED A LOT IN CLIMBING STAIRS	27.4%	<u>13.9%</u>	27.6%	31.8%	33.7%	<u>11.1%</u>	40.9%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY	9.2%	<u>6.4%</u>	8.9%	9.6%	13.3%	<u>9.6%</u>	16.5%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME IN PAST MONTH	23.2%	<u>18.1%</u>	23.1%	26.1%	29.9%	<u>22.6%</u>	32.6%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	47.5%	<u>30.7%</u>	48.1%	51.1%	55.7%	<u>32.9%</u>	57.0%

NORTHERN AND SIERRA REGION
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE							
NO PAP SMEAR PAST THREE YEARS (WOMEN)	28.2%	<u>19.4%</u>	28.4%	28.2%	32.1%	<u>9.5%</u>	30.1%
NO MAMMOGRAM PAST YEAR (WOMEN)	30.9%	<u>53.2%</u>	29.7%	30.9%	33.6%	<u>36.2%</u>	40.7%
EVER HAD BONE DENSITY TEST (WOMEN)	44.6%	<u>42.3%</u>	45.2%	44.6%	40.5%	<u>33.8%</u>	37.8%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	37.2%	<u>24.3%</u>	38.4%	37.2%	30.4%	<u>30.9%</u>	29.7%
NEVER HAD COLONOSCOPY	40.1%	52.8%	39.1%	44.7%	46.6%	<u>62.6%</u>	45.2%
NEVER TESTED FOR BLOOD IN STOOL	38.2%	58.6%	36.5%	37.8%	43.9%	48.6%	47.2%
NO FLU SHOT PAST YEAR	31.4%	<u>35.9%</u>	31.3%	31.1%	31.3%	46.4%	34.4%
ACCESS TO MEDICAL CARE							
FEWER THAN TWO DOCTOR VISITS PAST YEAR	23.9%	<u>33.5%</u>	23.5%	23.2%	*	*	20.2%
EMERGENCY ROOM VISIT PAST YEAR	23.4%	<u>16.0%</u>	23.0%	22.5%	*	*	28.9%
HOSPITALIZED PAST YEAR	16.6%	<u>16.0%</u>	16.6%	16.3%	19.4%	11.7%	19.9%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	11.9%	<u>11.8%</u>	11.9%	13.9%	*	*	18.4%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	35.7%	53.5%	34.4%	36.0%	49.1%	<u>36.1%</u>	53.1%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	71.8%	42.9%	73.6%	71.8%	56.7%	56.1%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	16.6%	<u>37.1%</u>	15.5%	16.6%	29.6%	<u>30.8%</u>	<u>98.9%</u>
HAD MEDICARE AND NO SUPPLEMENTAL COVERAGE	8.5%	<u>20.0%</u>	8.1%	9.4%	*	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	34.9%	<u>27.8%</u>	35.2%	37.3%	38.2%	41.3%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	40.2%	49.2%	40.2%	41.0%	37.0%	<u>35.5%</u>	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	54.4%	55.8%	55.1%	57.9%	46.8%	39.4%	*
NO DENTAL INSURANCE	59.1%	52.2%	60.2%	62.3%	58.8%	51.3%	*
NORTHERN AND SIERRA REGION POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	188,978	6,148	173,912	103,422	59,064	5,393	25,699

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes:

Underlined *italic* estimates are not reliable.

* Less than five observations

** Northern and Sierra Counties: Butte, Shasta, Humboldt, Del Norte, Siskiyou, Lassen, Trinity, Modoc, Mendocino, Lake, Tehama, Glenn, Colusa, Sutter, Yuba, Nevada, Plumas, Sierra, Tuolumne, Calaveras, Amador, Inyo, Mariposa, Mono, and Alpine

GREATER BAY AREA REGION
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS									
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	68.5%	62.9%	56.7%	58.0%	73.1%	72.8%	58.7%	51.6%	56.4%
CURRENTLY SMOKING	7.2%	<u>4.6%</u>	2.7%	15.1%	7.8%	7.7%	7.6%	4.3%	9.0%
DRANK THREE OR MORE DRINKS AT A TIME LAST MONTH	5.0%	<u>4.6%</u>	<u>1.2%</u>	10.6%	5.4%	2.4%	2.1%	<u>2.0%</u>	3.2%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	36.9%	22.6%	45.4%	47.6%	35.9%	35.0%	40.8%	42.8%	43.5%
OBESE: BODY MASS INDEX 30 OR MORE	14.8%	16.4%	5.9%	32.7%	15.3%	14.3%	14.0%	9.2%	12.2%

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS									
FAIR OR POOR HEALTH	28.2%	38.5%	44.7%	41.7%	21.2%	29.1%	44.4%	50.6%	54.8%
DIABETES – EVER DIAGNOSED	12.2%	20.7%	14.8%	19.2%	9.6%	11.5%	14.9%	10.6%	17.0%
THOSE WITH DIABETES WHO TAKE MEDICINE OR INSULIN	83.4%	*	84.2%	*	77.9%	83.0%	*	<u>92.5%</u>	88.5%
HYPERTENSION – EVER DIAGNOSED	52.3%	58.0%	49.9%	74.0%	50.5%	53.6%	57.8%	49.9%	59.1%
THOSE WITH HYPERTENSION WHO TAKE MEDICINE	87.7%	81.1%	93.3%	<u>91.8%</u>	86.6%	87.6%	85.5%	87.7%	85.2%
HEART DISEASE – EVER DIAGNOSED	23.6%	19.0%	17.8%	23.7%	25.5%	19.9%	26.4%	20.2%	28.6%
THOSE WITH HEART DISEASE WHO TAKE MEDICINE OR ASPIRIN	80.8%	65.3%	85.6%	<u>87.3%</u>	80.8%	77.4%	80.0%	<u>85.9%</u>	78.4%
ARTHRITIS – EVER DIAGNOSED	47.8%	53.5%	38.8%	62.3%	47.8%	52.6%	47.0%	42.8%	47.8%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	55.5%	43.0%	71.1%	51.8%	53.8%	56.3%	64.6%	68.6%	67.8%
ASTHMA – EVER DIAGNOSED	10.9%	18.1%	14.3%	11.5%	8.7%	10.1%	10.5%	8.7%	16.1%
THOSE WITH ASTHMA WHO TAKE MEDICINE	66.4%	*	71.4%	*	63.9%	64.5%	74.6%	<u>84.1%</u>	80.1%
CANCER OF SKIN – EVER DIAGNOSED	7.4%	*	*	*	10.8%	6.7%	4.0%	<u>0.8%</u>	4.0%
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	18.5%	20.9%	7.2%	12.0%	21.5%	16.7%	15.3%	9.7%	12.9%
LIMITED A LOT IN CLIMBING STAIRS	20.8%	20.8%	22.7%	23.1%	19.9%	23.9%	27.2%	22.9%	34.3%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY	10.9%	8.7%	18.4%	15.5%	8.8%	11.1%	17.5%	24.2%	18.8%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME IN PAST MONTH	25.0%	33.4%	29.3%	30.9%	22.2%	27.4%	31.4%	26.3%	41.1%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	44.5%	41.0%	51.3%	50.5%	42.9%	48.2%	55.0%	50.2%	60.1%

GREATER BAY AREA REGION
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE									
NO PAP SMEAR PAST THREE YEARS (WOMEN)	24.7%	17.5%	26.4%	14.9%	25.7%	24.7%	24.6%	21.5%	26.1%
NO MAMMOGRAM PAST YEAR (WOMEN)	31.1%	38.3%	30.3%	39.9%	29.5%	31.1%	39.8%	34.0%	33.4%
EVER HAD BONE DENSITY TEST (WOMEN)	35.6%	22.4%	24.4%	14.2%	41.9%	35.6%	24.2%	24.4%	19.0%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	31.9%	23.4%	27.4%	27.0%	34.8%	31.9%	24.4%	21.8%	21.3%
NEVER HAD COLONOSCOPY	34.7%	42.9%	52.1%	39.4%	28.8%	40.6%	45.0%	48.0%	48.7%
NEVER TESTED FOR BLOOD IN STOOL	34.7%	41.9%	47.0%	38.6%	30.5%	35.7%	43.6%	51.2%	50.1%
NO FLU SHOT PAST YEAR	31.2%	39.4%	32.9%	38.2%	29.1%	32.7%	36.5%	34.7%	40.0%

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE									
FEWER THAN TWO DOCTOR VISITS PAST YEAR	20.0%	14.6%	18.2%	17.2%	21.5%	21.6%	19.1%	18.7%	16.7%
EMERGENCY ROOM VISIT PAST YEAR	22.2%	28.4%	22.0%	27.0%	20.9%	19.9%	19.7%	17.6%	24.3%
HOSPITALIZED PAST YEAR	14.9%	14.3%	12.7%	15.5%	15.4%	13.5%	14.9%	9.6%	17.0%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	10.2%	8.0%	6.1%	8.9%	11.6%	10.1%	10.3%	4.3%	11.0%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	27.6%	32.5%	38.4%	42.8%	22.8%	27.8%	42.3%	38.7%	43.3%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	66.5%	44.0%	42.4%	51.6%	77.9%	66.2%	46.3%	32.8%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	20.4%	38.2%	40.3%	33.8%	11.3%	21.4%	39.3%	45.1%	93.1%
HAD MEDICARE AND NO SUPPLEMENTAL COVERAGE	5.9%	6.6%	4.6%	<u>6.4%</u>	6.0%	6.3%	6.4%	6.2%	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	11.2%	10.4%	6.7%	<u>5.1%</u>	13.0%	11.2%	9.7%	7.3%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	16.3%	6.4%	12.2%	<u>5.9%</u>	19.7%	15.7%	9.8%	10.7%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	30.7%	24.6%	19.9%	16.0%	35.9%	30.6%	18.7%	18.0%	*
NO DENTAL INSURANCE	43.9%	26.3%	30.2%	22.2%	52.0%	46.6%	36.3%	33.9%	*
GREATER BAY AREA REGION POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	719,816	61,525	124,371	43,643	475,643	416,425	170,189	138,188	144,782

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes:

Underlined *italic* estimates are not reliable.

*Less than five observations

** Greater Bay Area Counties: Santa Clara, Alameda, Contra Costa, San Francisco, San Mateo, Sonoma, Solano, Marin, and Napa

SACRAMENTO REGION**
CALIFORNIA, AGE 65 AND OVER, 2001

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	72.9%	72.0%	75.0%	74.6%	66.5%	48.9%	65.5%
CURRENTLY SMOKING	10.8%	*	10.8%	13.9%	12.9%	<u>9.6%</u>	22.0%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	34.9%	<u>11.3%</u>	37.3%	31.0%	38.8%	49.9%	45.2%
OBESE: BODY MASS INDEX 30 OR MORE	16.2%	<u>18.6%</u>	16.7%	15.5%	19.1%	<u>2.1%</u>	27.4%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS							
FAIR OR POOR HEALTH	26.4%	33.5%	23.8%	25.9%	35.5%	35.7%	42.8%
DIABETES – EVER DIAGNOSED	12.5%	<u>15.2%</u>	11.3%	10.5%	12.5%	<u>11.8%</u>	19.4%
THOSE WITH DIABETES WHO TAKE MEDICINE OR INSULIN	79.5%	*	79.1%	<u>78.7%</u>	<u>83.6%</u>	*	<u>92.4%</u>
HYPERTENSION – EVER DIAGNOSED	48.8%	37.0%	47.0%	45.7%	46.3%	63.6%	45.5%
THOSE WITH HYPERTENSION WHO TAKE MEDICINE	90.0%	98.3%	89.1%	91.8%	<u>92.9%</u>	*	<u>97.4%</u>
HEART DISEASE – EVER DIAGNOSED	26.7%	*	27.4%	20.8%	22.5%	23.2%	27.9%
THOSE WITH HEART DISEASE WHO TAKE MEDICINE OR ASPIRIN	77.4%	*	77.4%	79.9%	68.5%	*	67.6%
ARTHRITIS – EVER DIAGNOSED	51.5%	37.5%	54.4%	59.1%	53.2%	44.7%	50.3%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	59.4%	*	60.1%	59.4%	67.1%	*	56.7%
ASTHMA – EVER DIAGNOSED	12.4%	<u>20.2%</u>	11.3%	12.8%	12.3%	*	14.6%
THOSE WITH ASTHMA WHO TAKE MEDICINE	16.8%	*	14.5%	16.7%	11.5%	*	19.7%
CANCER OF SKIN – EVER DIAGNOSED	8.2%	*	10.1%	7.9%	8.9%	*	<u>4.1%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	16.8%	*	14.5%	16.7%	11.5%	*	19.7%
LIMITED A LOT IN CLIMBING STAIRS	23.2%	<u>20.8%</u>	18.2%	26.7%	31.3%	33.2%	36.4%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY	11.2%	<u>14.3%</u>	10.2%	12.5%	15.1%	<u>14.3%</u>	19.5%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME IN PAST MONTH	22.8%	27.8%	21.6%	25.2%	31.4%	47.0%	39.4%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	52.2%	31.0%	51.7%	54.9%	60.4%	70.1%	72.9%

SACRAMENTO REGION**
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE							
NO PAP SMEAR PAST THREE YEARS (WOMEN)	19.9%	<u>16.5%</u>	19.3%	19.9%	26.9%	<u>38.5%</u>	34.7%
NO MAMMOGRAM PAST YEAR (WOMEN)	25.7%	<u>23.3%</u>	25.1%	25.6%	27.3%	40.2%	35.0%
EVER HAD BONE DENSITY TEST (WOMEN)	38.9%	<u>40.4%</u>	40.2%	38.9%	32.1%	<u>35.4%</u>	26.3%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	40.2%	<u>25.0%</u>	43.2%	40.2%	31.9%	39.2%	22.6%
NEVER HAD COLONOSCOPY	28.0%	44.0%	25.1%	33.3%	40.5%	32.0%	38.8%
NEVER TESTED FOR BLOOD IN STOOL	29.2%	29.6%	27.3%	26.6%	39.8%	46.9%	38.4%
NO FLU SHOT PAST YEAR	22.5%	25.6%	23.1%	23.1%	26.1%	<u>9.4%</u>	35.2%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE							
FEWER THAN TWO DOCTOR VISITS PAST YEAR	18.8%	<u>14.7%</u>	20.3%	21.0%	22.6%	0.5%	18.6%
EMERGENCY ROOM VISIT PAST YEAR	24.6%	24.7%	25.0%	23.9%	22.0%	25.9%	28.9%
HOSPITALIZED PAST YEAR	16.1%	*	16.2%	15.8%	12.6%	<u>18.8%</u>	18.8%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	11.8%	*	12.3%	11.6%	12.1%	*	13.1%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	30.7%	33.6%	29.9%	30.8%	46.6%	54.8%	52.0%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	73.8%	60.1%	77.6%	76.2%	50.4%	32.2%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	19.7%	37.1%	14.8%	18.1%	43.3%	67.3%	<u>99.4%</u>
HAD MEDICARE AND NO SUPPLEMENTAL COVERAGE	3.5%	*	4.2%	<u>2.9%</u>	<u>4.0%</u>	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	10.6%	*	13.0%	10.8%	14.4%	*	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	16.2%	<u>15.4%</u>	18.2%	14.0%	10.3%	*	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	30.1%	25.8%	33.5%	31.7%	20.1%	<u>20.3%</u>	*
NO DENTAL INSURANCE	36.9%	31.4%	41.0%	40.8%	34.3%	<u>19.5%</u>	*
SACRAMENTO REGION POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	193,614	12,733	153,992	109,816	47,292	18,297	30,346

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes:

Underlined *italic* estimates are not reliable.

*Less than five observations

**Sacramento Area Counties: Sacramento, Placer, Yolo and El Dorado

SAN JOAQUIN VALLEY REGION
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS									
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	65.5%	47.4%	77.8%	56.4%	68.6%	71.0%	60.3%	49.7%	53.5%
CURRENTLY SMOKING	8.5%	<u>6.0%</u>	*	*	9.5%	8.4%	8.4%	4.6%	8.6%
DRANK THREE OR MORE DRINKS AT A TIME LAST MONTH	3.2%	<u>4.0%</u>	*	*	3.4%	<u>0.6%</u>	2.7%	*	<u>2.5%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	36.4%	33.0%	39.8%	44.4%	36.8%	33.0%	37.2%	32.2%	44.0%
OBESE: BODY MASS INDEX 30 OR MORE	19.5%	24.5%	*	<u>24.7%</u>	18.9%	21.6%	22.5%	26.1%	22.2%

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS									
FAIR OR POOR HEALTH	34.4%	57.5%	24.1%	40.9%	30.0%	35.0%	42.7%	58.8%	54.8%
DIABETES – EVER DIAGNOSED	15.8%	20.4%	25.8%	<u>76.9%</u>	13.1%	15.5%	16.9%	16.3%	21.0%
THOSE WITH DIABETES WHO TAKE MEDICINE OR INSULIN	83.4%	<u>85.4%</u>	*	*	83.4%	77.2%	85.1%	*	63.9%
HYPERTENSION – EVER DIAGNOSED	56.1%	63.0%	72.4%	<u>76.9%</u>	52.4%	57.3%	61.7%	57.9%	67.9%
THOSE WITH HYPERTENSION WHO TAKE MEDICINE	86.2%	82.7%	*	*	85.5%	88.3%	86.1%	<u>88.8%</u>	66.8%
HEART DISEASE – EVER DIAGNOSED	24.2%	28.6%	9.4%	<u>24.7%</u>	24.5%	22.3%	25.6%	26.8%	26.5%
THOSE WITH HEART DISEASE WHO TAKE MEDICINE OR ASPIRIN	78.6%	<u>84.1%</u>	*	*	77.2%	78.0%	80.1%	<u>90.7%</u>	82.8%
ARTHRITIS – EVER DIAGNOSED	54.2%	60.3%	35.2%	60.0%	53.6%	59.9%	58.6%	59.6%	60.8%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	59.8%	54.6%	*	<u>73.3%</u>	61.6%	57.9%	60.6%	61.4%	66.1%
ASTHMA – EVER DIAGNOSED	10.8%	8.2%	*	<u>17.5%</u>	11.3%	13.1%	13.4%	<u>6.3%</u>	13.2%
THOSE WITH ASTHMA WHO TAKE MEDICINE	60.5%	<u>29.8%</u>	*	*	61.1%	58.7%	56.4%	*	61.0%
CANCER OF SKIN – EVER DIAGNOSED	8.6%	*	*	*	11.0%	6.5%	7.0%	<u>5.1%</u>	4.5%
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	15.8%	10.3%	*	*	17.4%	14.7%	15.0%	<u>3.6%</u>	11.1%
LIMITED A LOT IN CLIMBING STAIRS	27.2%	32.4%	*	28.9%	27.3%	31.6%	33.1%	32.6%	42.0%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY	12.2%	22.8%	*	<u>14.6%</u>	10.2%	13.6%	15.6%	26.1%	22.2%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME IN PAST MONTH	26.9%	36.1%	<u>16.9%</u>	52.0%	24.9%	28.9%	31.8%	35.6%	39.7%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	47.8%	49.8%	30.1%	62.1%	48.3%	52.7%	55.4%	50.5%	65.2%

SAN JOAQUIN VALLEY REGION**
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE									
NO PAP SMEAR PAST THREE YEARS (WOMEN)	23.1%	<u>11.2%</u>	<u>18.0%</u>	*	26.8%	23.1%	23.3%	<u>9.4%</u>	16.9%
NO MAMMOGRAM PAST YEAR (WOMEN)	29.2%	31.8%	*	<u>18.0%</u>	30.8%	29.2%	31.9%	27.4%	34.4%
EVER HAD BONE DENSITY TEST (WOMEN)	39.3%	34.4%	50.0%	<u>20.3%</u>	40.6%	39.3%	34.3%	32.0%	36.1%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	36.4%	28.6%	46.7%	<u>33.5%</u>	37.5%	36.4%	30.8%	29.0%	31.4%
NEVER HAD COLONOSCOPY	38.0%	44.7%	36.2%	51.7%	35.8%	41.3%	40.8%	46.7%	49.1%
NEVER TESTED FOR BLOOD IN STOOL	42.9%	69.6%	41.8%	48.9%	36.7%	39.8%	50.9%	65.3%	61.0%
NO FLU SHOT PAST YEAR	33.6%	43.7%	21.3%	63.7%	31.0%	35.3%	36.6%	41.8%	41.8%
ACCESS TO MEDICAL CARE									
FEWER THAN TWO DOCTOR VISITS PAST YEAR	18.4%	13.6%	<u>9.1%</u>	<u>15.0%</u>	20.3%	17.7%	14.6%	17.4%	12.0%
EMERGENCY ROOM VISIT PAST YEAR	21.2%	26.8%	22.1%	<u>23.2%</u>	20.0%	22.3%	23.2%	23.6%	26.9%
HOSPITALIZED PAST YEAR	15.6%	19.2%	*	<u>18.6%</u>	15.5%	15.3%	17.0%	16.1%	21.9%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	11.9%	6.3%	22.5%	<u>11.8%</u>	12.2%	15.2%	12.9%	<u>6.4%</u>	12.5%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	40.9%	50.9%	37.7%	63.8%	38.3%	37.6%	50.4%	51.0%	60.2%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	65.3%	30.7%	67.4%	<u>20.1%</u>	74.5%	63.9%	47.2%	36.9%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	25.2%	59.7%	28.6%	65.8%	15.7%	27.6%	41.9%	51.5%	<u>98.0%</u>
HAD MEDICARE AND NO SUPPLEMENTAL COVERAGE	6.0%	<u>4.8%</u>	*	*	6.9%	5.4%	7.0%	<u>6.1%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	17.6%	7.4%	<u>16.0%</u>	*	20.3%	18.3%	14.6%	<u>8.4%</u>	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	24.4%	12.0%	22.0%	*	28.3%	25.8%	17.4%	13.4%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	34.3%	18.5%	32.8%	<u>5.9%</u>	39.2%	35.0%	24.6%	22.9%	*
NO DENTAL INSURANCE	48.4%	26.3%	40.6%	<u>11.3%</u>	55.5%	48.3%	40.6%	31.7%	*
SAN JOAQUIN REGION POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	310,879	52,175	16,787	9,958	224,010	176,597	113,761	44,032	74,756

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes:

Underlined *italic* estimates are not reliable.

* Less than five observations

**San Joaquin Valley Counties: San Joaquin, Fresno, Kern, Stanislaus, Tulare, Merced, Kings, and Madera

CENTRAL COAST REGION
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	72.9%	48.1%	77.6%	73.4%	64.2%	53.3%	64.2%
CURRENTLY SMOKING	7.4%	8.7%	7.2%	8.7%	9.4%	3.1%	12.6%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	34.6%	26.0%	36.9%	32.1%	34.3%	*	43.3%
OBESE: BODY MASS INDEX 30 OR MORE	15.5%	39.2%	12.1%	15.5%	23.7%	34.4%	19.2%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS							
FAIR OR POOR HEALTH	27.9%	43.0%	24.4%	27.9%	39.9%	38.3%	39.6%
DIABETES – EVER DIAGNOSED	12.1%	16.8%	11.3%	9.9%	14.1%	11.5%	15.4%
THOSE WITH DIABETES WHO TAKE MEDICINE OR INSULIN	80.2%	61.7%	78.7%	78.3%	79.9%	*	*
HYPERTENSION – EVER DIAGNOSED	53.0%	47.3%	53.8%	53.2%	55.5%	50.6%	50.2%
THOSE WITH HYPERTENSION WHO TAKE MEDICINE	85.9%	80.8%	86.9%	86.1%	86.1%	*	81.2%
HEART DISEASE – EVER DIAGNOSED	22.8%	18.7%	23.1%	17.6%	24.4%	19.8%	19.3%
THOSE WITH HEART DISEASE WHO TAKE MEDICINE OR ASPIRIN	73.1%	79.9%	73.2%	67.8%	79.5%	*	84.6%
ARTHRITIS – EVER DIAGNOSED	50.8%	53.0%	52.2%	56.0%	54.5%	32.7%	56.2%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	53.9%	53.0%	53.5%	53.2%	59.3%	64.7%	60.6%
ASTHMA – EVER DIAGNOSED	9.4%	14.0%	8.3%	9.6%	13.2%	9.9%	12.3%
THOSE WITH ASTHMA WHO TAKE MEDICINE	65.5%	90.4%	58.5%	66.5%	75.9%	*	78.2%
CANCER OF SKIN – EVER DIAGNOSED	9.6%	3.7%	11.1%	7.9%	5.4%	*	8.6%
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	20.3%	24.6%	20.4%	21.9%	21.1%	*	27.2%
LIMITED A LOT IN CLIMBING STAIRS	23.5%	20.9%	25.1%	27.7%	33.1%	11.5%	27.8%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	9.3%	18.3%	7.0%	8.8%	14.9%	14.0%	15.7%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME IN PAST MONTH	20.0%	34.9%	17.2%	20.1%	26.3%	18.6%	26.2%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	43.8%	56.1%	41.8%	47.4%	55.2%	41.3%	58.4%

CENTRAL COAST REGION
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE							
NO PAP SMEAR PAST THREE YEARS (WOMEN)	24.7%	22.1%	23.8%	24.7%	30.4%	*	30.7%
NO MAMMOGRAM PAST YEAR (WOMEN)	28.5%	33.5%	27.3%	28.5%	32.7%	41.3%	28.1%
EVER HAD BONE DENSITY TEST (WOMEN)	51.5%	41.8%	54.6%	51.5%	39.3%	40.5%	51.4%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	35.9%	27.2%	38.3%	35.9%	26.3%	21.4%	29.3%
NEVER HAD COLONOSCOPY	36.2%	49.4%	31.0%	38.4%	46.9%	58.2%	51.6%
NEVER TESTED FOR BLOOD IN STOOL	37.7%	58.5%	32.3%	37.7%	47.4%	65.8%	48.8%
NO FLU SHOT PAST YEAR	30.0%	38.4%	26.3%	30.4%	31.5%	38.0%	34.6%
ACCESS TO MEDICAL CARE							
FEWER THAN TWO DOCTOR VISITS PAST YEAR	24.5%	29.3%	22.5%	28.3%	26.9%	39.6%	23.8%
EMERGENCY ROOM VISIT PAST YEAR	19.6%	14.2%	20.9%	16.5%	17.5%	<u>12.9%</u>	23.6%
HOSPITALIZED PAST YEAR	15.6%	<u>7.4%</u>	16.9%	13.0%	16.0%	<u>6.1%</u>	22.7%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	13.0%	12.7%	11.8%	14.1%	13.8%	*	12.0%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	29.8%	42.7%	27.2%	29.3%	39.1%	38.7%	41.0%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	76.2%	59.4%	81.1%	74.4%	61.7%	55.9%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	76.2%	59.4%	81.1%	74.4%	61.7%	55.9%	*
HAD MEDICARE AND NO SUPPLEMENTAL COVERAGE	6.9%	<u>8.0%</u>	6.3%	7.0%	8.0%	<u>10.6%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	22.8%	14.0%	25.2%	24.7%	19.1%	16.9%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	30.5%	24.8%	31.8%	29.8%	25.2%	22.5%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	43.2%	29.2%	46.8%	43.2%	29.6%	27.1%	*
NO DENTAL INSURANCE	54.5%	44.2%	57.6%	55.0%	52.3%	45.7%	*
CENTRAL COAST REGION POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	246,458	28,853	199,911	126,941	51,964	23,280	29,282

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes:

Underlined *italic* estimates are not reliable.

*Less than five observations

** Central Coast Counties: Ventura, Santa Barbara, Santa Cruz, San Luis Obispo, Monterey, and San Benito

**LOS ANGELES REGION
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS									
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	72.0%	59.9%	75.2%	66.9%	76.8%	75.3%	64.9%	65.4%	62.7%
CURRENTLY SMOKING	7.9%	6.9%	5.7%	16.1%	7.3%	7.8%	8.4%	6.0%	9.2%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	39.5%	29.3%	40.7%	40.4%	42.5%	36.2%	37.7%	36.1%	41.4%
OBESE: BODY MASS INDEX 30 OR MORE	16.6%	22.1%	3.7%	24.5%	16.2%	18.0%	19.1%	18.3%	20.3%

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS									
FAIR OR POOR HEALTH	32.5%	48.1%	33.0%	41.2%	24.8%	34.6%	42.9%	47.2%	50.5%
DIABETES – EVER DIAGNOSED	16.6%	23.8%	*	25.1%	12.8%	13.9%	18.5%	24.6%	23.1%
THOSE WITH DIABETES WHO TAKE MEDICINE OR INSULIN	81.4%	74.3%	*	85.9%	83.1%	86.1%	81.2%	79.3%	85.6%
HYPERTENSION – EVER DIAGNOSED	54.3%	52.5%	57.7%	66.0%	51.7%	57.3%	55.7%	52.4%	57.8%
THOSE WITH HYPERTENSION WHO TAKE MEDICINE	87.4%	85.0%	86.9%	91.7%	87.6%	88.8%	87.0%	86.2%	89.6%
HEART DISEASE – EVER DIAGNOSED	22.2%	16.5%	20.9%	15.1%	26.3%	20.8%	22.0%	19.3%	24.8%
THOSE WITH HEART DISEASE WHO TAKE MEDICINE OR ASPIRIN	81.9%	86.9%	75.9%	73.2%	82.6%	78.3%	79.2%	73.7%	84.8%
ARTHRITIS – EVER DIAGNOSED	49.0%	47.3%	35.4%	54.6%	51.8%	56.2%	50.0%	43.6%	48.6%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	57.0%	54.2%	52.8%	71.2%	55.2%	60.4%	60.9%	57.0%	71.0%
ASTHMA	7.6%	10.6%	12.2%	10.3%	4.5%	7.6%	10.4%	11.5%	11.1%
THOSE WITH ASTHMA WHO TAKE MEDICINE	57.2%	59.6%	55.7%	41.4%	59.2%	59.4%	54.9%	51.2%	58.4%
CANCER OF SKIN – EVER DIAGNOSED	7.5%	1.9%	*	*	12.8%	5.7%	4.8%	2.0%	3.6%
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	17.9%	11.5%	12.6%	15.6%	21.9%	17.5%	15.5%	9.7%	12.0%
LIMITED A LOT IN CLIMBING STAIRS	24.6%	28.3%	17.2%	26.9%	23.7%	30.5%	28.5%	26.2%	33.7%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	14.8%	21.2%	23.2%	15.0%	10.1%	17.6%	20.9%	24.2%	25.9%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME IN PAST MONTH	27.3%	38.6%	27.7%	25.5%	23.2%	29.8%	36.3%	38.7%	39.7%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	47.3%	49.5%	52.1%	51.5%	44.7%	50.7%	56.6%	54.9%	61.4%

**LOS ANGELES REGION
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE									
NO PAP SMEAR PAST THREE YEARS (WOMEN)	22.7%	21.5%	25.4%	18.3%	22.8%	22.7%	26.1%	29.1%	20.3%
NO MAMMOGRAM PAST YEAR (WOMEN)	30.6%	36.1%	37.3%	23.6%	28.5%	30.6%	37.5%	39.1%	36.2%
EVER HAD BONE DENSITY TEST (WOMEN)	39.5%	27.5%	44.3%	20.9%	47.2%	39.5%	32.3%	29.1%	32.4%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	28.3%	23.0%	28.6%	20.1%	32.0%	28.3%	21.6%	15.5%	18.4%
NEVER HAD COLONOSCOPY	40.0%	49.7%	47.9%	35.6%	35.2%	46.0%	50.3%	52.9%	50.9%
NEVER TESTED FOR BLOOD IN STOOL	45.9%	59.7%	65.6%	37.7%	37.0%	44.3%	54.8%	61.5%	60.1%
NO FLU SHOT PAST YEAR	36.4%	47.3%	25.5%	50.3%	32.5%	36.1%	37.1%	44.1%	36.1%

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE									
FEWER THAN TWO DOCTOR VISITS PAST YEAR	17.6%	21.5%	17.3%	18.6%	16.4%	16.9%	19.3%	16.9%	14.7%
EMERGENCY ROOM VISIT PAST YEAR	22.9%	21.0%	16.9%	24.2%	24.1%	21.1%	21.5%	18.6%	23.0%
HOSPITALIZED PAST YEAR	16.7%	16.1%	13.9%	17.6%	17.1%	15.3%	17.5%	11.9%	21.2%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	14.1%	11.1%	15.1%	12.8%	15.3%	16.9%	14.9%	12.2%	12.3%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	32.7%	46.0%	37.8%	42.7%	25.0%	33.9%	46.8%	48.6%	48.3%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	61.3%	40.2%	38.3%	43.0%	78.4%	60.3%	43.9%	32.3%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	24.5%	38.2%	44.0%	43.8%	10.7%	25.9%	40.1%	43.6%	95.1%
HAD MEDICARE AND NO SUPPLEMENTAL COVERAGE	8.2%	13.4%	9.1%	7.5%	6.2%	7.9%	10.3%	14.5%	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	12.3%	11.0%	7.5%	8.0%	14.8%	13.1%	9.7%	10.9%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	15.8%	9.6%	9.8%	7.0%	21.0%	14.9%	10.2%	9.7%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	25.8%	16.3%	18.3%	14.7%	33.9%	24.6%	16.9%	15.6%	*
NO DENTAL INSURANCE	33.3%	22.0%	25.6%	18.0%	42.3%	34.8%	28.0%	24.4%	*
LOS ANGELES REGION POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	879,888	182,329	116,240	82,226	480,727	483,498	295,711	229,648	281,341

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes:

Underlined *italic* estimates are not reliable.

*Less than five observations

OTHER SOUTHERN CALIFORNIA REGION
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS									
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	71.9%	57.8%	55.7%	51.7%	76.5%	75.4%	66.8%	53.4%	62.1%
CURRENTLY SMOKING	8.0%	5.1%	*	*	8.4%	7.7%	10.9%	6.2%	11.8%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	36.4%	31.0%	52.3%	34.2%	36.0%	33.2%	36.6%	31.9%	41.3%
OBESE: BODY MASS INDEX 30 OR MORE	17.1%	26.7%	*	32.0%	15.2%	15.8%	20.8%	22.2%	24.3%

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS									
FAIR OR POOR HEALTH	27.2%	39.1%	43.7%	26.0%	23.6%	27.9%	37.9%	39.7%	41.8%
DIABETES – EVER DIAGNOSED	16.1%	30.7%	21.8%	28.0%	12.9%	13.5%	19.8%	19.5%	25.9%
THOSE WITH DIABETES WHO TAKE MEDICINE OR INSULIN	83.1%	89.8%	*	<u>80.4%</u>	77.9%	77.6%	84.0%	<u>87.9%</u>	77.6%
HYPERTENSION – EVER DIAGNOSED	54.6%	52.8%	78.5%	71.8%	52.0%	56.0%	63.1%	61.7%	57.7%
THOSE WITH HYPERTENSION WHO TAKE MEDICINE	88.8%	91.6%	*	*	87.0%	88.9%	90.3%	93.3%	92.6%
HEART DISEASE – EVER DIAGNOSED	24.1%	18.8%	18.3%	18.5%	25.2%	19.2%	23.1%	17.2%	25.2%
THOSE WITH HEART DISEASE WHO TAKE MEDICINE OR ASPIRIN	84.0%	84.4%	*	*	84.3%	79.2%	82.3%	78.5%	88.6%
ARTHRITIS – EVER DIAGNOSED	50.3%	48.6%	32.5%	50.1%	51.8%	56.9%	49.9%	34.0%	52.7%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	58.9%	54.4%	*	*	58.5%	62.1%	64.8%	69.0%	63.6%
ASTHMA – EVER DIAGNOSED	9.5%	4.7%	19.0%	15.6%	9.3%	10.3%	8.7%	11.7%	7.7%
THOSE WITH ASTHMA WHO TAKE MEDICINE	70.6%	*	*	*	67.8%	62.8%	69.8%	*	69.0%
CANCER OF SKIN – EVER DIAGNOSED	11.1%	*	*	*	14.1%	8.8%	8.4%	*	2.5%
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	15.1%	9.4%	*	*	17.1%	16.0%	12.3%	11.6%	10.2%
LIMITED A LOT IN CLIMBING STAIRS	22.1%	15.8%	19.3%	22.9%	23.2%	25.1%	26.0%	14.9%	27.3%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY	9.5%	16.9%	13.9%	*	7.9%	10.9%	13.7%	17.7%	17.5%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME IN PAST MONTH	24.2%	30.4%	42.3%	23.9%	21.8%	25.1%	31.7%	34.1%	37.5%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	44.1%	51.0%	38.9%	41.7%	43.0%	45.9%	51.5%	46.2%	55.0%

OTHER SOUTHERN CALIFORNIA REGION
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE									
NO PAP SMEAR PAST THREE YEARS (WOMEN)	23.8%	20.2%	19.2%	*	24.5%	23.8%	26.8%	15.2%	23.2%
NO MAMMOGRAM PAST YEAR (WOMEN)	29.2%	33.1%	20.3%	<u>21.9%</u>	29.6%	29.2%	34.9%	40.8%	37.6%
EVER HAD BONE DENSITY TEST (WOMEN)	44.8%	35.8%	37.3%	<u>10.1%</u>	48.3%	44.8%	35.6%	35.1%	38.1%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	36.2%	26.8%	19.0%	26.3%	39.4%	36.2%	30.4%	23.1%	29.3%
NEVER HAD COLONOSCOPY	38.1%	53.3%	40.8%	38.2%	35.4%	44.5%	46.2%	47.7%	45.1%
NEVER TESTED FOR BLOOD IN STOOL	38.8%	56.8%	67.9%	36.3%	33.7%	39.2%	46.9%	60.9%	54.2%
NO FLU SHOT PAST YEAR	33.4%	50.8%	20.3%	50.3%	30.9%	34.2%	34.6%	37.6%	35.7%
ACCESS TO MEDICAL CARE									
FEWER THAN TWO DOCTOR VISITS PAST YEAR	20.1%	23.0%	18.3%	26.8%	19.6%	19.6%	21.4%	24.6%	19.9%
EMERGENCY ROOM VISIT PAST YEAR	20.2%	23.4%	10.0%	19.4%	20.4%	21.2%	19.6%	24.4%	23.9%
HOSPITALIZED PAST YEAR	15.0%	11.9%	10.8%	16.9%	15.4%	15.1%	13.5%	13.3%	18.0%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	12.7%	12.1%	12.5%	14.1%	12.7%	14.1%	13.3%	15.2%	11.3%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	31.8%	44.7%	36.6%	53.4%	28.7%	31.5%	42.8%	44.2%	43.3%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	72.0%	37.2%	47.0%	45.6%	80.7%	73.3%	53.9%	43.8%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	16.4%	40.5%	30.9%	42.1%	10.3%	15.8%	29.8%	33.9%	95.9%
HAD MEDICARE AND NO SUPPLEMENTAL COVERAGE	6.3%	8.6%	15.0%	*	5.3%	6.4%	10.3%	14.2%	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	13.3%	11.4%	*	*	14.2%	15.0%	12.3%	15.7%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	16.7%	14.2%	*	*	18.1%	17.3%	13.2%	15.5%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	27.1%	20.2%	18.3%	<u>12.3%</u>	29.5%	27.0%	18.1%	27.2%	*
NO DENTAL INSURANCE	40.8%	28.4%	29.5%	20.6%	44.7%	42.2%	34.4%	33.0%	*
OTHER SOUTHERN CALIFORNIA REGION POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	909,875	116,704	60,764	23,812	693,381	517,930	240,218	119,328	152,238

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes:

Underlined *italic* estimates are not reliable.

* Less than five observations

** Other Southern California Counties: Orange, San Diego, San Bernardino, Riverside and Imperial

ALAMEDA COUNTY,
CALIFORNIA, AGE 65 AND OVER, 2001

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS									
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS LAST MONTH	70.7%	74.1%	73.8%	41.7%	74.9%	73.5%	67.9%	27.0%	65.5%
CURRENTLY SMOKING	6.7%	*	*	15.4%	6.7%	8.0%	10.2%	*	8.4%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	40.5%	<u>14.5%</u>	48.7%	62.1%	38.6%	38.9%	50.5%	53.4%	45.4%
OBESE: BODY MASS INDEX 30 OR MORE	13.5%	19.4%	*	33.9%	11.9%	12.3%	16.2%	*	8.6%

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS									
FAIR OR POOR HEALTH	29.6%	19.7%	48.9%	48.4%	19.9%	26.1%	36.3%	58.8%	45.9%
DIABETES – EVER DIAGNOSED	13.3%	23.9%	*	13.0%	12.3%	10.6%	19.1%	*	16.4%
HYPERTENSION – EVER DIAGNOSED	52.2%	60.7%	33.4%	75.2%	52.6%	53.6%	57.9%	54.6%	53.9%
HEART DISEASE – EVER DIAGNOSED	25.4%	*	27.2%	27.6%	28.0%	21.0%	28.1%	33.4%	36.9%
ARTHRITIS – EVER DIAGNOSED	52.7%	66.3%	44.4%	67.3%	49.1%	54.5%	50.1%	45.9%	49.9%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	54.0%	*	*	<u>72.4%</u>	54.2%	57.1%	68.3%	53.0%	57.3%
ASTHMA – EVER DIAGNOSED	16.1%	*	19.1%	4.8%	10.2%	12.9%	8.2%	*	20.2%
CANCER OF SKIN – EVER DIAGNOSED	8.3%	*	*	*	14.9%	8.0%	5.0%	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	14.2%	*	*	<u>14.1%</u>	15.8%	11.6%	13.3%	*	8.7%
LIMITED A LOT IN CLIMBING STAIRS	22.1%	*	31.7%	37.5%	16.0%	25.1%	29.2%	16.0%	43.9%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	10.8%	*	11.6%	18.2%	10.2%	10.6%	16.9%	22.6%	17.7%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	23.0%	20.3%	20.9%	32.6%	22.3%	27.6%	27.0%	40.3%	37.7%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	45.0%	26.3%	53.5%	63.5%	42.8%	48.1%	54.2%	30.1%	59.9%

**ALAMEDA COUNTY,
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE									
NO PAP SMEAR PAST THREE YEARS (WOMEN)	23.3%	<u>25.9%</u>	*	*	27.5%	23.3%	27.7%	*	*
NO MAMMOGRAM PAST YEAR (WOMEN)	27.3%	57.7%	*	32.0%	25.2%	27.3%	34.0%	*	37.1%
EVER HAD BONE DENSITY TEST (WOMEN)	29.4%	*	*	*	44.2%	29.4%	16.5%	*	11.0%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	28.7%	*	28.5%	<u>25.2%</u>	34.0%	28.7%	18.3%	*	15.1%
NEVER HAD COLONOSCOPY	37.8%	45.5%	55.5%	32.1%	28.6%	39.5%	49.5%	24.2%	55.0%
NEVER TESTED FOR BLOOD IN STOOL	37.1%	26.4%	60.0%	44.1%	27.8%	35.6%	45.5%	62.5%	59.0%
NO FLU SHOT PAST YEAR	28.2%	31.3%	14.0%	41.1%	29.6%	31.8%	31.5%	51.3%	26.1%
ACCESS TO MEDICAL CARE									
FEWER THAN TWO DOCTOR VISITS PAST YEAR	19.3%	*	*	<u>15.7%</u>	21.6%	25.0%	19.0%	37.6%	18.1%
EMERGENCY ROOM VISIT PAST YEAR	23.4%	*	15.5%	31.1%	22.0%	18.2%	19.8%	*	27.9%
HOSPITALIZED PAST YEAR	15.5%	*	*	17.6%	20.1%	9.9%	16.7%	*	18.9%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	9.7%	*	*	<u>13.6%</u>	10.7%	8.4%	9.4%	*	9.3%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	33.3%	26.4%	44.0%	44.5%	27.3%	32.0%	52.7%	63.1%	41.4%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	62.7%	55.0%	*	49.3%	80.0%	65.4%	55.1%	<u>16.9%</u>	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	23.8%	33.5%	45.6%	38.9%	8.2%	22.8%	30.5%	61.7%	89.3%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	4.3%	*	*	*	6.1%	<u>3.5%</u>	<u>4.5%</u>	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	9.9%	*	*	*	11.8%	11.9%	8.6%	*	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	15.2%	*	18.5%	*	18.9%	15.5%	8.7%	<u>4.9%</u>	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	32.8%	45.0%	26.6%	17.6%	37.4%	31.4%	21.4%	<u>4.0%</u>	*
NO DENTAL INSURANCE	37.8%	27.9%	23.1%	17.3%	52.6%	42.5%	36.3%	31.7%	*
ALAMEDA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	139,883	12,504	25,842	19,761	78,490	81,812	37,380	26,671	32,346

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

**ALPINE, AMADOR, CALAVERAS, INYO, MARIPOSA, MONO, AND TUOLUMNE COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
HEALTH BEHAVIORS				
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	79.0%	78.7%	80.4%	74.6%
CURRENTLY SMOKING	<u>8.9%</u>	<u>8.5%</u>	<u>9.3%</u>	<u>8.6%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	32.6%	31.5%	33.2%	32.5%
OBESE: BODY MASS INDEX 30 OR MORE	13.7%	14.3%	<u>14.2%</u>	<u>17.3%</u>

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
HEALTH STATUS				
FAIR OR POOR HEALTH	21.9%	22.0%	22.2%	26.8%
DIABETES – EVER DIAGNOSED	<u>9.9%</u>	<u>8.8%</u>	<u>7.6%</u>	<u>7.5%</u>
HYPERTENSION – EVER DIAGNOSED	40.9%	41.8%	43.2%	47.3%
HEART DISEASE – EVER DIAGNOSED	23.7%	24.0%	23.7%	<u>24.1%</u>
ARTHRITIS – EVER DIAGNOSED	46.9%	46.8%	54.8%	47.8%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	57.6%	60.8%	<u>61.1%</u>	<u>62.8%</u>
ASTHMA – EVER DIAGNOSED	11.7%	11.5%	<u>15.5%</u>	<u>16.8%</u>
CANCER OF SKIN – EVER DIAGNOSED	<u>9.9%</u>	<u>10.3%</u>	<u>5.0%</u>	<u>9.5%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	16.1%	17.4%	<u>17.9%</u>	<u>12.9%</u>
LIMITED A LOT IN CLIMBING STAIRS	22.7%	21.6%	26.2%	27.6%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	<u>6.2%</u>	<u>5.7%</u>	<u>7.5%</u>	<u>7.3%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	19.5%	19.1%	25.8%	<u>23.8%</u>
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	39.6%	41.2%	40.4%	38.3%

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
PREVENTIVE SERVICE USE				
NO PAP SMEAR PAST THREE YEARS (WOMEN)	<u>18.4%</u>	<u>18.0%</u>	<u>18.4%</u>	<u>25.8%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	32.7%	29.3%	32.7%	45.3%
EVER HAD BONE DENSITY TEST (WOMEN)	48.6%	48.7%	48.6%	37.8%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	44.8%	45.6%	44.8%	38.6%
NEVER HAD COLONOSCOPY	41.2%	40.7%	45.5%	48.4%
NEVER TESTED FOR BLOOD IN STOOL	30.9%	30.4%	27.2%	31.0%
NO FLU SHOT PAST YEAR	34.4%	34.9%	30.3%	29.6%

**ALPINE, AMADOR, CALAVERAS, INYO, MARIPOSA, MONO, AND TUOLUMNE COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
ACCESS TO MEDICAL CARE				
FEWER THAN TWO DOCTOR VISITS PAST YEAR	33.0%	33.6%	31.1%	33.7%
EMERGENCY ROOM VISIT PAST YEAR	26.8%	27.2%	28.1%	26.3%
HOSPITALIZED PAST YEAR	16.8%	16.0%	16.3%	<u>21.8%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	12.5%	11.4%	<u>15.8%</u>	<u>16.8%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	31.3%	30.5%	30.4%	51.9%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	77.2%	76.3%	77.2%	60.3%
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	<u>9.3%</u>	<u>10.1%</u>	<u>9.8%</u>	<u>21.5%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>9.6%</u>	<u>10.3%</u>	<u>8.6%</u>	<u>15.9%</u>
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	34.1%	33.3%	27.2%	44.9%
INSURANCE DOES NOT INCLUDE VISION BENEFITS	47.1%	45.1%	42.8%	45.3%
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	56.2%	55.0%	54.2%	56.6%
NO DENTAL INSURANCE	62.4%	61.9%	59.0%	62.4%
ALPINE POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	120	99	55	36
AMADOR POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	6,094	5,806	3,201	1,480
CALAVERAS POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	7,225	6,780	3,713	1,826
INYO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	3,293	2,949	1,840	1,174
MARIPOSA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	2,886	2,697	1,473	1,100
MONO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	973	882	439	169
TUOLUMNE POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	9,740	9,224	5,190	2,250

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**BUTTE, COLUSA, GLENN, AND TEHAMA COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001**

HEALTH BEHAVIORS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	74.1%	74.9%	76.7%	69.2%	64.3%
CURRENTLY SMOKING	8.3%	7.9%	<u>7.4%</u>	<u>7.9%</u>	<u>11.3%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	36.5%	37.0%	33.3%	39.3%	48.0%
OBESE: BODY MASS INDEX 30 OR MORE	20.7%	21.0%	19.8%	20.9%	<u>13.0%</u>

HEALTH STATUS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
FAIR OR POOR HEALTH	27.5%	28.8%	29.8%	38.1%	44.6%
DIABETES – EVER DIAGNOSED	13.7%	13.7%	<u>10.3%</u>	<u>12.7%</u>	<u>9.5%</u>
HYPERTENSION – EVER DIAGNOSED	51.4%	51.1%	52.4%	54.6%	44.3%
HEART DISEASE – EVER DIAGNOSED	24.0%	24.6%	21.6%	21.6%	<u>26.8%</u>
ARTHRITIS – EVER DIAGNOSED	52.3%	54.0%	55.1%	59.8%	61.6%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	65.6%	66.5%	60.7%	<u>75.1%</u>	<u>84.2%</u>
ASTHMA – EVER DIAGNOSED	11.2%	10.4%	12.5%	<u>12.6%</u>	<u>14.4%</u>
CANCER OF SKIN – EVER DIAGNOSED	10.3%	10.8%	<u>8.7%</u>	<u>7.6%</u>	<u>7.5%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	20.7%	21.3%	21.4%	18.6%	<u>19.9%</u>
LIMITED A LOT IN CLIMBING STAIRS	26.1%	27.3%	25.5%	30.4%	28.1%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	8.4%	8.5%	<u>7.6%</u>	<u>11.0%</u>	<u>16.0%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	20.8%	20.5%	20.6%	23.1%	<u>20.3%</u>
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	47.9%	47.9%	50.3%	53.5%	58.3%

**BUTTE, COLUSA, GLENN, AND TEHAMA COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE					
NO PAP SMEAR PAST THREE YEARS (WOMEN)	35.2%	35.0%	35.2%	38.9%	<u>34.6%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	30.0%	28.9%	30.0%	34.7%	<u>28.3%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	36.5%	37.0%	36.5%	35.4%	<u>43.5%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	34.8%	35.4%	34.8%	23.6%	<u>29.0%</u>
NEVER HAD COLONOSCOPY	41.2%	40.4%	48.7%	47.4%	49.3%
NEVER TESTED FOR BLOOD IN STOOL	36.5%	35.6%	35.9%	49.2%	55.2%
NO FLU SHOT PAST YEAR	32.1%	32.1%	34.4%	35.7%	32.8%
ACCESS TO MEDICAL CARE					
FEWER THAN TWO DOCTOR VISITS PAST YEAR	23.0%	22.5%	21.4%	24.9%	<u>12.9%</u>
EMERGENCY ROOM VISIT PAST YEAR	22.4%	21.9%	21.4%	24.5%	<u>30.1%</u>
HOSPITALIZED PAST YEAR	14.4%	14.1%	13.2%	16.0%	<u>16.4%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	9.4%	9.7%	<u>9.8%</u>	<u>10.5%</u>	<u>10.0%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	35.2%	33.9%	36.6%	50.2%	61.2%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	71.3%	72.9%	70.5%	53.2%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	17.3%	16.7%	15.7%	30.9%	<u>18.6%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	9.4%	8.3%	13.1%	<u>14.2%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	36.6%	37.0%	40.6%	36.6%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	32.8%	32.5%	32.9%	27.8%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	45.8%	46.0%	50.1%	35.7%	*
NO DENTAL INSURANCE	55.6%	55.7%	63.8%	57.0%	*
BUTTE POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	30,462	28,281	17,294	9,871	4,267
COLUSA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	2,040	1,616	1,127	678	460
GLENN POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	3,353	2,966	1,877	1,168	550
TEHAMA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	8,620	8,013	4,684	3,026	1,285

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**CONTRA COSTA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS						
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	69.7%	69.9%	73.3%	58.0%	66.1%	66.5%
CURRENTLY SMOKING	4.4%	5.0%	<u>4.2%</u>	<u>7.1%</u>	*	*
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	41.2%	40.7%	39.6%	45.9%	34.4%	53.3%
OBESE: BODY MASS INDEX 30 OR MORE	20.3%	19.6%	21.5%	23.3%	36.6%	28.5%

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS						
FAIR OR POOR HEALTH	27.2%	26.4%	28.1%	46.8%	*	66.1%
DIABETES – EVER DIAGNOSED	15.1%	11.9%	15.6%	15.5%	*	28.9%
HYPERTENSION – EVER DIAGNOSED	51.6%	50.5%	55.0%	63.8%	57.1%	71.2%
HEART DISEASE – EVER DIAGNOSED	26.9%	26.6%	24.8%	31.7%	*	36.8%
ARTHRITIS – EVER DIAGNOSED	53.4%	53.2%	59.7%	63.8%	38.2%	70.9%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	58.3%	58.4%	62.7%	67.7%	*	<u>61.5%</u>
ASTHMA – EVER DIAGNOSED	10.9%	11.8%	13.1%	14.1%	*	<u>14.1%</u>
CANCER OF SKIN – EVER DIAGNOSED	7.6%	10.2%	<u>5.5%</u>	*	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	20.9%	25.6%	21.8%	21.7%	*	*
LIMITED A LOT IN CLIMBING STAIRS	23.2%	23.8%	28.7%	30.7%	*	47.6%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	9.7%	7.9%	8.4%	16.7%	*	<u>17.3%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	30.0%	27.1%	31.9%	35.9%	39.6%	55.3%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	45.1%	45.9%	49.5%	58.6%	31.3%	73.6%

**CONTRA COSTA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE						
NO PAP SMEAR PAST THREE YEARS (WOMEN)	31.1%	30.5%	31.1%	26.7%	44.9%	37.0%
NO MAMMOGRAM PAST YEAR (WOMEN)	38.6%	34.3%	38.6%	45.7%	*	29.1%
EVER HAD BONE DENSITY TEST (WOMEN)	33.2%	40.7%	33.2%	17.1%	*	<u>13.6%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	31.1%	36.4%	31.1%	25.7%	*	<u>21.6%</u>
NEVER HAD COLONOSCOPY	27.8%	22.3%	35.4%	31.2%	51.7%	43.9%
NEVER TESTED FOR BLOOD IN STOOL	27.8%	23.4%	30.1%	24.9%	55.5%	32.2%
NO FLU SHOT PAST YEAR	33.1%	30.4%	34.3%	31.9%	53.1%	44.3%

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE						
FEWER THAN TWO DOCTOR VISITS PAST YEAR	23.2%	23.2%	27.8%	17.5%	<u>26.9%</u>	<u>13.5%</u>
EMERGENCY ROOM VISIT PAST YEAR	24.3%	20.8%	22.4%	20.3%	37.4%	37.1%
HOSPITALIZED PAST YEAR	15.6%	15.2%	17.7%	14.5%	*	26.7%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	10.6%	13.2%	7.0%	18.0%	*	<u>14.5%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	23.6%	22.3%	23.6%	25.8%	*	35.3%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	72.5%	79.0%	67.5%	58.1%	62.9%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	14.6%	11.4%	19.5%	33.1%	*	*
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	5.5%	4.6%	<u>4.9%</u>	<u>6.1%</u>	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	10.7%	11.5%	9.1%	<u>10.6%</u>	<u>18.8%</u>	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	19.6%	22.2%	15.0%	18.5%	*	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	33.3%	35.9%	30.8%	26.0%	31.7%	*
NO DENTAL INSURANCE	40.7%	45.8%	39.0%	41.8%	54.2%	*
CONTRA COSTA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	102,348	77,608	59,258	20,915	10,878	13,153

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**DEL NORTE, HUMBOLDT, LAKE, AND MENDOCINO COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001**

HEALTH BEHAVIORS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	72.3%	74.6%	76.5%	64.4%	64.4%
CURRENTLY SMOKING	8.8%	9.9%	<u>9.9%</u>	<u>8.4%</u>	<u>12.6%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	39.4%	37.9%	40.9%	38.3%	46.6%
OBESE: BODY MASS INDEX 30 OR MORE	18.1%	17.5%	23.3%	18.0%	<u>16.2%</u>

HEALTH STATUS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
FAIR OR POOR HEALTH	35.2%	35.6%	33.8%	48.6%	40.1%
DIABETES – EVER DIAGNOSED	17.6%	17.8%	16.5%	23.3%	<u>24.2%</u>
HYPERTENSION – EVER DIAGNOSED	56.6%	55.4%	60.8%	65.9%	57.2%
HEART DISEASE – EVER DIAGNOSED	27.8%	28.4%	26.1%	31.7%	38.2%
ARTHRITIS – EVER DIAGNOSED	53.7%	54.6%	62.5%	60.7%	64.5%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	64.5%	63.5%	67.9%	67.9%	<u>69.6%</u>
ASTHMA – EVER DIAGNOSED	9.6%	10.6%	<u>8.6%</u>	<u>7.5%</u>	<u>8.4%</u>
CANCER OF SKIN – EVER DIAGNOSED	16.5%	16.6%	17.1%	<u>13.4%</u>	<u>18.7%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	19.8%	18.3%	19.3%	20.8%	<u>24.6%</u>
LIMITED A LOT IN CLIMBING STAIRS	28.7%	29.6%	38.3%	33.7%	42.7%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	13.4%	13.2%	15.1%	17.8%	<u>18.2%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	28.7%	28.4%	31.9%	35.3%	38.5%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	49.3%	51.1%	54.3%	59.6%	53.0%

**DEL NORTE, HUMBOLDT, LAKE, AND MENDOCINO COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE					
NO PAP SMEAR PAST THREE YEARS (WOMEN)	27.7%	27.7%	27.7%	33.2%	<u>32.2%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	29.3%	27.7%	29.3%	31.1%	<u>41.4%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	44.5%	45.1%	44.5%	45.1%	<u>32.2%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	29.6%	32.5%	29.6%	31.6%	<u>27.0%</u>
NEVER HAD COLONOSCOPY	45.9%	44.9%	50.9%	49.2%	48.7%
NEVER TESTED FOR BLOOD IN STOOL	40.2%	35.7%	40.7%	43.8%	41.8%
NO FLU SHOT PAST YEAR	30.4%	28.9%	30.6%	29.0%	39.1%
ACCESS TO MEDICAL CARE					
FEWER THAN TWO DOCTOR VISITS PAST YEAR	22.6%	22.2%	24.5%	18.8%	<u>24.6%</u>
EMERGENCY ROOM VISIT PAST YEAR	23.7%	20.2%	19.0%	26.4%	31.1%
HOSPITALIZED PAST YEAR	15.3%	14.6%	<u>13.0%</u>	16.9%	<u>14.8%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	11.0%	10.9%	<u>13.0%</u>	<u>12.4%</u>	<u>16.2%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	37.5%	35.5%	37.6%	47.0%	44.3%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	68.3%	72.1%	66.1%	60.0%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	22.7%	19.4%	24.4%	31.5%	*
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	5.3%	3.9%	<u>5.8%</u>	<u>8.5%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	35.1%	35.4%	38.7%	38.0%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	41.5%	40.6%	40.6%	41.5%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	57.6%	60.0%	61.8%	52.7%	*
NO DENTAL INSURANCE	60.5%	64.0%	62.4%	60.0%	*
DEL NORTE POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	3,326	3,044	1,810	1,397	615
HUMBOLDT POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	15,030	13,860	8,507	4,918	2,049
LAKE POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	11,061	10,013	5,871	3,969	1,717
MENDOCINO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	11,269	10,379	6,266	3,362	1,790

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**EL DORADO, PLACER, SUTTER, YOLO, AND YUBA COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001**

HEALTH BEHAVIORS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	70.5%	72.2%	74.2%	63.1%	68.3%
CURRENTLY SMOKING	7.9%	8.1%	10.8%	13.2%	<u>15.7%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	37.1%	37.8%	36.6%	42.3%	49.1%
OBESE: BODY MASS INDEX 30 OR MORE	14.8%	14.9%	15.3%	14.9%	<u>15.8%</u>

HEALTH STATUS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
FAIR OR POOR HEALTH	23.2%	23.3%	27.9%	34.2%	36.8%
DIABETES – EVER DIAGNOSED	13.3%	10.9%	11.4%	17.2%	23.1%
HYPERTENSION – EVER DIAGNOSED	49.6%	50.0%	50.0%	51.1%	56.9%
HEART DISEASE – EVER DIAGNOSED	25.5%	27.4%	22.7%	26.5%	24.0%
ARTHRITIS – EVER DIAGNOSED	50.0%	52.3%	60.1%	52.6%	50.7%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	60.2%	60.1%	62.5%	74.0%	<u>76.3%</u>
ASTHMA – EVER DIAGNOSED	10.4%	10.0%	14.2%	15.8%	<u>20.2%</u>
CANCER OF SKIN – EVER DIAGNOSED	10.2%	11.4%	<u>10.3%</u>	8.5%	<u>8.9%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	16.1%	17.7%	17.7%	<u>10.8%</u>	<u>12.7%</u>
LIMITED A LOT IN CLIMBING STAIRS	26.6%	27.6%	32.4%	38.1%	37.2%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	9.4%	8.9%	12.0%	13.4%	<u>16.9%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	21.6%	21.3%	26.5%	31.3%	35.8%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	47.7%	49.4%	51.0%	58.2%	54.9%

**EL DORADO, PLACER, SUTTER, YOLO, AND YUBA COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE					
NO PAP SMEAR PAST THREE YEARS (WOMEN)	21.0%	22.7%	21.0%	25.7%	32.5%
NO MAMMOGRAM PAST YEAR (WOMEN)	28.3%	29.9%	28.3%	31.9%	37.0%
EVER HAD BONE DENSITY TEST (WOMEN)	42.4%	43.1%	42.4%	34.9%	<u>27.8%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	35.6%	37.8%	35.6%	28.3%	<u>25.0%</u>
NEVER HAD COLONOSCOPY	31.8%	29.5%	34.4%	38.8%	43.6%
NEVER TESTED FOR BLOOD IN STOOL	28.8%	27.8%	26.9%	34.4%	30.5%
NO FLU SHOT PAST YEAR	26.7%	26.4%	25.8%	30.0%	36.7%
ACCESS TO MEDICAL CARE					
FEWER THAN TWO DOCTOR VISITS PAST YEAR	22.9%	23.8%	23.2%	23.1%	23.7%
EMERGENCY ROOM VISIT PAST YEAR	18.8%	19.4%	19.4%	21.7%	28.9%
HOSPITALIZED PAST YEAR	14.4%	14.9%	15.8%	18.7%	<u>16.8%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	12.2%	12.9%	13.6%	13.9%	<u>17.0%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	32.8%	30.2%	33.6%	49.7%	57.9%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	75.2%	77.4%	72.2%	56.3%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	14.3%	12.1%	17.6%	31.1%	<u>98.1%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	6.8%	7.4%	<u>7.1%</u>	<u>7.8%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	18.2%	20.2%	20.3%	18.2%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	27.0%	29.1%	24.6%	18.6%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	39.9%	41.2%	37.8%	30.0%	*
NO DENTAL INSURANCE	51.4%	54.2%	54.7%	49.9%	*
EL DORADO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	19,014	17,753	10,163	4,026	1,477
PLACER POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	30,970	28,150	17,206	5,811	2,526
SUTTER POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	9,072	7,240	5,045	3,017	2,016
YOLO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	14,925	11,694	8,425	4,074	2,780
YUBA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	6,261	5,217	3,457	2,383	1,426

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

FRESNO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	66.0%	45.4%	71.3%	74.8%	61.8%	51.2%	46.4%
CURRENTLY SMOKING	<u>4.0%</u>	*	<u>4.0%</u>	<u>3.4%</u>	5.6%	*	<u>7.4%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	33.7%	29.1%	33.2%	25.6%	31.9%	*	42.5%
OBESE: BODY MASS INDEX 30 OR MORE	16.6%	<u>20.5%</u>	17.8%	15.6%	21.7%	*	<u>13.6%</u>

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS							
FAIR OR POOR HEALTH	32.6%	56.1%	25.7%	29.6%	38.9%	61.9%	43.8%
DIABETES – EVER DIAGNOSED	19.3%	<u>18.2%</u>	15.0%	16.5%	17.1%	<u>22.9%</u>	15.9%
HYPERTENSION – EVER DIAGNOSED	63.3%	78.9%	56.0%	60.4%	76.3%	71.3%	80.4%
HEART DISEASE – EVER DIAGNOSED	22.8%	26.8%	25.7%	21.3%	28.1%	42.6%	21.0%
ARTHRITIS – EVER DIAGNOSED	48.9%	57.9%	47.8%	51.7%	52.9%	<u>65.5%</u>	50.0%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	56.4%	56.5%	53.1%	50.3%	63.8%	*	68.5%
ASTHMA – EVER DIAGNOSED	12.5%	*	14.0%	18.8%	15.7%	*	18.0%
CANCER OF SKIN – EVER DIAGNOSED	6.4%	*	8.7%	<u>3.5%</u>	<u>4.8%</u>	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	16.3%	*	20.5%	14.0%	12.9%	*	<u>6.3%</u>
LIMITED A LOT IN CLIMBING STAIRS	20.2%	20.0%	22.3%	24.1%	24.2%	30.6%	35.4%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	8.7%	*	10.1%	11.8%	9.2%	*	<u>13.7%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	23.6%	26.1%	21.9%	28.8%	29.1%	36.2%	43.5%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	42.7%	36.2%	45.6%	52.4%	46.1%	47.6%	67.3%

**FRESNO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE							
NO PAP SMEAR PAST THREE YEARS (WOMEN)	22.2%	*	31.4%	22.2%	18.2%	*	<u>9.4%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	25.6%	*	34.0%	25.6%	25.2%	*	<u>21.2%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	48.1%	38.4%	51.1%	48.1%	43.7%	38.8%	35.3%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	42.4%	42.4%	44.4%	42.4%	41.1%	<u>31.1%</u>	37.9%
NEVER HAD COLONOSCOPY	31.2%	39.3%	27.8%	30.9%	32.3%	36.0%	45.7%
NEVER TESTED FOR BLOOD IN STOOL	39.7%	77.9%	25.9%	38.0%	46.6%	*	58.9%
NO FLU SHOT PAST YEAR	32.9%	39.9%	28.5%	32.0%	40.5%	49.6%	42.9%
ACCESS TO MEDICAL CARE							
FEWER THAN TWO DOCTOR VISITS PAST YEAR	17.0%	<u>12.1%</u>	19.9%	21.0%	11.8%	<u>20.3%</u>	<u>10.9%</u>
EMERGENCY ROOM VISIT PAST YEAR	17.8%	18.6%	15.4%	22.4%	18.4%	*	16.0%
HOSPITALIZED PAST YEAR	13.3%	<u>10.8%</u>	14.9%	17.7%	16.4%	*	19.8%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	9.3%	*	9.5%	7.0%	8.1%	*	*
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	34.3%	43.5%	32.5%	23.6%	43.8%	30.8%	50.2%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	65.9%	36.1%	74.4%	67.5%	48.6%	34.7%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	26.0%	60.5%	15.6%	19.5%	40.9%	56.9%	<u>98.8%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	5.3%	*	7.8%	<u>4.9%</u>	<u>5.7%</u>	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	21.7%	*	26.1%	9.1%	19.7%	*	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	25.8%	*	29.5%	15.0%	14.6%	*	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	40.3%	*	47.4%	30.8%	27.4%	21.4%	*
NO DENTAL INSURANCE	51.4%	28.3%	60.1%	39.0%	46.3%	28.0%	*
FRESNO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	75,515	15,023	50,915	43,420	27,449	11,620	20,057

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

IMPERIAL AND RIVERSIDE COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	71.7%	52.3%	76.4%	75.1%	69.2%	61.8%	67.0%
CURRENTLY SMOKING	6.1%	<u>3.0%</u>	6.5%	5.8%	6.8%	<u>4.4%</u>	<u>4.0%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	36.3%	32.9%	34.8%	30.1%	36.7%	34.0%	45.4%
OBESE: BODY MASS INDEX 30 OR MORE	16.0%	22.5%	14.6%	12.8%	21.0%	<u>15.0%</u>	20.9%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS							
FAIR OR POOR HEALTH	27.7%	52.5%	23.3%	26.1%	40.7%	35.2%	42.5%
DIABETES – EVER DIAGNOSED	18.8%	39.9%	15.2%	12.2%	22.3%	19.7%	34.0%
HYPERTENSION – EVER DIAGNOSED	49.8%	64.5%	45.3%	51.6%	59.2%	61.4%	65.3%
HEART DISEASE – EVER DIAGNOSED	23.5%	24.8%	23.3%	17.5%	24.1%	<u>12.9%</u>	21.5%
ARTHRITIS – EVER DIAGNOSED	55.2%	62.8%	53.4%	60.3%	57.6%	28.6%	68.0%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	51.6%	48.8%	50.6%	55.3%	58.8%	<u>42.5%</u>	58.1%
ASTHMA – EVER DIAGNOSED	7.9%	<u>8.3%</u>	7.0%	9.3%	11.6%	<u>10.2%</u>	<u>7.0%</u>
CANCER OF SKIN – EVER DIAGNOSED	11.9%	<u>0.7%</u>	14.8%	11.1%	7.0%	<u>4.2%</u>	<u>0.9%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	15.1%	11.1%	16.4%	16.8%	18.7%	21.0%	13.6%
LIMITED A LOT IN CLIMBING STAIRS	22.5%	24.4%	22.0%	26.0%	27.9%	<u>15.2%</u>	28.2%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	7.9%	11.9%	7.3%	9.1%	14.7%	<u>13.4%</u>	14.8%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	23.1%	36.1%	20.6%	23.0%	31.3%	27.5%	38.3%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	43.0%	60.4%	40.2%	40.0%	51.7%	49.8%	51.0%

**IMPERIAL AND RIVERSIDE COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE							
NO PAP SMEAR PAST THREE YEARS (WOMEN)	25.3%	<u>14.0%</u>	27.4%	25.3%	28.7%	<u>19.7%</u>	19.9%
NO MAMMOGRAM PAST YEAR (WOMEN)	30.7%	35.6%	32.2%	30.7%	41.2%	<u>29.7%</u>	39.6%
EVER HAD BONE DENSITY TEST (WOMEN)	49.5%	34.3%	52.5%	49.5%	37.1%	<u>12.4%</u>	44.1%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	28.1%	<u>17.5%</u>	29.8%	28.1%	22.4%	<u>12.7%</u>	29.2%
NEVER HAD COLONOSCOPY	37.3%	45.6%	34.4%	44.0%	46.7%	59.0%	47.6%
NEVER TESTED FOR BLOOD IN STOOL	40.5%	52.0%	37.5%	40.2%	49.6%	54.6%	60.2%
NO FLU SHOT PAST YEAR	37.9%	40.5%	36.6%	42.7%	37.5%	46.2%	34.5%
ACCESS TO MEDICAL CARE							
FEWER THAN TWO DOCTOR VISITS PAST YEAR	19.4%	20.4%	17.9%	22.7%	20.4%	32.0%	27.5%
EMERGENCY ROOM VISIT PAST YEAR	22.3%	20.9%	22.3%	21.9%	24.5%	<u>14.1%</u>	21.0%
HOSPITALIZED PAST YEAR	15.5%	<u>7.9%</u>	16.9%	13.7%	17.2%	3.7%	12.0%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	10.5%	<u>9.4%</u>	10.2%	11.9%	12.4%	<u>7.3%</u>	15.1%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	31.3%	36.9%	31.0%	28.4%	38.1%	50.8%	34.4%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	74.2%	31.7%	83.9%	72.5%	56.5%	44.6%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	17.5%	54.5%	9.0%	17.8%	31.8%	39.9%	<u>93.9%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	5.0%	<u>7.1%</u>	4.5%	6.3%	7.3%	<u>10.8%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	16.9%	<u>7.9%</u>	19.1%	19.8%	15.7%	<u>12.1%</u>	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	20.0%	<u>2.8%</u>	23.0%	20.9%	19.6%	<u>13.4%</u>	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	32.7%	<u>8.1%</u>	38.3%	30.8%	23.7%	<u>11.8%</u>	*
NO DENTAL INSURANCE	45.4%	13.6%	52.5%	46.9%	37.6%	33.4%	*
IMPERIAL POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	13,778	7,471	5,504	7,455	6,708	5,589	6,861
RIVERSIDE POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	188,839	22,394	153,277	104,741	54,142	16,076	24,737

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**KERN COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS						
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	65.1%	39.0%	69.2%	71.1%	55.7%	53.9%
CURRENTLY SMOKING	8.0%	*	10.6%	9.1%	<u>7.4%</u>	<u>8.4%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	38.4%	31.7%	40.0%	32.4%	39.1%	38.3%
OBESE: BODY MASS INDEX 30 OR MORE	14.5%	<u>12.0%</u>	13.2%	16.9%	15.2%	<u>11.9%</u>

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
HEALTH STATUS						
FAIR OR POOR HEALTH	38.8%	<u>79.7%</u>	30.8%	38.5%	50.9%	67.3%
DIABETES – EVER DIAGNOSED	9.5%	<u>22.4%</u>	<u>5.0%</u>	10.3%	14.3%	15.0%
HYPERTENSION – EVER DIAGNOSED	56.3%	63.1%	53.9%	55.3%	62.5%	67.3%
HEART DISEASE – EVER DIAGNOSED	25.5%	45.6%	21.7%	24.9%	26.4%	30.0%
ARTHRITIS – EVER DIAGNOSED	60.9%	71.4%	58.4%	71.1%	66.2%	71.3%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	61.9%	*	67.2%	61.4%	58.8%	62.2%
ASTHMA – EVER DIAGNOSED	9.7%	*	11.5%	<u>6.8%</u>	10.9%	<u>7.2%</u>
CANCER OF SKIN – EVER DIAGNOSED	13.0%	*	16.8%	9.7%	10.9%	10.4%
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	16.2%	*	16.2%	14.4%	18.7%	<u>12.2%</u>
LIMITED A LOT IN CLIMBING STAIRS	36.7%	47.2%	34.6%	37.6%	42.7%	41.0%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	10.0%	*	8.9%	9.8%	12.5%	14.7%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	25.5%	43.2%	22.3%	29.5%	30.6%	36.5%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	54.1%	70.5%	50.5%	57.0%	68.4%	74.4%

**KERN COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE						
NO PAP SMEAR PAST THREE YEARS (WOMEN)	28.4%	*	30.7%	28.4%	30.3%	<u>21.6%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	33.3%	54.2%	31.6%	33.3%	39.8%	43.9%
EVER HAD BONE DENSITY TEST (WOMEN)	39.5%	49.9%	40.4%	39.5%	38.5%	50.9%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	36.3%	*	37.8%	36.3%	34.4%	38.4%
NEVER HAD COLONOSCOPY	40.1%	40.1%	37.1%	46.4%	44.2%	43.0%
NEVER TESTED FOR BLOOD IN STOOL	54.7%	<u>80.4%</u>	49.0%	50.1%	62.1%	69.3%
NO FLU SHOT PAST YEAR	35.4%	30.2%	35.7%	41.3%	34.8%	32.5%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE						
FEWER THAN TWO DOCTOR VISITS PAST YEAR	16.7%	*	18.2%	10.5%	11.0%	<u>13.7%</u>
EMERGENCY ROOM VISIT PAST YEAR	23.9%	47.1%	20.4%	26.2%	27.9%	32.7%
HOSPITALIZED PAST YEAR	18.9%	35.5%	16.3%	16.9%	21.6%	24.6%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	10.1%	*	10.8%	15.1%	13.0%	14.7%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	45.1%	50.6%	40.9%	48.5%	58.5%	62.0%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	59.4%	17.4%	71.6%	57.4%	38.2%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	31.7%	78.6%	17.8%	35.0%	53.7%	<u>97.8%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	7.4%	*	9.6%	<u>6.1%</u>	<u>5.2%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	10.6%	*	14.0%	<u>6.7%</u>	<u>5.2%</u>	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	15.0%	*	19.7%	15.0%	<u>7.2%</u>	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	21.6%	*	28.5%	21.2%	<u>8.8%</u>	*
NO DENTAL INSURANCE	33.6%	<u>4.6%</u>	43.7%	31.8%	21.9%	*
KERN POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	59,853	9,068	45,009	33,630	23,048	12,684

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

KINGS AND TULARE COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	68.3%	51.2%	74.6%	72.9%	65.2%	53.0%	61.8%
CURRENTLY SMOKING	9.7%	<u>7.3%</u>	<u>9.3%</u>	<u>7.6%</u>	<u>6.1%</u>	*	<u>7.1%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	31.5%	35.8%	29.0%	32.0%	33.0%	<u>35.6%</u>	44.2%
OBESE: BODY MASS INDEX 30 OR MORE	21.3%	30.9%	18.8%	20.4%	24.6%	<u>20.7%</u>	31.0%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS							
FAIR OR POOR HEALTH	40.9%	59.7%	35.0%	41.2%	50.3%	70.1%	64.9%
DIABETES – EVER DIAGNOSED	17.4%	<u>24.7%</u>	15.5%	16.4%	20.5%	<u>27.4%</u>	28.1%
HYPERTENSION – EVER DIAGNOSED	55.7%	55.3%	52.5%	60.1%	57.3%	46.8%	63.2%
HEART DISEASE – EVER DIAGNOSED	30.2%	39.0%	28.1%	23.6%	33.1%	39.5%	32.3%
ARTHRITIS – EVER DIAGNOSED	62.4%	61.1%	63.2%	67.1%	69.5%	77.5%	75.7%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	66.2%	<u>61.8%</u>	71.6%	63.6%	65.0%	<u>50.1%</u>	65.9%
ASTHMA – EVER DIAGNOSED	8.9%	*	10.6%	<u>11.1%</u>	12.4%	*	<u>7.0%</u>
CANCER OF SKIN – EVER DIAGNOSED	7.6%	*	<u>9.0%</u>	<u>7.2%</u>	<u>6.5%</u>	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	16.0%	<u>13.3%</u>	17.4%	16.9%	16.8%	*	<u>13.4%</u>
LIMITED A LOT IN CLIMBING STAIRS	32.0%	40.8%	29.0%	36.5%	43.4%	47.6%	52.8%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	25.5%	51.4%	18.5%	27.1%	31.4%	58.2%	50.0%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	31.2%	46.4%	26.2%	32.3%	37.5%	56.0%	47.8%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	48.3%	66.3%	42.8%	49.3%	57.6%	69.7%	68.4%

**KINGS AND TULARE COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE							
NO PAP SMEAR PAST THREE YEARS (WOMEN)	25.5%	*	31.2%	25.5%	29.0%	*	<u>23.3%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	32.4%	<u>30.1%</u>	33.3%	32.4%	28.7%	<u>36.9%</u>	<u>29.7%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	38.7%	<u>22.6%</u>	42.7%	38.7%	32.9%	*	39.3%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	30.8%	<u>21.2%</u>	34.2%	30.8%	20.0%	*	<u>18.9%</u>
NEVER HAD COLONOSCOPY	44.6%	46.7%	42.9%	41.7%	50.0%	64.2%	59.4%
NEVER TESTED FOR BLOOD IN STOOL	49.8%	58.9%	46.6%	43.4%	55.0%	60.2%	63.8%
NO FLU SHOT PAST YEAR	36.9%	58.1%	31.1%	40.9%	39.5%	61.9%	48.7%
ACCESS TO MEDICAL CARE							
FEWER THAN TWO DOCTOR VISITS PAST YEAR	16.7%	<u>9.1%</u>	20.2%	16.4%	15.5%	*	<u>9.5%</u>
EMERGENCY ROOM VISIT PAST YEAR	23.4%	<u>19.7%</u>	24.5%	25.9%	26.6%	<u>19.3%</u>	29.7%
HOSPITALIZED PAST YEAR	19.0%	<u>21.4%</u>	19.1%	19.8%	20.4%	<u>15.7%</u>	23.2%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	17.4%	<u>14.8%</u>	17.1%	19.7%	21.0%	*	<u>19.6%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	40.6%	48.5%	37.8%	36.8%	45.8%	68.5%	55.8%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	58.2%	29.6%	69.4%	56.6%	39.6%	<u>25.9%</u>	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	29.4%	52.6%	20.4%	31.2%	44.6%	49.2%	96.0%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	8.4%	<u>7.7%</u>	<u>8.0%</u>	<u>8.6%</u>	<u>10.5%</u>	<u>13.6%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	29.1%	<u>13.6%</u>	34.6%	27.8%	24.9%	<u>20.4%</u>	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	40.0%	28.3%	46.0%	41.8%	34.2%	<u>20.9%</u>	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	43.2%	27.8%	48.6%	44.2%	32.1%	<u>27.9%</u>	*
NO DENTAL INSURANCE	49.6%	32.8%	56.1%	47.6%	41.0%	37.3%	*
KINGS POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	9,009	1,983	6,103	5,102	3,395	1,344	2,276
TULARE POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	33,991	7,248	24,326	19,271	13,350	5,591	9,544

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

LASSEN, MODOC, SISKIYOU, AND TRINITY COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
HEALTH BEHAVIORS				
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	71.7%	73.4%	<u>77.6%</u>	<u>72.0%</u>
CURRENTLY SMOKING	<u>7.6%</u>	<u>7.7%</u>	<u>7.6%</u>	<u>8.1%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	33.0%	32.8%	32.3%	41.8%
OBESE: BODY MASS INDEX 30 OR MORE	20.6%	<u>20.3%</u>	<u>25.6%</u>	<u>22.0%</u>

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
HEALTH STATUS				
FAIR OR POOR HEALTH	33.1%	31.8%	33.1%	44.1%
DIABETES – EVER DIAGNOSED	<u>17.3%</u>	<u>16.9%</u>	<u>15.9%</u>	<u>17.6%</u>
HYPERTENSION – EVER DIAGNOSED	49.7%	46.5%	51.0%	52.0%
HEART DISEASE – EVER DIAGNOSED	29.1%	28.2%	<u>26.3%</u>	<u>29.9%</u>
ARTHRITIS – EVER DIAGNOSED	53.1%	54.3%	59.8%	58.9%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	<u>64.6%</u>	<u>65.5%</u>	<u>59.3%</u>	<u>69.3%</u>
ASTHMA – EVER DIAGNOSED	<u>12.2%</u>	<u>12.6%</u>	<u>14.2%</u>	<u>12.8%</u>
CANCER OF SKIN – EVER DIAGNOSED	<u>7.6%</u>	<u>8.0%</u>	<u>6.3%</u>	<u>3.8%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	<u>19.3%</u>	21.5%	<u>16.3%</u>	<u>21.4%</u>
LIMITED A LOT IN CLIMBING STAIRS	25.0%	24.7%	<u>30.1%</u>	<u>32.8%</u>
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	<u>8.9%</u>	<u>9.5%</u>	<u>6.9%</u>	<u>11.9%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	21.5%	22.3%	<u>28.7%</u>	<u>27.5%</u>
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	47.3%	45.6%	50.2%	54.9%

LASSEN, MODOC, SISKIYOU, AND TRINITY COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
PREVENTIVE SERVICE USE				
NO PAP SMEAR PAST THREE YEARS (WOMEN)	<u>31.9%</u>	<u>33.2%</u>	<u>31.9%</u>	32.7%
NO MAMMOGRAM PAST YEAR (WOMEN)	35.3%	<u>34.7%</u>	35.3%	<u>38.6%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	44.9%	45.6%	44.9%	<u>35.3%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	<u>28.8%</u>	<u>28.9%</u>	<u>28.8%</u>	<u>16.6%</u>
NEVER HAD COLONOSCOPY	41.6%	40.7%	48.4%	48.1%
NEVER TESTED FOR BLOOD IN STOOL	43.8%	43.7%	45.2%	46.0%
NO FLU SHOT PAST YEAR	36.7%	36.0%	34.2%	35.8%

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
ACCESS TO MEDICAL CARE				
FEWER THAN TWO DOCTOR VISITS PAST YEAR	<u>19.0%</u>	<u>20.0%</u>	<u>20.3%</u>	<u>20.1%</u>
EMERGENCY ROOM VISIT PAST YEAR	23.4%	25.0%	<u>26.7%</u>	<u>30.1%</u>
HOSPITALIZED PAST YEAR	<u>17.2%</u>	<u>17.9%</u>	<u>17.4%</u>	23.4%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	<u>14.5%</u>	<u>15.2%</u>	<u>15.7%</u>	<u>16.2%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	39.5%	38.9%	40.8%	51.0%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	69.0%	69.6%	69.8%	53.3%
HAS MEDICARE AND MEDICAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	20.5%	<u>20.5%</u>	<u>22.0%</u>	35.2%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>8.4%</u>	<u>7.6%</u>	<u>7.7%</u>	<u>11.6%</u>
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	37.2%	36.4%	37.4%	40.2%
INSURANCE DOES NOT INCLUDE VISION BENEFITS	43.0%	43.8%	41.3%	37.5%
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	54.7%	54.4%	56.2%	43.3%
NO DENTAL INSURANCE	59.0%	58.7%	58.0%	60.8%
LASSEN POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	2,903	2,643	1,531	937
MODOC POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	1,585	1,462	826	608
SISKIYOU POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	7,844	7,239	4,283	2,899
TRINITY POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	2,197	2,062	1,108	674

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**LOS ANGELES COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS									
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	72.0%	59.9%	75.2%	66.9%	76.8%	75.3%	64.9%	65.4%	62.7%
CURRENTLY SMOKING	7.9%	6.9%	5.7%	16.1%	7.3%	7.8%	8.4%	6.0%	9.2%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	39.5%	29.3%	40.7%	40.4%	42.5%	36.2%	37.7%	36.1%	41.4%
OBESE: BODY MASS INDEX 30 OR MORE	16.6%	22.1%	3.7%	24.5%	16.2%	18.0%	19.1%	18.3%	20.3%

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS									
FAIR OR POOR HEALTH	32.5%	48.1%	33.0%	41.2%	24.8%	34.6%	42.9%	47.2%	50.5%
DIABETES – EVER DIAGNOSED	16.6%	23.8%	*	25.1%	12.8%	13.9%	18.5%	24.6%	23.1%
HYPERTENSION – EVER DIAGNOSED	54.3%	52.5%	57.7%	66.0%	51.7%	57.3%	55.7%	52.4%	57.8%
HEART DISEASE – EVER DIAGNOSED	22.2%	16.5%	20.9%	15.1%	26.3%	20.8%	22.0%	19.3%	24.8%
ARTHRITIS – EVER DIAGNOSED	49.0%	47.3%	35.4%	54.6%	51.8%	56.2%	50.0%	43.6%	48.6%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	57.0%	54.2%	52.8%	71.2%	55.2%	60.4%	60.9%	57.0%	71.0%
ASTHMA – EVER DIAGNOSED	7.6%	10.6%	12.2%	10.3%	4.5%	7.6%	10.4%	11.5%	11.1%
CANCER OF SKIN – EVER DIAGNOSED	7.5%	1.9%	*	*	12.8%	5.7%	4.8%	2.0%	3.6%
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	17.9%	11.5%	12.6%	15.6%	21.9%	17.5%	15.5%	9.7%	12.0%
LIMITED A LOT IN CLIMBING STAIRS	24.6%	28.3%	17.2%	26.9%	23.7%	30.5%	28.5%	26.2%	33.7%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	14.8%	21.2%	23.2%	15.0%	10.1%	17.6%	20.9%	24.2%	25.9%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	27.3%	38.6%	27.7%	25.5%	23.2%	29.8%	36.3%	38.7%	39.7%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	47.3%	49.5%	52.1%	51.5%	44.7%	50.7%	56.6%	54.9%	61.4%

**LOS ANGELES COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	ASIAN AMERICAN	AFRICAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE									
NO PAP SMEAR PAST THREE YEARS (WOMEN)	22.7%	21.5%	25.4%	18.3%	22.8%	22.7%	26.1%	29.1%	20.3%
NO MAMMOGRAM PAST YEAR (WOMEN)	30.6%	36.1%	37.3%	23.6%	28.5%	30.6%	37.5%	39.1%	36.2%
EVER HAD BONE DENSITY TEST (WOMEN)	39.5%	27.5%	44.3%	20.9%	47.2%	39.5%	32.3%	29.1%	32.4%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	28.3%	23.0%	28.6%	20.1%	32.0%	28.3%	21.6%	15.5%	18.4%
NEVER HAD COLONOSCOPY	40.0%	49.7%	47.9%	35.6%	35.2%	46.0%	50.3%	52.9%	50.9%
NEVER TESTED FOR BLOOD IN STOOL	45.9%	59.7%	65.6%	37.7%	37.0%	44.3%	54.8%	61.5%	60.1%
NO FLU SHOT PAST YEAR	36.4%	47.3%	25.5%	50.3%	32.5%	36.1%	37.1%	44.1%	36.1%
ACCESS TO MEDICAL CARE									
FEWER THAN TWO DOCTOR VISITS PAST YEAR	17.6%	21.5%	17.3%	18.6%	16.4%	16.9%	19.3%	16.9%	14.7%
EMERGENCY ROOM VISIT PAST YEAR	22.9%	21.0%	16.9%	24.2%	24.1%	21.1%	21.5%	18.6%	23.0%
HOSPITALIZED PAST YEAR	16.7%	16.1%	13.9%	17.6%	17.1%	15.3%	17.5%	11.9%	21.2%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	14.1%	11.1%	15.1%	12.8%	15.3%	16.9%	14.9%	12.2%	12.3%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	32.7%	46.0%	37.8%	42.7%	25.0%	33.9%	46.8%	48.6%	48.3%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	61.3%	40.2%	38.3%	43.0%	78.4%	60.3%	43.9%	32.3%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	24.5%	38.2%	44.0%	43.8%	10.7%	25.9%	40.1%	43.6%	95.1%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	8.2%	13.4%	9.1%	7.5%	6.2%	7.9%	10.3%	14.5%	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	12.3%	11.0%	7.5%	8.0%	14.8%	13.1%	9.7%	10.9%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	15.8%	9.6%	9.8%	7.0%	21.0%	14.9%	10.2%	9.7%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	25.8%	16.3%	18.3%	14.7%	33.9%	24.6%	16.9%	15.6%	*
NO DENTAL INSURANCE	33.3%	22.0%	25.6%	18.0%	42.3%	34.8%	28.0%	24.4%	*
LOS ANGELES POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	879,888	182,329	116,240	82,226	480,727	483,498	295,711	229,648	281,341

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**MADERA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
HEALTH BEHAVIORS				
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	68.7%	70.6%	73.9%	62.7%
CURRENTLY SMOKING	<u>10.9%</u>	<u>11.6%</u>	<u>7.8%</u>	<u>11.2%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	33.3%	35.1%	32.3%	<u>31.5%</u>
OBESE: BODY MASS INDEX 30 OR MORE	<u>18.2%</u>	<u>19.0%</u>	<u>17.5%</u>	<u>20.9%</u>

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
HEALTH STATUS				
FAIR OR POOR HEALTH	29.9%	27.9%	33.3%	37.9%
DIABETES – EVER DIAGNOSED	<u>13.0%</u>	<u>11.4%</u>	<u>12.3%</u>	<u>12.9%</u>
HYPERTENSION – EVER DIAGNOSED	56.1%	59.4%	58.5%	55.4%
HEART DISEASE – EVER DIAGNOSED	31.0%	32.9%	<u>26.8%</u>	<u>31.0%</u>
ARTHRITIS – EVER DIAGNOSED	58.1%	56.9%	60.4%	54.7%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	<u>55.7%</u>	<u>51.2%</u>	<u>59.4%</u>	<u>55.3%</u>
ASTHMA – EVER DIAGNOSED	<u>15.3%</u>	<u>17.4%</u>	<u>17.0%</u>	<u>12.2%</u>
CANCER OF SKIN – EVER DIAGNOSED	<u>10.2%</u>	<u>11.5%</u>	<u>10.1%</u>	<u>5.2%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	<u>14.4%</u>	<u>15.2%</u>	<u>14.5%</u>	<u>12.9%</u>
LIMITED A LOT IN CLIMBING STAIRS	32.6%	31.2%	37.3%	35.6%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	<u>12.1%</u>	<u>8.5%</u>	<u>16.9%</u>	<u>15.6%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	29.2%	<u>21.2%</u>	<u>30.8%</u>	41.9%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	47.2%	44.0%	51.3%	50.5%

**MADERA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
PREVENTIVE SERVICE USE				
NO PAP SMEAR PAST THREE YEARS (WOMEN)	<u>21.8%</u>	<u>25.5%</u>	<u>21.8%</u>	<u>23.2%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	<u>30.7%</u>	<u>32.4%</u>	<u>30.7%</u>	<u>28.3%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	45.3%	48.0%	45.3%	<u>39.2%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	39.5%	38.8%	39.5%	<u>34.6%</u>
NEVER HAD COLONOSCOPY	34.6%	31.1%	38.2%	39.5%
NEVER TESTED FOR BLOOD IN STOOL	31.4%	26.5%	27.4%	35.8%
NO FLU SHOT PAST YEAR	30.3%	28.4%	<u>28.7%</u>	35.5%

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
ACCESS TO MEDICAL CARE				
FEWER THAN TWO DOCTOR VISITS PAST YEAR	<u>15.6%</u>	<u>16.4%</u>	<u>10.3%</u>	<u>17.2%</u>
EMERGENCY ROOM VISIT PAST YEAR	<u>20.0%</u>	<u>20.9%</u>	<u>18.5%</u>	<u>20.7%</u>
HOSPITALIZED PAST YEAR	<u>15.7%</u>	<u>17.2%</u>	<u>12.7%</u>	<u>15.7%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	<u>9.0%</u>	<u>8.7%</u>	<u>11.5%</u>	<u>8.5%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	34.4%	37.2%	<u>30.7%</u>	39.0%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	66.6%	72.6%	63.7%	55.6%
HAS MEDICARE AND MEDICAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	21.7%	<u>19.3%</u>	<u>21.2%</u>	<u>29.4%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>8.4%</u>	<u>5.1%</u>	<u>9.8%</u>	<u>11.3%</u>
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	22.1%	25.4%	<u>24.8%</u>	<u>18.9%</u>
INSURANCE DOES NOT INCLUDE VISION BENEFITS	24.7%	26.7%	<u>26.6%</u>	<u>20.4%</u>
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	37.0%	40.1%	40.5%	33.0%
NO DENTAL INSURANCE	50.5%	54.2%	51.9%	45.6%
MADERA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	13,164	10,014	7,105	4,760

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

MARIN AND SONOMA COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001

HEALTH BEHAVIORS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	72.4%	73.4%	77.9%	67.4%	58.1%
CURRENTLY SMOKING	8.2%	7.2%	9.2%	<u>9.2%</u>	*
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	31.6%	32.1%	28.1%	31.6%	23.6%
OBESE: BODY MASS INDEX 30 OR MORE	15.0%	17.2%	15.0%	14.7%	*

HEALTH STATUS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
FAIR OR POOR HEALTH	20.6%	19.3%	20.1%	31.6%	45.1%
DIABETES – EVER DIAGNOSED	10.5%	9.4%	9.6%	<u>11.0%</u>	24.9%
HYPERTENSION – EVER DIAGNOSED	42.8%	40.5%	46.2%	45.5%	27.6%
HEART DISEASE – EVER DIAGNOSED	20.3%	20.3%	17.5%	25.7%	23.3%
ARTHRITIS – EVER DIAGNOSED	49.0%	46.5%	51.1%	40.4%	56.2%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	60.3%	62.0%	56.9%	<u>82.7%</u>	<u>83.4%</u>
ASTHMA – EVER DIAGNOSED	7.6%	7.1%	7.9%	<u>9.9%</u>	<u>21.3%</u>
CANCER OF SKIN – EVER DIAGNOSED	10.7%	11.6%	12.4%	<u>6.4%</u>	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	20.4%	22.5%	20.4%	14.2%	<u>15.0%</u>
LIMITED A LOT IN CLIMBING STAIRS	19.9%	21.5%	21.6%	26.1%	27.1%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	9.6%	9.6%	12.0%	16.5%	<u>20.5%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	22.4%	18.7%	26.8%	32.5%	32.8%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	39.6%	39.3%	42.5%	52.8%	46.8%

**MARIN AND SONOMA COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE					
NO PAP SMEAR PAST THREE YEARS (WOMEN)	25.3%	28.4%	25.3%	30.2%	<u>47.3%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	23.3%	25.1%	23.3%	36.5%	<u>47.5%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	45.5%	49.1%	45.5%	26.2%	<u>27.1%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	33.8%	35.7%	33.8%	27.5%	<u>28.6%</u>
NEVER HAD COLONOSCOPY	39.5%	35.0%	49.7%	49.7%	55.0%
NEVER TESTED FOR BLOOD IN STOOL	33.4%	33.3%	31.9%	50.7%	39.6%
NO FLU SHOT PAST YEAR	23.6%	23.7%	24.8%	26.7%	35.2%
ACCESS TO MEDICAL CARE					
FEWER THAN TWO DOCTOR VISITS PAST YEAR	20.9%	21.6%	19.6%	26.6%	26.3%
EMERGENCY ROOM VISIT PAST YEAR	26.0%	24.4%	30.0%	25.2%	28.3%
HOSPITALIZED PAST YEAR	13.1%	13.6%	13.5%	18.8%	<u>13.6%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	9.4%	10.9%	11.0%	<u>9.2%</u>	<u>8.4%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	23.9%	23.9%	21.5%	42.9%	44.5%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	74.6%	78.9%	76.5%	52.2%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	15.0%	11.0%	13.2%	31.5%	<u>99.1%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	6.8%	7.5%	7.2%	<u>12.8%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	13.1%	14.1%	16.0%	17.5%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	14.7%	16.8%	12.1%	15.2%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	31.1%	34.8%	29.6%	20.1%	*
NO DENTAL INSURANCE	56.3%	60.4%	62.9%	46.3%	*
MARIN POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	31,342	28,719	17,760	4,501	2,133
SONOMA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	55,209	50,302	32,119	12,258	5,073

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

MERCED AND STANISLAUS COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	65.3%	61.7%	64.3%	70.8%	60.4%	49.0%	59.9%
CURRENTLY SMOKING	11.2%	*	11.3%	12.7%	13.9%	*	<u>13.2%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	40.6%	<u>30.5%</u>	42.5%	38.9%	45.2%	39.9%	56.3%
OBESE: BODY MASS INDEX 30 OR MORE	21.1%	26.0%	20.6%	25.4%	24.5%	44.3%	26.9%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS							
FAIR OR POOR HEALTH	29.5%	<u>25.2%</u>	28.9%	30.0%	38.1%	<u>37.7%</u>	57.6%
DIABETES – EVER DIAGNOSED	14.3%	<u>17.4%</u>	14.4%	15.4%	15.4%	<u>21.0%</u>	21.7%
HYPERTENSION – EVER DIAGNOSED	48.8%	59.4%	46.7%	54.3%	52.7%	41.0%	63.5%
HEART DISEASE – EVER DIAGNOSED	19.9%	*	21.2%	16.1%	16.9%	*	22.9%
ARTHRITIS – EVER DIAGNOSED	52.5%	42.1%	54.6%	61.0%	54.7%	49.3%	50.1%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	52.8%	*	57.7%	55.1%	52.4%	*	<u>64.2%</u>
ASTHMA – EVER DIAGNOSED	10.5%	*	8.7%	10.9%	12.8%	*	22.3%
CANCER OF SKIN – EVER DIAGNOSED	8.3%	*	10.1%	<u>6.1%</u>	<u>6.9%</u>	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	16.0%	*	15.6%	16.7%	14.8%	*	<u>10.7%</u>
LIMITED A LOT IN CLIMBING STAIRS	22.7%	*	23.5%	26.9%	27.6%	*	44.9%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	9.0%	<u>16.7%</u>	7.7%	<u>8.3%</u>	11.1%	*	<u>11.5%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	26.8%	<u>17.5%</u>	27.9%	22.7%	25.2%	<u>15.2%</u>	24.0%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	46.0%	<u>21.3%</u>	48.7%	47.5%	50.4%	<u>29.6%</u>	52.8%

**MERCED AND STANISLAUS COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE							
NO PAP SMEAR PAST THREE YEARS (WOMEN)	23.8%	*	25.1%	23.8%	25.2%	*	<u>23.6%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	30.7%	*	30.5%	30.7%	39.6%	*	55.9%
EVER HAD BONE DENSITY TEST (WOMEN)	34.5%	<u>32.1%</u>	35.4%	34.5%	31.0%	*	<u>22.2%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	29.4%	<u>16.6%</u>	32.9%	29.4%	23.4%	*	<u>18.2%</u>
NEVER HAD COLONOSCOPY	39.8%	45.7%	38.9%	47.5%	42.6%	52.5%	49.7%
NEVER TESTED FOR BLOOD IN STOOL	34.9%	55.0%	31.7%	34.9%	49.0%	46.8%	62.6%
NO FLU SHOT PAST YEAR	35.0%	43.0%	33.8%	37.6%	36.6%	<u>27.6%</u>	49.0%
ACCESS TO MEDICAL CARE							
FEWER THAN TWO DOCTOR VISITS PAST YEAR	21.0%	<u>22.2%</u>	21.7%	18.9%	16.8%	<u>18.3%</u>	<u>14.0%</u>
EMERGENCY ROOM VISIT PAST YEAR	21.0%	<u>22.2%</u>	19.5%	23.1%	23.8%	<u>21.4%</u>	25.9%
HOSPITALIZED PAST YEAR	12.3%	<u>16.8%</u>	11.5%	11.9%	<u>9.3%</u>	<u>21.4%</u>	<u>12.6%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	10.2%	*	12.0%	11.5%	11.0%	*	<u>6.2%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	43.1%	59.6%	41.1%	40.9%	52.7%	<u>33.5%</u>	71.6%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	71.6%	40.4%	78.7%	68.6%	52.6%	53.7%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	19.5%	47.9%	12.6%	24.4%	36.3%	<u>29.3%</u>	<u>97.0%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>4.2%</u>	<u>11.7%</u>	<u>3.2%</u>	<u>3.7%</u>	<u>7.2%</u>	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	15.3%	<u>14.2%</u>	15.5%	15.4%	14.7%	*	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	24.3%	<u>18.3%</u>	26.3%	25.2%	18.6%	<u>26.3%</u>	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	33.6%	42.9%	33.7%	34.8%	28.0%	<u>35.1%</u>	*
NO DENTAL INSURANCE	53.8%	40.4%	58.2%	51.5%	45.1%	46.0%	*
MERCED POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	19,324	3,864	13,222	10,901	7,130	3,271	5,259
STANISLAUS POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	43,797	5,324	35,363	25,083	15,150	5,641	10,104

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**MONTEREY, SAN BENITO, AND SANTA CRUZ COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS						
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	71.3%	50.4%	74.1%	73.2%	64.2%	54.3%
CURRENTLY SMOKING	8.3%	<u>12.7%</u>	7.9%	9.1%	<u>7.4%</u>	<u>11.4%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	33.9%	47.5%	33.6%	28.3%	42.5%	55.9%
OBESE: BODY MASS INDEX 30 OR MORE	12.2%	<u>30.5%</u>	10.5%	13.6%	21.6%	<u>15.6%</u>

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
HEALTH STATUS						
FAIR OR POOR HEALTH	24.3%	39.1%	21.5%	21.5%	38.7%	51.4%
DIABETES – EVER DIAGNOSED	12.2%	<u>24.9%</u>	10.5%	9.7%	18.0%	26.8%
HYPERTENSION – EVER DIAGNOSED	51.3%	54.5%	50.8%	50.5%	56.9%	55.1%
HEART DISEASE – EVER DIAGNOSED	20.3%	<u>17.4%</u>	19.2%	15.3%	20.8%	<u>22.8%</u>
ARTHRITIS – EVER DIAGNOSED	52.6%	<u>81.5%</u>	50.3%	55.4%	63.8%	62.8%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	60.8%	<u>60.8%</u>	59.8%	59.4%	62.8%	<u>75.2%</u>
ASTHMA – EVER DIAGNOSED	7.8%	<u>8.4%</u>	7.7%	<u>8.1%</u>	13.7%	<u>8.6%</u>
CANCER OF SKIN – EVER DIAGNOSED	9.2%	<u>6.5%</u>	10.4%	<u>7.7%</u>	<u>7.1%</u>	<u>6.1%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	16.4%	<u>6.0%</u>	18.3%	15.6%	18.8%	<u>18.5%</u>
LIMITED A LOT IN CLIMBING STAIRS	23.5%	37.5%	22.9%	30.6%	46.3%	34.3%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	12.8%	35.5%	6.7%	9.2%	19.8%	33.0%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	20.3%	41.3%	16.3%	18.9%	31.8%	38.5%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	40.0%	49.2%	37.5%	40.7%	57.0%	62.6%

**MONTEREY, SAN BENITO, AND SANTA CRUZ COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE						
NO PAP SMEAR PAST THREE YEARS (WOMEN)	24.7%	<u>22.0%</u>	24.9%	24.7%	33.9%	<u>39.6%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	28.9%	<u>36.3%</u>	28.7%	28.9%	28.9%	<u>39.0%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	54.7%	<u>53.9%</u>	56.4%	54.7%	45.0%	<u>31.1%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	42.7%	<u>52.1%</u>	44.5%	42.7%	28.5%	<u>37.7%</u>
NEVER HAD COLONOSCOPY	37.7%	50.3%	31.4%	40.8%	44.6%	48.5%
NEVER TESTED FOR BLOOD IN STOOL	46.1%	<u>81.7%</u>	37.6%	41.7%	61.1%	72.7%
NO FLU SHOT PAST YEAR	29.1%	39.4%	24.1%	26.1%	32.6%	46.1%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE						
FEWER THAN TWO DOCTOR VISITS PAST YEAR	26.3%	<u>25.4%</u>	24.6%	30.8%	22.5%	29.2%
EMERGENCY ROOM VISIT PAST YEAR	18.2%	<u>17.0%</u>	17.2%	15.2%	19.5%	<u>23.2%</u>
HOSPITALIZED PAST YEAR	15.8%	<u>2.9%</u>	16.0%	13.7%	<u>13.4%</u>	<u>11.6%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	14.4%	<u>2.2%</u>	13.3%	16.6%	<u>11.5%</u>	<u>8.1%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	28.8%	<u>30.8%</u>	27.4%	26.9%	34.4%	35.4%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	73.5%	<u>28.5%</u>	81.4%	76.3%	53.2%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	14.4%	57.9%	8.3%	12.6%	33.7%	*
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	9.3%	<u>11.4%</u>	8.0%	8.7%	<u>12.4%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	37.4%	<u>25.7%</u>	41.1%	42.6%	29.1%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	38.7%	<u>21.7%</u>	41.6%	46.3%	34.4%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	53.1%	<u>27.1%</u>	58.0%	61.2%	38.6%	*
NO DENTAL INSURANCE	60.9%	0.0%	65.7%	66.1%	54.9%	*
MONTEREY POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	38,929	6,147	27,470	22,262	9,645	6,295
SAN BENITO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	4,161	1,221	2,712	2,296	1,092	733
SANTA CRUZ POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	23,917	2,243	20,269	14,068	5,629	3,261

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**NAPA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	NON-LATINO WHITE	WOMEN
HEALTH BEHAVIORS			
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	70.9%	72.3%	<u>79.7%</u>
CURRENTLY SMOKING	<u>12.5%</u>	<u>12.6%</u>	<u>9.9%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	38.8%	39.3%	<u>28.7%</u>
OBESE: BODY MASS INDEX 30 OR MORE	<u>15.6%</u>	<u>17.4%</u>	<u>18.3%</u>

	TOTAL	NON-LATINO WHITE	WOMEN
HEALTH STATUS			
FAIR OR POOR HEALTH	<u>21.5%</u>	<u>21.5%</u>	<u>23.8%</u>
DIABETES – EVER DIAGNOSED	<u>14.7%</u>	<u>13.4%</u>	<u>9.4%</u>
HYPERTENSION – EVER DIAGNOSED	52.6%	51.9%	52.4%
HEART DISEASE – EVER DIAGNOSED	28.1%	28.7%	<u>24.7%</u>
ARTHRITIS – EVER DIAGNOSED	48.0%	49.8%	50.7%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	57.2%	53.0%	<u>61.3%</u>
ASTHMA – EVER DIAGNOSED	<u>8.6%</u>	<u>9.6%</u>	<u>10.8%</u>
CANCER OF SKIN – EVER DIAGNOSED	<u>17.0%</u>	<u>16.9%</u>	<u>12.4%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	<u>15.0%</u>	<u>16.0%</u>	<u>17.7%</u>
LIMITED A LOT IN CLIMBING STAIRS	25.3%	25.0%	<u>23.9%</u>
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	<u>7.7%</u>	<u>5.7%</u>	<u>8.7%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	22.0%	20.7%	<u>22.6%</u>
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	49.5%	49.5%	47.8%

**NAPA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN
PREVENTIVE SERVICE USE			
NO PAP SMEAR PAST THREE YEARS (WOMEN)	<u>27.1%</u>	<u>24.6%</u>	<u>27.1%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	32.9%	<u>27.7%</u>	32.9%
EVER HAD BONE DENSITY TEST (WOMEN)	41.2%	44.2%	41.2%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	<u>20.1%</u>	22.3%	20.1%
NEVER HAD COLONOSCOPY	36.6%	35.5%	45.8%
NEVER TESTED FOR BLOOD IN STOOL	34.9%	32.7%	37.0%
NO FLU SHOT PAST YEAR	37.4%	34.1%	42.0%

	TOTAL	NON-LATINO WHITE	WOMEN
ACCESS TO MEDICAL CARE			
FEWER THAN TWO DOCTOR VISITS PAST YEAR	23.3%	24.3%	<u>22.4%</u>
EMERGENCY ROOM VISIT PAST YEAR	26.2%	26.1%	<u>24.8%</u>
HOSPITALIZED PAST YEAR	<u>16.1%</u>	<u>14.8%</u>	<u>15.7%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	<u>9.9%</u>	<u>10.7%</u>	<u>13.7%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	25.0%	24.9%	<u>22.4%</u>
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	76.5%	80.7%	79.6%
HAS MEDICARE AND MEDICAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	<u>12.0%</u>	<u>10.7%</u>	<u>11.0%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>7.0%</u>	<u>4.3%</u>	<u>4.1%</u>
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	<u>13.8%</u>	<u>15.5%</u>	<u>18.3%</u>
INSURANCE DOES NOT INCLUDE VISION BENEFITS	18.4%	20.3%	<u>18.5%</u>
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	39.0%	37.7%	39.6%
NO DENTAL INSURANCE	52.6%	52.8%	53.2%
NAPA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	17,042	15,425	9,928

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

NEVADA, PLUMAS, AND SIERRA COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001

HEALTH BEHAVIORS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	74.9%	76.0%	<u>77.3%</u>	<u>67.1%</u>
CURRENTLY SMOKING	<u>9.9%</u>	<u>9.9%</u>	<u>13.4%</u>	<u>12.1%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	40.5%	39.8%	32.5%	47.7%
OBESE: BODY MASS INDEX 30 OR MORE	<u>12.9%</u>	<u>12.0%</u>	<u>12.5%</u>	<u>15.9%</u>

HEALTH STATUS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
FAIR OR POOR HEALTH	28.7%	28.6%	<u>26.5%</u>	43.7%
DIABETES – EVER DIAGNOSED	<u>11.6%</u>	<u>11.7%</u>	<u>7.7%</u>	<u>7.2%</u>
HYPERTENSION – EVER DIAGNOSED	50.2%	49.4%	49.1%	50.3%
HEART DISEASE – EVER DIAGNOSED	26.8%	26.7%	<u>17.6%</u>	<u>33.3%</u>
ARTHRITIS – EVER DIAGNOSED	50.4%	50.9%	54.5%	50.9%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	49.9%	49.5%	<u>55.0%</u>	<u>52.6%</u>
ASTHMA – EVER DIAGNOSED	<u>14.7%</u>	<u>14.0%</u>	<u>21.8%</u>	<u>10.2%</u>
CANCER OF SKIN – EVER DIAGNOSED	<u>10.7%</u>	<u>11.0%</u>	<u>9.3%</u>	<u>11.4%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	22.1%	22.7%	21.2%	<u>28.3%</u>
LIMITED A LOT IN CLIMBING STAIRS	23.4%	23.5%	<u>25.2%</u>	35.8%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	<u>7.7%</u>	<u>7.7%</u>	<u>5.6%</u>	<u>13.6%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	20.2%	20.5%	<u>17.4%</u>	<u>33.0%</u>
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	45.9%	46.2%	44.6%	61.4%

NEVADA, PLUMAS, AND SIERRA COUNTIES
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
PREVENTIVE SERVICE USE				
NO PAP SMEAR PAST THREE YEARS (WOMEN)	28.0%	<u>28.5%</u>	28.0%	<u>35.2%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	34.2%	35.2%	34.2%	<u>30.8%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	45.2%	46.0%	45.2%	<u>33.7%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	37.1%	36.1%	37.1%	<u>29.7%</u>
NEVER HAD COLONOSCOPY	27.1%	27.2%	32.4%	<u>29.6%</u>
NEVER TESTED FOR BLOOD IN STOOL	24.8%	25.1%	<u>24.3%</u>	<u>23.2%</u>
NO FLU SHOT PAST YEAR	33.8%	34.2%	33.3%	36.4%
ACCESS TO MEDICAL CARE				
FEWER THAN TWO DOCTOR VISITS PAST YEAR	21.2%	21.4%	27.7%	<u>18.4%</u>
EMERGENCY ROOM VISIT PAST YEAR	33.0%	32.1%	32.8%	43.3%
HOSPITALIZED PAST YEAR	21.3%	20.4%	<u>21.3%</u>	<u>26.4%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	<u>12.2%</u>	<u>12.5%</u>	<u>12.6%</u>	<u>16.0%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	25.1%	25.5%	<u>26.4%</u>	<u>34.6%</u>
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	80.9%	80.8%	<u>86.0%</u>	<u>65.5%</u>
HAS MEDICARE AND MEDICAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	<u>9.6%</u>	<u>9.7%</u>	<u>6.4%</u>	<u>21.1%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>7.6%</u>	<u>7.6%</u>	<u>6.1%</u>	<u>11.7%</u>
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	28.1%	28.5%	33.4%	36.2%
INSURANCE DOES NOT INCLUDE VISION BENEFITS	40.1%	40.2%	43.4%	42.1%
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	60.2%	60.6%	66.2%	53.9%
NO DENTAL INSURANCE	57.6%	58.2%	59.7%	57.9%
NEVADA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	15,619	15,021	8,403	3,228
PLUMAS POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	3,598	3,421	1,860	996
SIERRA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	604	568	312	197

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**ORANGE COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	ASIAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS								
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	69.9%	49.6%	53.3%	75.1%	72.7%	59.0%	54.7%	52.5%
CURRENTLY SMOKING	8.5%	*	*	8.6%	7.9%	14.0%	*	19.9%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	36.7%	23.6%	44.1%	37.4%	35.3%	34.1%	26.3%	38.6%
OBESE: BODY MASS INDEX 30 OR MORE	16.9%	16.4%	*	16.9%	19.1%	21.8%	15.7%	24.6%

	TOTAL	LATINO	ASIAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS								
FAIR OR POOR HEALTH	28.7%	44.9%	59.7%	20.7%	29.2%	46.0%	51.6%	47.6%
DIABETES – EVER DIAGNOSED	13.5%	30.6%	*	10.6%	11.2%	14.0%	12.4%	19.5%
HYPERTENSION – EVER DIAGNOSED	55.1%	52.6%	73.6%	51.8%	53.0%	67.5%	63.4%	62.3%
HEART DISEASE – EVER DIAGNOSED	25.2%	12.1%	25.0%	26.4%	20.6%	24.8%	22.4%	30.8%
ARTHRITIS – EVER DIAGNOSED	48.5%	52.4%	24.4%	52.5%	56.4%	47.3%	45.4%	50.7%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	64.9%	64.9%	*	64.0%	65.4%	71.2%	68.4%	64.0%
ASTHMA – EVER DIAGNOSED	9.4%	*	26.7%	7.3%	7.8%	7.2%	15.2%	*
CANCER OF SKIN – EVER DIAGNOSED	9.5%	*	*	12.6%	8.6%	9.5%	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	15.5%	*	*	18.0%	15.0%	7.5%	14.3%	8.9%
LIMITED A LOT IN CLIMBING STAIRS	21.7%	*	24.9%	23.1%	23.6%	26.0%	15.4%	21.0%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	9.6%	*	20.8%	7.4%	12.0%	13.5%	17.4%	18.0%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	26.3%	24.0%	56.2%	21.3%	26.2%	35.7%	37.9%	47.2%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	41.2%	31.3%	50.6%	40.7%	46.0%	49.8%	40.4%	50.6%

**ORANGE COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	ASIAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE								
NO PAP SMEAR PAST THREE YEARS (WOMEN)	16.7%	*	*	18.0%	16.7%	17.8%	*	16.8%
NO MAMMOGRAM PAST YEAR (WOMEN)	30.3%	35.3%	*	28.7%	30.3%	33.3%	43.5%	54.4%
EVER HAD BONE DENSITY TEST (WOMEN)	45.2%	51.8%	39.3%	45.9%	45.2%	41.0%	46.5%	41.4%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	39.4%	29.8%	26.8%	42.0%	39.4%	30.0%	16.9%	30.0%
NEVER HAD COLONOSCOPY	34.7%	49.6%	34.3%	33.0%	41.6%	37.6%	39.9%	32.4%
NEVER TESTED FOR BLOOD IN STOOL	41.3%	51.6%	67.7%	35.5%	41.1%	53.4%	57.4%	62.2%
NO FLU SHOT PAST YEAR	34.8%	51.5%	*	34.7%	32.8%	32.5%	32.7%	26.2%

	TOTAL	LATINO	ASIAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE								
FEWER THAN TWO DOCTOR VISITS PAST YEAR	22.5%	*	*	24.6%	19.5%	20.7%	18.2%	9.4%
EMERGENCY ROOM VISIT PAST YEAR	21.8%	34.9%	*	21.1%	23.6%	18.4%	30.7%	33.1%
HOSPITALIZED PAST YEAR	17.8%	24.4%	17.4%	16.5%	18.7%	16.1%	20.0%	29.0%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	15.7%	*	*	15.2%	14.4%	15.1%	20.6%	*
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	29.6%	42.7%	43.6%	25.3%	30.1%	41.1%	41.7%	38.1%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	72.4%	37.9%	46.5%	81.1%	77.8%	52.6%	41.2%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	15.8%	24.1%	44.2%	9.8%	14.2%	30.5%	41.5%	95.6%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	5.2%	*	*	4.6%	3.8%	10.6%	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	13.4%	*	*	14.0%	14.6%	12.9%	15.9%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	18.5%	19.1%	*	20.6%	20.5%	9.4%	13.2%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	27.9%	31.2%	*	30.3%	32.6%	13.4%	24.4%	*
NO DENTAL INSURANCE	38.1%	39.9%	24.1%	40.7%	39.3%	29.9%	23.2%	*
ORANGE POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	266,557	27,359	29,163	204,271	154,290	60,538	41,246	45,763

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SACRAMENTO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

HEALTH BEHAVIORS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	72.9%	75.2%	74.5%	68.1%	63.5%
CURRENTLY SMOKING	12.8%	13.0%	16.6%	13.1%	24.0%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	34.8%	37.8%	29.5%	38.7%	45.0%
OBESE: BODY MASS INDEX 30 OR MORE	17.0%	17.9%	16.0%	21.7%	31.6%

HEALTH STATUS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
FAIR OR POOR HEALTH	28.9%	24.8%	25.4%	38.5%	45.8%
DIABETES – EVER DIAGNOSED	12.9%	12.3%	11.0%	11.5%	19.4%
HYPERTENSION – EVER DIAGNOSED	48.3%	45.5%	43.9%	42.4%	40.5%
HEART DISEASE – EVER DIAGNOSED	27.4%	27.5%	20.4%	21.0%	29.0%
ARTHRITIS – EVER DIAGNOSED	53.1%	56.5%	59.4%	55.1%	50.9%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	60.5%	61.8%	59.6%	66.3%	51.6%
ASTHMA – EVER DIAGNOSED	13.3%	12.0%	11.7%	10.1%	12.1%
CANCER OF SKIN – EVER DIAGNOSED	7.3%	9.5%	6.8%	9.3%	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	17.5%	18.7%	16.1%	12.3%	22.2%
LIMITED A LOT IN CLIMBING STAIRS	22.5%	22.3%	25.0%	29.8%	37.3%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	12.0%	10.8%	12.6%	16.0%	20.8%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	23.9%	22.5%	24.7%	31.6%	40.7%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	54.6%	52.8%	56.9%	61.7%	78.5%

**SACRAMENTO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE					
NO PAP SMEAR PAST THREE YEARS (WOMEN)	19.9%	17.7%	19.9%	27.2%	35.8%
NO MAMMOGRAM PAST YEAR (WOMEN)	24.7%	22.6%	24.7%	23.5%	34.8%
EVER HAD BONE DENSITY TEST (WOMEN)	37.1%	38.7%	37.1%	31.7%	25.4%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	43.4%	47.0%	43.4%	35.7%	22.1%
NEVER HAD COLONOSCOPY	26.2%	22.6%	32.5%	41.1%	38.2%
NEVER TESTED FOR BLOOD IN STOOL	30.8%	28.4%	28.0%	44.1%	42.7%
NO FLU SHOT PAST YEAR	21.0%	21.9%	22.1%	24.0%	34.7%

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE					
FEWER THAN TWO DOCTOR VISITS PAST YEAR	16.3%	17.6%	19.2%	21.5%	16.8%
EMERGENCY ROOM VISIT PAST YEAR	27.6%	28.4%	25.8%	22.3%	28.5%
HOSPITALIZED PAST YEAR	17.4%	17.5%	16.4%	9.9%	19.5%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	12.0%	12.3%	11.1%	12.0%	12.5%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	30.6%	30.6%	30.0%	45.2%	50.9%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	72.5%	77.2%	78.1%	47.0%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	22.7%	16.5%	18.3%	49.8%	*
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>2.3%</u>	<u>3.0%</u>	*	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	18.5%	11.0%	8.0%	14.8%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	13.4%	15.3%	11.9%	8.7%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	27.2%	31.7%	31.2%	16.9%	*
NO DENTAL INSURANCE	31.0%	35.1%	35.2%	27.8%	*
SACRAMENTO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	128,705	96,395	74,022	33,380	23,563

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SAN BERNARDINO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS						
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	72.7%	73.8%	73.5%	72.6%	70.5%	65.9%
CURRENTLY SMOKING	10.9%	*	13.5%	9.3%	10.1%	11.4%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	37.7%	43.3%	36.4%	33.2%	42.1%	46.8%
OBESE: BODY MASS INDEX 30 OR MORE	22.2%	39.8%	18.2%	19.4%	23.0%	31.9%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
HEALTH STATUS						
FAIR OR POOR HEALTH	28.1%	31.1%	29.3%	33.5%	31.7%	39.2%
DIABETES – EVER DIAGNOSED	22.1%	39.0%	16.6%	16.1%	25.6%	26.4%
HYPERTENSION – EVER DIAGNOSED	58.7%	26.0%	61.6%	63.9%	66.0%	52.2%
HEART DISEASE – EVER DIAGNOSED	27.5%	*	27.6%	21.9%	26.3%	27.6%
ARTHRITIS – EVER DIAGNOSED	49.9%	23.6%	53.9%	56.5%	47.4%	42.9%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	63.7%	*	64.4%	75.3%	64.1%	55.8%
ASTHMA – EVER DIAGNOSED	10.4%	*	10.9%	15.6%	9.1%	*
CANCER OF SKIN – EVER DIAGNOSED	12.4%	*	15.3%	8.5%	10.1%	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	14.0%	*	17.8%	15.2%	13.0%	*
LIMITED A LOT IN CLIMBING STAIRS	28.8%	17.8%	30.9%	34.6%	31.6%	37.4%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	12.7%	*	12.4%	12.4%	16.2%	28.9%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	21.5%	21.9%	23.6%	22.4%	26.6%	35.5%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	44.2%	59.9%	41.8%	46.1%	50.9%	75.2%

**SAN BERNARDINO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE						
NO PAP SMEAR PAST THREE YEARS (WOMEN)	30.4%	*	30.6%	30.4%	31.5%	27.8%
NO MAMMOGRAM PAST YEAR (WOMEN)	24.3%	*	24.7%	24.3%	33.5%	29.3%
EVER HAD BONE DENSITY TEST (WOMEN)	42.2%	41.5%	46.5%	42.2%	35.5%	43.3%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	38.7%	*	42.1%	38.7%	30.1%	28.4%
NEVER HAD COLONOSCOPY	43.6%	68.1%	40.9%	46.6%	49.6%	50.3%
NEVER TESTED FOR BLOOD IN STOOL	45.0%	62.9%	43.6%	43.9%	41.0%	52.5%
NO FLU SHOT PAST YEAR	35.6%	57.0%	30.0%	36.0%	35.2%	38.0%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE						
FEWER THAN TWO DOCTOR VISITS PAST YEAR	18.1%	34.1%	15.9%	16.0%	20.8%	25.3%
EMERGENCY ROOM VISIT PAST YEAR	18.3%	19.8%	19.2%	20.6%	17.5%	21.9%
HOSPITALIZED PAST YEAR	12.6%	*	13.1%	11.3%	11.0%	18.6%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	14.9%	*	17.2%	19.5%	10.7%	<u>9.8%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	47.0%	56.4%	45.6%	45.5%	55.0%	56.0%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	70.2%	39.1%	79.0%	68.8%	60.0%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	18.2%	45.6%	11.3%	18.3%	26.1%	94.6%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	6.8%	*	7.2%	7.4%	7.4%	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	8.3%	*	9.8%	9.8%	7.8%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	13.4%	*	16.0%	14.8%	8.5%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	19.5%	*	21.4%	20.1%	13.8%	*
NO DENTAL INSURANCE	34.8%	13.4%	40.2%	38.2%	28.9%	*
SAN BERNARDINO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	140,410	26,127	98,433	80,438	45,807	28,150

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SAN DIEGO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	69.9%	59.0%	79.0%	79.3%	69.4%	43.9%	65.3%
CURRENTLY SMOKING	8.5%	8.6%	7.2%	8.2%	11.7%	*	10.4%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	36.7%	28.4%	35.3%	33.4%	35.3%	34.1%	37.4%
OBESE: BODY MASS INDEX 30 OR MORE	16.9%	29.2%	12.8%	13.2%	18.5%	31.7%	22.2%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS							
FAIR OR POOR HEALTH	28.7%	29.7%	23.7%	25.4%	32.9%	23.2%	37.0%
DIABETES – EVER DIAGNOSED	13.5%	20.0%	11.7%	15.3%	19.4%	*	25.3%
HYPERTENSION – EVER DIAGNOSED	55.1%	58.1%	52.4%	57.9%	60.4%	60.0%	50.1%
HEART DISEASE – EVER DIAGNOSED	25.2%	15.7%	24.4%	17.9%	18.7%	<u>10.1%</u>	21.4%
ARTHRITIS – EVER DIAGNOSED	48.5%	48.4%	49.2%	55.3%	48.3%	23.4%	48.0%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	64.9%	51.7%	55.3%	57.6%	64.1%	<u>85.9%</u>	75.6%
ASTHMA – EVER DIAGNOSED	9.4%	*	11.8%	10.8%	7.6%	*	*
CANCER OF SKIN – EVER DIAGNOSED	9.5%	*	14.5%	7.6%	7.4%	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	15.3%	9.1%	16.5%	16.9%	11.5%	*	11.2%
LIMITED A LOT IN CLIMBING STAIRS	21.7%	12.9%	20.7%	21.8%	21.3%	*	27.0%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	9.6%	25.1%	6.6%	10.5%	11.6%	22.0%	12.9%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	26.3%	34.7%	22.1%	26.5%	31.6%	35.4%	28.5%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	41.2%	52.2%	47.5%	49.5%	53.3%	52.0%	51.2%

**SAN DIEGO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
NO PAP SMEAR PAST THREE YEARS (WOMEN)	16.7%	31.8%	25.8%	26.3%	31.2%	*	28.1%
NO MAMMOGRAM PAST YEAR (WOMEN)	30.3%	32.7%	31.1%	29.3%	33.1%	42.2%	25.5%
EVER HAD BONE DENSITY TEST (WOMEN)	45.2%	22.6%	48.3%	42.6%	30.1%	30.9%	26.4%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	39.4%	28.8%	42.1%	37.3%	35.6%	43.5%	29.3%
NEVER HAD COLONOSCOPY	34.7%	53.9%	35.8%	46.4%	51.1%	51.0%	52.7%
NEVER TESTED FOR BLOOD IN STOOL	41.3%	60.5%	24.8%	34.8%	43.3%	68.7%	42.5%
NO FLU SHOT PAST YEAR	34.8%	54.5%	23.8%	29.2%	34.1%	35.1%	44.7%
ACCESS TO MEDICAL CARE							
FEWER THAN TWO DOCTOR VISITS PAST YEAR	22.5%	20.6%	17.9%	19.4%	23.0%	33.8%	20.8%
EMERGENCY ROOM VISIT PAST YEAR	21.8%	19.6%	19.1%	18.8%	18.6%	20.4%	18.4%
HOSPITALIZED PAST YEAR	17.8%	10.2%	14.5%	14.5%	10.4%	*	11.7%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	15.7%	14.6%	10.1%	13.0%	14.0%	12.9%	14.4%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	29.6%	45.6%	22.3%	28.6%	39.9%	41.4%	48.2%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	72.4%	39.8%	79.0%	71.8%	49.4%	46.0%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	15.8%	38.4%	11.3%	14.9%	30.2%	25.0%	<u>98.6%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	5.2%	13.8%	5.6%	8.2%	14.1%	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	13.4%	17.3%	13.0%	14.6%	12.1%	18.8%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	18.5%	21.9%	13.5%	13.1%	14.9%	22.8%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	27.9%	26.1%	26.5%	22.5%	20.9%	40.0%	*
NO DENTAL INSURANCE	38.1%	39.1%	44.9%	43.5%	39.4%	49.8%	*
SAN DIEGO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	300,291	33,353	231,896	171,006	73,024	38,309	46,727

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SAN FRANCISCO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	ASIAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	59.2%	42.6%	73.0%	66.5%	43.7%	39.2%	48.8%
CURRENTLY SMOKING	5.0%	*	7.4%	5.5%	<u>4.5%</u>	*	*
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	41.6%	48.4%	43.4%	40.1%	34.7%	47.5%	40.7%
OBESE: BODY MASS INDEX 30 OR MORE	10.2%	*	10.6%	11.3%	9.1%	*	12.5%

	TOTAL	ASIAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS							
FAIR OR POOR HEALTH	38.2%	52.3%	23.6%	41.3%	53.8%	57.7%	68.9%
DIABETES – EVER DIAGNOSED	11.6%	11.7%	8.0%	13.6%	15.7%	7.6%	12.6%
HYPERTENSION – EVER DIAGNOSED	51.5%	50.4%	46.9%	54.4%	56.8%	48.0%	62.5%
HEART DISEASE – EVER DIAGNOSED	15.6%	12.8%	17.4%	14.3%	17.6%	14.1%	17.7%
ARTHRITIS – EVER DIAGNOSED	45.2%	43.7%	44.6%	51.4%	39.0%	44.5%	42.3%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	67.2%	*	61.7%	69.0%	70.7%	*	<u>79.2%</u>
ASTHMA – EVER DIAGNOSED	10.2%	10.0%	8.4%	7.9%	12.1%	<u>8.9%</u>	15.4%
CANCER OF SKIN – EVER DIAGNOSED	3.4%	*	7.6%	4.0%	*	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	19.3%	*	26.7%	17.6%	13.5%	15.3%	9.7%
LIMITED A LOT IN CLIMBING STAIRS	17.0%	20.6%	15.7%	21.0%	18.9%	19.4%	24.0%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	15.9%	22.1%	10.9%	16.0%	20.7%	24.8%	22.0%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	27.1%	27.6%	24.4%	32.5%	32.8%	21.9%	39.8%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	48.0%	56.7%	42.7%	53.1%	56.4%	57.4%	65.9%

**SAN FRANCISCO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	ASIAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE							
NO PAP SMEAR PAST THREE YEARS (WOMEN)	20.8%	*	22.1%	20.8%	18.3%	21.1%	24.2%
NO MAMMOGRAM PAST YEAR (WOMEN)	29.0%	22.1%	33.2%	29.0%	32.7%	<u>19.7%</u>	<u>11.8%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	44.5%	48.5%	42.9%	44.5%	33.1%	47.8%	31.8%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	26.7%	22.7%	35.0%	26.7%	19.4%	<u>10.3%</u>	24.5%
NEVER HAD COLONOSCOPY	42.1%	56.7%	29.1%	43.8%	52.6%	58.1%	53.5%
NEVER TESTED FOR BLOOD IN STOOL	41.9%	41.6%	41.4%	44.5%	51.6%	42.8%	55.2%
NO FLU SHOT PAST YEAR	34.7%	35.7%	31.8%	35.4%	40.5%	32.1%	41.4%

	TOTAL	ASIAN AMERICAN	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE							
FEWER THAN TWO DOCTOR VISITS PAST YEAR	15.3%	10.5%	20.0%	16.9%	10.3%	*	<u>4.1%</u>
EMERGENCY ROOM VISIT PAST YEAR	20.2%	19.1%	18.7%	19.3%	19.1%	16.2%	18.3%
HOSPITALIZED PAST YEAR	14.0%	13.1%	14.7%	14.6%	11.9%	9.5%	9.4%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	10.6%	8.3%	14.8%	11.0%	7.3%	*	8.9%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	29.6%	40.0%	17.6%	29.6%	42.7%	43.4%	46.3%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	55.1%	33.7%	79.9%	55.7%	32.7%	28.6%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	30.2%	45.2%	12.6%	29.7%	51.6%	47.3%	<u>93.8%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	7.2%	9.1%	3.3%	7.5%	6.8%	<u>8.1%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	12.0%	<u>6.0%</u>	16.2%	12.6%	9.1%	<u>6.0%</u>	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	15.1%	11.7%	20.6%	18.1%	6.2%	*	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	26.0%	15.8%	37.4%	32.1%	16.7%	13.8%	*
NO DENTAL INSURANCE	44.4%	38.0%	58.1%	49.0%	32.6%	31.6%	*
SAN FRANCISCO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	102,016	38,389	44,538	59,187	35,475	40,542	35,487

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SAN JOAQUIN COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS						
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	62.3%	65.1%	64.0%	58.8%	51.1%	50.0%
CURRENTLY SMOKING	10.5%	12.4%	10.5%	<u>9.0%</u>	*	*
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	37.7%	36.7%	38.5%	39.4%	49.8%	42.0%
OBESE: BODY MASS INDEX 30 OR MORE	26.0%	24.6%	32.0%	28.9%	39.2%	38.2%

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS						
FAIR OR POOR HEALTH	33.6%	32.4%	39.4%	37.6%	55.1%	40.2%
DIABETES – EVER DIAGNOSED	18.8%	17.0%	19.9%	19.5%	*	31.8%
HYPERTENSION – EVER DIAGNOSED	54.4%	51.8%	56.1%	54.3%	48.0%	61.7%
HEART DISEASE – EVER DIAGNOSED	23.2%	25.3%	25.8%	21.5%	*	27.8%
ARTHRITIS – EVER DIAGNOSED	48.3%	45.8%	52.3%	53.0%	52.9%	57.2%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	63.7%	61.4%	60.4%	62.2%	*	<u>70.3%</u>
ASTHMA – EVER DIAGNOSED	10.5%	10.0%	15.1%	15.0%	*	<u>11.9%</u>
CANCER OF SKIN – EVER DIAGNOSED	7.7%	9.9%	<u>6.2%</u>	<u>6.6%</u>	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	14.8%	18.1%	12.4%	12.4%	*	<u>15.3%</u>
LIMITED A LOT IN CLIMBING STAIRS	26.8%	27.6%	35.6%	30.7%	*	40.4%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	12.8%	9.0%	14.7%	19.8%	*	30.9%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	28.8%	27.3%	32.1%	36.4%	42.7%	45.1%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	49.9%	53.6%	57.1%	57.3%	37.7%	56.6%

**SAN JOAQUIN COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE						
NO PAP SMEAR PAST THREE YEARS (WOMEN)	16.6%	17.3%	16.6%	<u>14.5%</u>	*	*
NO MAMMOGRAM PAST YEAR (WOMEN)	25.6%	25.0%	25.6%	25.1%	*	*
EVER HAD BONE DENSITY TEST (WOMEN)	31.5%	32.2%	31.5%	19.8%	*	*
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	39.0%	36.9%	39.0%	28.8%	*	37.3%
NEVER HAD COLONOSCOPY	38.8%	35.9%	43.7%	39.0%	43.9%	55.8%
NEVER TESTED FOR BLOOD IN STOOL	40.7%	37.5%	36.5%	45.4%	53.7%	53.6%
NO FLU SHOT PAST YEAR	28.9%	25.7%	28.5%	31.1%	45.8%	39.5%

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE						
FEWER THAN TWO DOCTOR VISITS PAST YEAR	20.9%	22.4%	21.7%	18.8%	*	<u>12.3%</u>
EMERGENCY ROOM VISIT PAST YEAR	21.6%	21.9%	23.5%	21.3%	*	36.7%
HOSPITALIZED PAST YEAR	16.1%	17.3%	17.7%	17.7%	*	31.2%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	15.8%	14.3%	19.7%	16.0%	*	<u>22.4%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	44.6%	39.4%	40.5%	54.9%	<u>69.3%</u>	70.5%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	69.1%	76.9%	68.8%	55.4%	59.2%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	20.9%	13.2%	19.6%	35.1%	<u>30.2%</u>	*
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>5.3%</u>	<u>6.8%</u>	<u>5.9%</u>	<u>6.9%</u>	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	11.8%	14.3%	15.2%	<u>8.6%</u>	*	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	20.5%	25.9%	24.1%	17.3%	*	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	33.1%	40.9%	34.9%	28.0%	<u>23.6%</u>	*
NO DENTAL INSURANCE	52.8%	59.5%	57.0%	49.7%	48.3%	*
SAN JOAQUIN POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	56,226	39,058	32,085	19,480	8,589	12,156

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SAN LUIS OBISPO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
HEALTH BEHAVIORS				
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	79.2%	80.2%	81.7%	<u>77.1%</u>
CURRENTLY SMOKING	<u>7.8%</u>	<u>7.2%</u>	<u>4.7%</u>	<u>10.2%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	33.6%	33.7%	33.5%	32.3%
OBESE: BODY MASS INDEX 30 OR MORE	11.5%	11.8%	<u>13.6%</u>	<u>9.2%</u>

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
HEALTH STATUS				
FAIR OR POOR HEALTH	23.1%	22.5%	24.4%	26.6%
DIABETES – EVER DIAGNOSED	14.0%	12.4%	<u>11.0%</u>	<u>20.0%</u>
HYPERTENSION – EVER DIAGNOSED	52.9%	54.4%	49.6%	55.4%
HEART DISEASE – EVER DIAGNOSED	17.4%	17.9%	17.8%	<u>12.3%</u>
ARTHRITIS – EVER DIAGNOSED	51.2%	51.1%	56.5%	52.6%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	57.1%	54.2%	60.0%	<u>52.3%</u>
ASTHMA – EVER DIAGNOSED	9.7%	<u>9.9%</u>	<u>11.6%</u>	<u>13.9%</u>
CANCER OF SKIN – EVER DIAGNOSED	<u>8.6%</u>	<u>9.0%</u>	<u>4.8%</u>	<u>6.8%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	17.0%	18.6%	16.5%	<u>21.5%</u>
LIMITED A LOT IN CLIMBING STAIRS	26.8%	26.0%	31.1%	33.8%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	<u>5.0%</u>	<u>3.2%</u>	<u>4.7%</u>	<u>8.6%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	15.5%	13.8%	15.6%	<u>20.3%</u>
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	41.7%	41.8%	51.2%	53.3%

**SAN LUIS OBISPO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
PREVENTIVE SERVICE USE				
NO PAP SMEAR PAST THREE YEARS (WOMEN)	22.2%	20.8%	22.2%	<u>24.1%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	30.1%	27.3%	30.1%	<u>29.5%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	56.0%	56.5%	56.0%	46.1%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	35.9%	33.5%	35.9%	<u>35.3%</u>
NEVER HAD COLONOSCOPY	30.0%	29.7%	30.1%	<u>24.7%</u>
NEVER TESTED FOR BLOOD IN STOOL	30.5%	26.8%	28.3%	36.9%
NO FLU SHOT PAST YEAR	23.8%	22.2%	25.8%	<u>9.4%</u>

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
ACCESS TO MEDICAL CARE				
FEWER THAN TWO DOCTOR VISITS PAST YEAR	24.1%	24.5%	24.5%	28.8%
EMERGENCY ROOM VISIT PAST YEAR	21.2%	21.6%	<u>15.2%</u>	<u>11.3%</u>
HOSPITALIZED PAST YEAR	12.9%	13.4%	<u>7.9%</u>	<u>9.0%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	14.7%	13.1%	16.5%	<u>15.6%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	23.9%	23.7%	25.0%	39.8%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	76.9%	80.0%	79.6%	<u>73.5%</u>
HAS MEDICARE AND MEDICAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	10.1%	<u>9.5%</u>	<u>8.5%</u>	<u>11.3%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	10.4%	<u>7.6%</u>	<u>7.7%</u>	<u>15.1%</u>
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	30.8%	30.7%	32.9%	37.3%
INSURANCE DOES NOT INCLUDE VISION BENEFITS	37.6%	36.4%	36.4%	40.7%
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	50.4%	49.2%	51.6%	45.1%
NO DENTAL INSURANCE	62.8%	63.3%	60.1%	65.6%
SAN LUIS OBISPO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	34,301	31,540	19,322	8,116

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SAN MATEO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

HEALTH BEHAVIORS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	66.9%	65.5%	72.8%	68.6%	62.6%
CURRENTLY SMOKING	11.8%	10.4%	12.5%	15.2%	22.6%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	33.9%	37.7%	29.9%	30.7%	48.7%
OBESE: BODY MASS INDEX 30 OR MORE	15.2%	16.3%	10.1%	6.1%	*

HEALTH STATUS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
FAIR OR POOR HEALTH	26.8%	17.5%	31.4%	57.6%	65.8%
DIABETES – EVER DIAGNOSED	10.2%	5.7%	11.1%	<u>6.3%</u>	*
HYPERTENSION – EVER DIAGNOSED	50.4%	47.5%	50.7%	56.4%	51.5%
HEART DISEASE – EVER DIAGNOSED	24.2%	29.4%	15.9%	18.9%	<u>17.5%</u>
ARTHRITIS – EVER DIAGNOSED	47.6%	51.3%	53.4%	47.7%	38.7%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	43.4%	42.8%	44.8%	54.7%	<u>53.2%</u>
ASTHMA – EVER DIAGNOSED	9.9%	9.5%	11.0%	*	*
CANCER OF SKIN – EVER DIAGNOSED	5.8%	7.5%	<u>3.9%</u>	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	21.3%	26.2%	25.0%	14.7%	18.5%
LIMITED A LOT IN CLIMBING STAIRS	19.5%	20.5%	22.5%	27.5%	39.8%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	12.8%	10.4%	13.7%	22.2%	19.5%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	26.1%	24.6%	25.2%	26.5%	41.5%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	45.5%	42.9%	46.5%	60.5%	56.5%

**SAN MATEO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE					
NO PAP SMEAR PAST THREE YEARS (WOMEN)	22.4%	22.5%	22.4%	19.3%	*
NO MAMMOGRAM PAST YEAR (WOMEN)	30.3%	28.9%	30.3%	40.8%	35.2%
EVER HAD BONE DENSITY TEST (WOMEN)	37.2%	41.0%	37.2%	31.3%	<u>23.0%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	38.8%	27.6%	38.8%	34.0%	46.3%
NEVER HAD COLONOSCOPY	33.8%	30.9%	39.6%	52.3%	55.6%
NEVER TESTED FOR BLOOD IN STOOL	30.3%	27.9%	34.4%	39.3%	50.7%
NO FLU SHOT PAST YEAR	36.2%	31.7%	39.7%	53.8%	57.9%
ACCESS TO MEDICAL CARE					
FEWER THAN TWO DOCTOR VISITS PAST YEAR	19.0%	20.2%	22.7%	<u>9.9%</u>	<u>15.4%</u>
EMERGENCY ROOM VISIT PAST YEAR	24.1%	25.7%	21.6%	25.3%	<u>17.2%</u>
HOSPITALIZED PAST YEAR	17.8%	20.1%	16.2%	21.8%	25.4%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	11.1%	12.7%	12.1%	13.3%	<u>17.7%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	18.7%	16.3%	19.8%	27.5%	22.9%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	73.7%	82.0%	67.8%	47.7%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	16.1%	12.4%	17.1%	31.3%	<u>85.7%</u>
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	5.6%	<u>3.5%</u>	7.8%	<u>10.4%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	15.5%	18.7%	12.5%	<u>9.3%</u>	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	14.9%	18.4%	12.5%	<u>9.3%</u>	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	32.0%	36.7%	31.8%	18.5%	*
NO DENTAL INSURANCE	52.5%	60.0%	52.9%	45.5%	*
SAN MATEO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	83,787	59,031	48,545	14,551	12,183

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SANTA BARBARA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS						
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	77.4%	<u>72.2%</u>	78.8%	80.7%	72.6%	<u>72.1%</u>
CURRENTLY SMOKING	<u>4.9%</u>	*	<u>5.3%</u>	<u>5.7%</u>	<u>5.0%</u>	<u>12.0%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	35.6%	*	42.5%	28.2%	34.1%	35.7%
OBESE: BODY MASS INDEX 30 OR MORE	14.6%	43.4%	10.6%	14.7%	23.4%	<u>32.7%</u>

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
HEALTH STATUS						
FAIR OR POOR HEALTH	28.2%	43.8%	24.4%	26.9%	37.9%	32.9%
DIABETES – EVER DIAGNOSED	16.0%	32.7%	12.4%	12.2%	22.0%	<u>12.2%</u>
HYPERTENSION – EVER DIAGNOSED	47.8%	35.3%	49.0%	43.5%	51.2%	48.2%
HEART DISEASE – EVER DIAGNOSED	21.8%	*	23.8%	11.2%	27.0%	<u>23.6%</u>
ARTHRITIS – EVER DIAGNOSED	46.0%	41.7%	48.1%	55.2%	46.3%	43.7%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	49.1%	*	52.2%	43.2%	54.4%	<u>59.7%</u>
ASTHMA – EVER DIAGNOSED	8.1%	*	8.0%	<u>9.6%</u>	<u>12.5%</u>	<u>21.7%</u>
CANCER OF SKIN – EVER DIAGNOSED	11.6%	*	13.5%	<u>9.6%</u>	<u>4.7%</u>	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	25.5%	61.7%	18.7%	28.5%	37.3%	48.8%
LIMITED A LOT IN CLIMBING STAIRS	20.8%	*	23.8%	22.1%	26.7%	<u>26.1%</u>
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	<u>6.2%</u>	*	<u>7.4%</u>	<u>5.0%</u>	<u>8.1%</u>	*
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	19.7%	*	20.2%	17.1%	21.1%	<u>24.1%</u>
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	44.5%	47.9%	43.7%	48.1%	50.6%	52.0%

**SANTA BARBARA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE						
NO PAP SMEAR PAST THREE YEARS (WOMEN)	17.1%	*	19.0%	17.1%	<u>18.6%</u>	*
NO MAMMOGRAM PAST YEAR (WOMEN)	21.3%	*	22.8%	21.3%	28.3%	<u>23.3%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	64.0%	<u>72.1%</u>	62.3%	64.0%	53.5%	<u>66.4%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	36.4%	*	40.3%	36.4%	24.8%	<u>32.4%</u>
NEVER HAD COLONOSCOPY	29.3%	45.0%	26.3%	33.0%	44.6%	56.7%
NEVER TESTED FOR BLOOD IN STOOL	33.6%	45.2%	32.1%	39.1%	46.7%	54.8%
NO FLU SHOT PAST YEAR	30.3%	*	33.0%	30.3%	24.1%	<u>27.7%</u>

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE						
FEWER THAN TWO DOCTOR VISITS PAST YEAR	28.2%	<u>41.7%</u>	25.4%	27.2%	31.5%	35.7%
EMERGENCY ROOM VISIT PAST YEAR	19.6%	*	20.8%	17.5%	23.0%	<u>27.9%</u>
HOSPITALIZED PAST YEAR	13.9%	*	14.2%	<u>10.4%</u>	<u>15.7%</u>	<u>23.1%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	9.4%	*	8.6%	<u>8.2%</u>	<u>8.3%</u>	*
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	30.1%	52.0%	24.3%	29.3%	35.1%	37.1%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	74.6%	50.1%	80.4%	69.6%	54.2%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	17.4%	39.9%	11.7%	19.8%	38.0%	98.0%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	6.8%	*	<u>6.5%</u>	<u>9.2%</u>	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	17.3%	*	17.9%	15.4%	<u>15.8%</u>	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	24.3%	<u>27.4%</u>	24.6%	19.0%	17.6%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	41.1%	*	44.5%	35.3%	28.4%	*
NO DENTAL INSURANCE	53.2%	54.2%	54.5%	47.5%	46.7%	*
SANTA BARBARA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	47,865	6,057	38,906	27,104	10,776	5,507

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SANTA CLARA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	ASIAN AMERICAN	NON-LATINO	WOMEN	BELOW 200% WHITE	MEDI-CAL RECIPIENT POVERTY
HEALTH BEHAVIORS						
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	71.1%	47.1%	79.6%	72.9%	56.3%	45.3%
CURRENTLY SMOKING	7.5%	*	9.2%	8.6%	*	*
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	31.0%	43.6%	27.9%	30.8%	38.7%	42.3%
OBESE: BODY MASS INDEX 30 OR MORE	13.4%	*	13.5%	13.8%	13.8%	*

	TOTAL	ASIAN AMERICAN	NON-LATINO	WOMEN	BELOW 200% WHITE	MEDI-CAL RECIPIENT POVERTY
HEALTH STATUS						
FAIR OR POOR HEALTH	24.9%	37.7%	18.8%	26.0%	42.3%	45.3%
DIABETES – EVER DIAGNOSED	10.0%	18.4%	7.7%	8.2%	12.6%	*
HYPERTENSION – EVER DIAGNOSED	57.5%	64.4%	56.9%	56.4%	58.4%	68.3%
HEART DISEASE – EVER DIAGNOSED	26.6%	26.4%	27.6%	22.0%	33.4%	34.6%
ARTHRITIS – EVER DIAGNOSED	41.0%	31.3%	43.0%	47.5%	45.3%	42.1%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	49.8%	*	45.8%	45.7%	48.5%	63.2%
ASTHMA – EVER DIAGNOSED	8.8%	23.3%	4.9%	6.3%	10.6%	*
CANCER OF SKIN – EVER DIAGNOSED	7.1%	*	18.2%	5.8%	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	19.1%	*	12.2%	16.5%	17.1%	18.4%
LIMITED A LOT IN CLIMBING STAIRS	19.9%	23.3%	17.8%	22.1%	28.3%	28.7%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	8.3%	16.1%	6.7%	7.8%	13.8%	15.3%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	22.4%	30.7%	18.5%	21.4%	33.6%	43.6%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	40.8%	43.7%	40.1%	45.2%	48.1%	54.2%

**SANTA CLARA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	ASIAN AMERICAN	NON-LATINO	WOMEN	BELOW 200% WHITE	MEDI-CAL RECIPIENT POVERTY
PREVENTIVE SERVICE USE						
NO PAP SMEAR PAST THREE YEARS (WOMEN)	22.6%	*	22.1%	22.6%	22.4%	25.4%
NO MAMMOGRAM PAST YEAR (WOMEN)	35.7%	*	30.4%	35.7%	49.5%	43.7%
EVER HAD BONE DENSITY TEST (WOMEN)	30.4%	*	38.5%	30.4%	21.3%	<u>13.2%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	33.8%	*	37.0%	33.8%	26.9%	*
NEVER HAD COLONOSCOPY	28.9%	40.5%	27.1%	38.3%	34.1%	30.3%
NEVER TESTED FOR BLOOD IN STOOL	36.2%	49.6%	32.6%	38.6%	43.9%	48.3%
NO FLU SHOT PAST YEAR	33.1%	44.2%	29.4%	32.6%	36.7%	48.1%

	TOTAL	ASIAN AMERICAN	NON-LATINO	WOMEN	BELOW 200% WHITE	MEDI-CAL RECIPIENT POVERTY
ACCESS TO MEDICAL CARE						
FEWER THAN TWO DOCTOR VISITS PAST YEAR	21.7%	24.8%	21.9%	18.9%	29.4%	25.2%
EMERGENCY ROOM VISIT PAST YEAR	16.7%	23.4%	14.9%	11.7%	14.3%	20.0%
HOSPITALIZED PAST YEAR	13.7%	*	11.5%	11.2%	11.8%	13.4%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	10.4%	*	10.3%	10.9%	9.7%	11.7%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	29.1%	40.7%	23.1%	32.7%	45.3%	51.5%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	65.1%	45.7%	72.0%	65.1%	41.4%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	20.4%	44.7%	11.8%	23.7%	46.1%	95.8%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	6.8%	*	8.9%	8.4%	<u>4.1%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	9.3%	*	10.0%	7.5%	7.4%	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	19.1%	*	22.6%	19.8%	8.7%	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	28.8%	17.3%	35.4%	27.2%	13.3%	*
NO DENTAL INSURANCE	39.7%	26.8%	44.9%	41.2%	29.7%	*
SANTA CLARA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	153,050	30,994	98,590	87,552	33,206	36,835

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SHASTA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
HEALTH BEHAVIORS				
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	63.6%	65.5%	69.7%	61.4%
CURRENTLY SMOKING	<u>12.1%</u>	<u>12.8%</u>	<u>10.9%</u>	<u>14.3%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR ANXIETY DOWN MOST OF THE DAY	42.1%	41.8%	40.6%	45.9%
OBESE: BODY MASS INDEX 30 OR MORE	19.5%	20.7%	22.1%	<u>22.9%</u>

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
HEALTH STATUS				
FAIR OR POOR HEALTH	33.3%	35.8%	37.3%	47.0%
DIABETES – EVER DIAGNOSED	13.4%	<u>12.8%</u>	<u>13.5%</u>	15.8%
HYPERTENSION – EVER DIAGNOSED	51.8%	55.3%	54.4%	58.7%
HEART DISEASE – EVER DIAGNOSED	25.9%	25.8%	23.0%	30.9%
ARTHRITIS – EVER DIAGNOSED	49.9%	53.3%	64.7%	52.7%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	60.9%	61.0%	<u>61.4%</u>	<u>63.8%</u>
ASTHMA – EVER DIAGNOSED	17.0%	18.5%	<u>19.8%</u>	<u>23.7%</u>
CANCER OF SKIN – EVER DIAGNOSED	14.5%	15.7%	<u>16.7%</u>	<u>13.9%</u>
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	19.7%	20.3%	<u>20.9%</u>	<u>23.2%</u>
LIMITED A LOT IN CLIMBING STAIRS	33.0%	32.2%	37.0%	35.5%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	<u>8.5%</u>	<u>8.2%</u>	<u>10.0%</u>	<u>15.9%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME IN PAST MONTH	24.5%	25.4%	30.2%	37.4%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	54.3%	55.7%	65.3%	64.6%

**SHASTA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
PREVENTIVE SERVICE USE				
NO PAP SMEAR PAST THREE YEARS (WOMEN)	28.1%	28.0%	28.1%	<u>26.9%</u>
NO MAMMOGRAM PAST YEAR (WOMEN)	28.1%	27.3%	28.1%	<u>30.1%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	54.8%	55.8%	54.8%	48.9%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	47.5%	47.9%	47.5%	38.5%
NEVER HAD COLONOSCOPY	40.7%	40.8%	41.1%	53.1%
NEVER TESTED FOR BLOOD IN STOOL	52.8%	51.9%	53.1%	57.1%
NO FLU SHOT PAST YEAR	22.2%	22.8%	24.4%	<u>23.4%</u>

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY
ACCESS TO MEDICAL CARE				
FEWER THAN TWO DOCTOR VISITS PAST YEAR	23.6%	21.5%	<u>17.3%</u>	<u>19.2%</u>
EMERGENCY ROOM VISIT PAST YEAR	15.6%	16.0%	<u>17.2%</u>	<u>18.3%</u>
HOSPITALIZED PAST YEAR	17.6%	19.3%	<u>19.9%</u>	<u>19.6%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	13.3%	<u>13.4%</u>	<u>17.4%</u>	<u>14.1%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	41.9%	41.6%	40.8%	54.0%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	67.7%	70.0%	69.6%	52.7%
HAS MEDICARE AND MEDICAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	18.2%	17.7%	<u>16.7%</u>	31.1%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>9.9%</u>	<u>10.0%</u>	<u>11.9%</u>	<u>15.1%</u>
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	37.5%	38.2%	43.2%	37.0%
INSURANCE DOES NOT INCLUDE VISION BENEFITS	36.0%	37.9%	45.3%	35.4%
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	55.7%	56.5%	63.6%	48.1%
NO DENTAL INSURANCE	57.7%	59.0%	63.2%	55.5%
SHASTA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	23,803	22,430	13,250	7,703

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SOLANO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

HEALTH BEHAVIORS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	65.9%	68.1%	72.2%	57.3%	52.2%
CURRENTLY SMOKING	<u>6.6%</u>	<u>7.4%</u>	<u>3.9%</u>	<u>9.4%</u>	<u>9.3%</u>
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	40.6%	38.0%	39.7%	55.7%	55.0%
OBESE: BODY MASS INDEX 30 OR MORE	21.8%	21.0%	20.5%	<u>20.3%</u>	<u>20.6%</u>

HEALTH STATUS	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
FAIR OR POOR HEALTH	34.0%	28.7%	36.8%	45.8%	52.3%
DIABETES – EVER DIAGNOSED	17.5%	13.6%	16.8%	25.6%	<u>25.7%</u>
HYPERTENSION – EVER DIAGNOSED	61.7%	59.8%	60.3%	75.5%	<u>73.7%</u>
HEART DISEASE – EVER DIAGNOSED	22.2%	24.9%	24.4%	28.3%	<u>25.2%</u>
ARTHRITIS – EVER DIAGNOSED	47.4%	49.1%	52.3%	53.3%	51.0%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	58.8%	61.6%	<u>66.1%</u>	<u>72.4%</u>	<u>76.3%</u>
ASTHMA – EVER DIAGNOSED	13.1%	14.2%	15.2%	<u>15.0%</u>	<u>18.0%</u>
CANCER OF SKIN – EVER DIAGNOSED	9.2%	13.0%	<u>7.0%</u>	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	13.6%	17.2%	<u>14.0%</u>	<u>14.4%</u>	*
LIMITED A LOT IN CLIMBING STAIRS	27.0%	27.9%	30.9%	43.8%	35.6%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	10.8%	<u>8.3%</u>	<u>11.7%</u>	<u>15.6%</u>	<u>23.5%</u>
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	26.9%	23.9%	32.1%	37.2%	41.3%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	53.4%	54.8%	61.3%	68.8%	63.9%

**SOLANO COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE					
NO PAP SMEAR PAST THREE YEARS (WOMEN)	34.3%	29.8%	34.3%	40.9%	52.8%
NO MAMMOGRAM PAST YEAR (WOMEN)	31.2%	31.8%	31.2%	41.2%	48.5%
EVER HAD BONE DENSITY TEST (WOMEN)	30.1%	30.8%	30.1%	<u>27.6%</u>	<u>19.9%</u>
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	38.6%	43.1%	38.6%	31.4%	<u>27.2%</u>
NEVER HAD COLONOSCOPY	35.2%	29.7%	37.4%	47.1%	60.5%
NEVER TESTED FOR BLOOD IN STOOL	29.8%	24.9%	23.6%	32.1%	41.3%
NO FLU SHOT PAST YEAR	23.2%	22.4%	23.0%	28.0%	29.3%

	TOTAL	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE					
FEWER THAN TWO DOCTOR VISITS PAST YEAR	18.1%	18.6%	17.1%	<u>19.9%</u>	<u>21.7%</u>
EMERGENCY ROOM VISIT PAST YEA	26.1%	24.4%	25.6%	25.1%	30.2%
HOSPITALIZED PAST YEAR	14.9%	14.4%	<u>13.7%</u>	<u>13.5%</u>	<u>22.6%</u>
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	<u>7.9%</u>	<u>8.8%</u>	<u>11.4%</u>	<u>10.4%</u>	<u>7.1%</u>
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	35.2%	32.1%	34.1%	47.7%	58.6%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	764.0%	75.1%	68.8%	44.4%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	21.2%	13.3%	20.7%	40.5%	87.5%
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>4.5%</u>	<u>5.3%</u>	<u>3.3%</u>	<u>4.3%</u>	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	<u>6.4%</u>	<u>9.6%</u>	<u>7.4%</u>	<u>7.9%</u>	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	9.1%	11.0%	<u>9.6%</u>	<u>5.8%</u>	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	30.0%	30.6%	31.1%	<u>19.0%</u>	*
NO DENTAL INSURANCE	39.3%	43.3%	42.5%	27.4%	*
SOLANO POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	35,139	22,940	20,264	8,151	6,033

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**VENTURA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH BEHAVIORS							
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	68.6%	35.7%	78.8%	65.1%	55.5%	46.8%	62.7%
CURRENTLY SMOKING	8.0%	*	7.7%	11.9%	12.9%	<u>6.1%</u>	*
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	35.1%	23.6%	37.9%	37.3%	29.7%	<u>18.6%</u>	35.7%
OBESE: BODY MASS INDEX 30 OR MORE	20.7%	44.1%	14.8%	18.2%	29.7%	48.2%	*

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
HEALTH STATUS							
FAIR OR POOR HEALTH	33.2%	45.7%	28.2%	35.4%	45.9%	52.0%	32.1%
DIABETES – EVER DIAGNOSED	8.7%	*	10.6%	8.1%	<u>5.3%</u>	*	*
HYPERTENSION – EVER DIAGNOSED	57.9%	49.4%	59.8%	63.7%	57.0%	70.9%	49.6%
HEART DISEASE – EVER DIAGNOSED	27.9%	*	29.3%	23.6%	29.0%	<u>26.5%</u>	*
ARTHRITIS – EVER DIAGNOSED	52.3%	42.6%	57.8%	56.9%	53.4%	<u>15.6%</u>	60.0%
THOSE WITH ARTHRITIS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	50.2%	53.1%	49.3%	52.8%	60.7%	*	45.0%
ASTHMA – EVER DIAGNOSED	11.4%	*	8.1%	10.0%	13.1%	<u>7.1%</u>	*
CANCER OF SKIN – EVER DIAGNOSED	9.0%	*	11.2%	8.2%	*	*	*
ALL CANCERS OTHER THAN SKIN – EVER DIAGNOSED	21.8%	*	24.7%	25.0%	13.5%	<u>18.6%</u>	*
LIMITED A LOT IN CLIMBING STAIRS	24.0%	*	27.9%	27.6%	27.1%	<u>3.6%</u>	<u>22.5%</u>
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	10.1%	*	9.2%	12.8%	17.2%	*	*
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME LAST MONTH	21.8%	39.7%	17.8%	25.0%	27.2%	<u>11.5%</u>	*
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	47.7%	63.6%	44.7%	50.9%	57.1%	43.9%	62.7%

**VENTURA COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
PREVENTIVE SERVICE USE							
NO PAP SMEAR PAST THREE YEARS (WOMEN)	30.9%	*	27.7%	30.9%	36.1%	49.9%	51.0%
NO MAMMOGRAM PAST YEAR (WOMEN)	32.7%	*	29.2%	32.7%	39.2%	*	<u>28.6%</u>
EVER HAD BONE DENSITY TEST (WOMEN)	38.5%	*	46.5%	38.5%	26.5%	*	49.9%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	29.9%	*	33.7%	29.9%	22.9%	<u>21.2%</u>	*
NEVER HAD COLONOSCOPY	42.1%	54.0%	34.6%	43.5%	56.2%	64.0%	52.9%
NEVER TESTED FOR BLOOD IN STOOL	36.1%	52.0%	30.0%	37.4%	41.4%	61.7%	<u>20.1%</u>
NO FLU SHOT PAST YEAR	33.3%	49.8%	25.8%	36.0%	41.6%	50.6%	34.8%

	TOTAL	LATINO	NON-LATINO WHITE	WOMEN	BELOW 200% POVERTY	LIMITED ENGLISH	MEDI-CAL RECIPIENT
ACCESS TO MEDICAL CARE							
FEWER THAN TWO DOCTOR VISITS PAST YEAR	20.6%	27.8%	17.1%	28.5%	26.7%	40.8%	<u>12.5%</u>
EMERGENCY ROOM VISIT PAST YEAR	20.0%	*	24.1%	17.6%	15.0%	<u>11.1%</u>	<u>19.1%</u>
HOSPITALIZED PAST YEAR	17.6%	*	21.6%	16.5%	19.9%	*	33.2%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	13.3%	*	11.9%	15.0%	17.9%	<u>7.1%</u>	*
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	33.0%	45.5%	30.8%	33.3%	44.4%	*	48.1%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	79.5%	80.7%	81.8%	73.7%	68.1%	68.5%	*
HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	13.4%	*	11.6%	16.2%	22.5%	<u>16.5%</u>	*
HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	<u>3.3%</u>	*	<u>3.7%</u>	*	*	*	*
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	9.9%	*	11.5%	12.6%	<u>8.5%</u>	<u>11.5%</u>	*
INSURANCE DOES NOT INCLUDE VISION BENEFITS	24.1%	22.1%	24.7%	20.3%	18.4%	<u>6.9%</u>	*
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	32.6%	26.0%	36.1%	30.1%	19.2%	<u>8.7%</u>	*
NO DENTAL INSURANCE	45.9%	39.4%	48.8%	48.8%	49.4%	32.2%	*
VENTURA POPULATION AGE 65 AND OVER IN HOUSEHOLDS, 2000 CENSUS	73,482	11,232	56,584	41,889	16,706	8,949	10,715

Source: 2001 California Health Interview Survey (CHIS 2001).

Notes: Underlined *italic* estimates are not reliable.

*Less than five observations

Some groups not shown due to small sample sizes

**SUMMARY TABLE OF HEALTH INDICATORS BY REGION
CALIFORNIA, AGE 65 AND OVER, 2001**

HEALTH BEHAVIORS	STATEWIDE	NORTHERN AND SIERRA	GREATER BAY AREA	SACRAMENTO	SAN JOAQUIN VALLEY	CENTRAL COAST	LOS ANGELES	OTHER SOUTHERN CALIFORNIA
TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	70.8%	72.0%	68.5%	72.9%	65.5%	72.9%	72.0%	71.9%
CURRENTLY SMOKING	8.0%	9.5%	7.2%	10.8%	8.5%	7.4%	7.9%	8.0%
DRANK THREE OR MORE DRINKS AT A TIME LAST MONTH	4.0%	5.5%	5.0%	6.2%	3.2%	4.4%	3.2%	3.4%
SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	37.2%	38.1%	36.9%	34.9%	36.4%	34.6%	39.5%	36.4%
OBESE: BODY MASS INDEX 30 OR MORE	16.6%	17.6%	14.8%	16.2%	19.5%	15.5%	16.6%	17.1%

HEALTH STATUS	STATEWIDE	NORTHERN AND SIERRA	GREATER BAY AREA	SACRAMENTO	SAN JOAQUIN VALLEY	CENTRAL COAST	LOS ANGELES	OTHER SOUTHERN CALIFORNIA
FAIR OR POOR HEALTH	29.6%	29.8%	28.2%	26.4%	34.4%	27.9%	32.5%	27.2%
DIABETES	14.8%	14.4%	12.2%	12.5%	15.8%	12.1%	16.6%	16.1%
DIABETICS WHO DO TAKE MEDICINE OR INSULIN	82.0%	75.7%	83.4%	79.5%	83.4%	80.2%	81.4%	83.1%
HYPERTENSION – EVER DIAGNOSED	53.5%	50.4%	52.3%	48.8%	56.1%	53.0%	54.3%	54.6%
HYPERTENSIVES WHO DO TAKE MEDICINE	87.6%	83.9%	87.7%	90.0%	86.2%	85.9%	87.4%	88.8%
HEART DISEASE	23.7%	25.9%	23.6%	26.7%	24.2%	22.8%	22.2%	24.1%
THOSE WITH HEART DISEASE WHO TAKE MEDICINE OR ASPIRIN	81.2%	83.4%	80.8%	77.4%	78.6%	73.1%	81.9%	84.0%
ARTHRITIS	50.0%	51.7%	47.8%	51.5%	54.2%	50.8%	49.0%	50.3%
ARTHRITICS WHO ARE MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	57.7%	62.3%	55.5%	59.4%	59.8%	53.9%	57.0%	58.9%
ASTHMA	10.3%	12.0%	10.9%	12.4%	10.8%	9.4%	9.7%	9.5%
ASTHMATICS WHO TAKE MEDICINE	64.7%	67.3%	66.4%	67.1%	60.5%	65.5%	57.2%	70.6%
CANCER OF SKIN	9.0%	12.1%	7.4%	8.2%	8.6%	9.6%	7.5%	11.1%
ALL CANCERS OTHER THAN SKIN	17.3%	19.5%	18.5%	16.8%	15.8%	20.3%	17.9%	15.1%
LIMITED A LOT IN CLIMBING STAIRS	23.4%	27.4%	20.8%	23.2%	27.2%	23.5%	24.6%	22.1%
IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH	11.1%	9.2%	10.2%	10.6%	12.8%	9.1%	13.5%	10.0%
DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME IN PAST MONTH	25.0%	23.2%	25.0%	22.8%	26.9%	20.0%	27.3%	24.2%
DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	46.0%	47.5%	44.5%	52.2%	47.8%	43.8%	47.3%	44.1%
FELT SAD AT LEAST MOST OF THE TIME LAST MONTH	4.1%	3.5%	3.5%	<u>1.7%</u>	3.6%	2.8%	5.3%	4.5%

**SUMMARY TABLE OF HEALTH INDICATORS BY REGION
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	STATEWIDE	NORTHERN AND SIERRA	GREATER BAY AREA	SACRAMENTO	SAN JOAQUIN VALLEY	CENTRAL COAST	LOS ANGELES	OTHER SOUTHERN CALIFORNIA
PREVENTIVE SERVICE USE								
NO PAP SMEAR PAST THREE YEARS (WOMEN)	23.7%	28.2%	24.7%	19.9%	23.1%	24.7%	22.7%	23.8%
NO MAMMOGRAM PAST YEAR (WOMEN)	29.8%	30.9%	31.1%	25.7%	29.2%	28.5%	30.6%	29.2%
EVER HAD BONE DENSITY TEST (WOMEN)	41.1%	44.6%	35.6%	38.9%	39.3%	51.5%	39.5%	44.8%
RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	33.5%	37.2%	31.9%	40.2%	36.4%	35.9%	28.3%	36.2%
NEVER HAD COLONOSCOPY	37.3%	40.1%	34.7%	28.0%	38.0%	36.2%	40.0%	38.1%
NEVER TESTED FOR BLOOD IN STOOL	39.5%	38.2%	34.7%	29.2%	42.9%	37.7%	45.9%	38.8%
NO FLU SHOT PAST YEAR	32.8%	31.4%	31.2%	22.5%	33.6%	30.0%	36.4%	33.4%

	STATEWIDE	NORTHERN AND SIERRA	GREATER BAY AREA	SACRAMENTO	SAN JOAQUIN VALLEY	CENTRAL COAST	LOS ANGELES	OTHER SOUTHERN CALIFORNIA
ACCESS TO MEDICAL CARE								
FEWER THAN TWO DOCTOR VISITS PAST YEAR	19.7%	23.9%	20.0%	18.8%	18.4%	24.5%	17.6%	20.1%
HAD AN EMERGENCY ROOM VISIT PAST YEAR	21.8%	23.4%	22.2%	24.6%	21.2%	19.6%	22.9%	20.2%
HOSPITALIZED PAST YEAR	15.7%	16.6%	14.9%	16.1%	15.6%	15.6%	16.7%	15.0%
DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	12.4%	11.9%	10.2%	11.8%	11.9%	13.0%	14.1%	12.7%
DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	32.0%	35.7%	27.6%	30.7%	40.9%	29.8%	32.7%	31.8%
HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE	67.9%	71.8%	66.5%	73.8%	65.3%	76.2%	61.3%	72.0%
HAS MEDICARE AND MEDICAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	20.2%	16.6%	20.4%	19.7%	25.2%	14.0%	24.5%	16.4%
HAD MEDICARE AND NO SUPPLEMENTAL COVERAGE	6.7%	8.5%	5.9%	3.5%	6.0%	6.9%	8.2%	6.3%
INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	14.6%	34.9%	11.2%	10.6%	17.6%	22.8%	12.3%	13.3%
INSURANCE DOES NOT INCLUDE VISION BENEFITS	19.3%	40.2%	16.3%	16.2%	24.4%	30.5%	15.8%	16.7%
INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	30.9%	54.4%	30.7%	30.1%	34.3%	43.2%	25.8%	27.1%
NO DENTAL INSURANCE	41.9%	59.1%	43.9%	36.9%	48.4%	54.5%	33.3%	40.8%

Source: 2001 California Health Interview Survey (CHIS 2001).

Note: Underlined *italic* estimates are not reliable.

**SUMMARY TABLE OF HEALTH INDICATORS BY COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001**

	HEALTH BEHAVIORS			HEALTH STATUS				
	TAKEN VITAMINS OR DIETARY/ HERBAL SUPPLEMENTS PAST MONTH	CURRENTLY SMOKING	SEDENTARY LIFESTYLE: USUALLY SIT OR LIE DOWN MOST OF THE DAY	OBESE: BODY MASS INDEX 30 OR MORE	FAIR OR POOR HEALTH	DIABETES	HYPERTENSION EVER DIAGNOSED	HEART DISEASE
STATEWIDE	70.8%	8.0%	37.2%	16.6%	29.6%	14.8%	54.5%	23.7%
ALAMEDA	70.7%	6.7%	40.5%	13.5%	29.6%	13.3%	52.2%	25.4%
ALPINE, AMADOR, CALAVERAS, INYO, MARIPOSA, MONO, TUOLUMNE	79.0%	<u>8.9%</u>	32.6%	13.7%	21.9%	<u>9.9%</u>	40.9%	23.7%
COLUSA, GLENN, TEHAMA, BUTTE	74.1%	8.3%	36.5%	20.7%	27.5%	13.7%	51.4%	24.0%
CONTRA COSTA	69.7%	4.4%	41.2%	20.3%	27.2%	15.1%	51.6%	26.9%
DEL NORTE, HUMBOLDT, LAKE, MENDOCINO	72.3%	8.8%	39.4%	18.1%	35.2%	17.6%	56.6%	27.8%
FRESNO	66.0%	<u>4.0%</u>	33.7%	16.6%	32.6%	19.3%	63.3%	22.8%
IMPERIAL, RIVERSIDE	71.1%	6.1%	36.3%	16.0%	27.7%	18.8%	49.8%	23.5%
KERN	65.1%	8.0%	38.4%	14.5%	38.8%	9.5%	56.3%	25.5%
LASSEN, MODOC, SISKIYOU, TRINITY	71.7%	<u>7.6%</u>	33.0%	20.6%	33.1%	<u>17.3%</u>	49.7%	29.1%
LOS ANGELES	72.0%	7.9%	39.5%	16.6%	32.5%	16.6%	54.3%	22.2%
MADERA	68.7%	<u>10.9%</u>	33.3%	<u>18.2%</u>	29.9%	<u>13.0%</u>	56.1%	31.0%
MARIN, SONOMA	72.4%	8.2%	31.6%	15.0%	20.6%	10.5%	42.8%	20.3%
MONTEREY, SAN BENITO, SANTA CRUZ	71.3%	8.3%	33.9%	12.2%	24.3%	12.2%	51.3%	20.3%
NAPA	70.9%	<u>12.5%</u>	38.8%	<u>15.6%</u>	21.5%	<u>14.7%</u>	52.6%	28.1%
NEVADA, PLUMAS, SIERRA	74.9%	<u>9.9%</u>	40.5%	<u>12.9%</u>	28.7%	<u>11.6%</u>	50.2%	26.8%
ORANGE	69.9%	8.5%	36.7%	16.9%	28.7%	13.5%	55.1%	25.2%
PLACER, YOLO, EL DORADO, SUTTER, YUBA	70.5%	7.9%	37.1%	14.8%	23.2%	13.3%	49.6%	25.5%
SACRAMENTO	72.9%	12.8%	34.8%	17.0%	28.9%	12.9%	48.3%	27.4%
SAN BERNARDINO	72.7%	10.9%	37.7%	22.2%	28.1%	22.1%	58.7%	27.5%
SAN DIEGO	69.9%	8.5%	36.7%	16.9%	28.7%	13.5%	55.1%	25.2%
SAN FRANCISCO	59.2%	5.0%	41.6%	10.2%	38.2%	11.6%	51.5%	15.6%
SAN JOAQUIN	62.3%	10.5%	37.7%	26.0%	33.6%	18.8%	54.4%	23.2%
SAN LUIS OBISPO	79.2%	<u>7.8%</u>	33.6%	11.5%	23.1%	14.0%	52.9%	17.4%
SAN MATEO	66.9%	11.8%	33.9%	15.2%	26.8%	10.2%	50.4%	24.2%
SANTA BARBARA	77.4%	<u>4.9%</u>	35.6%	14.6%	28.2%	16.0%	47.8%	21.8%
SANTA CLARA	71.1%	7.5%	31.0%	13.4%	24.9%	10.0%	57.5%	26.6%
SHASTA	63.6%	<u>12.1%</u>	42.1%	19.5%	33.3%	13.4%	51.8%	25.9%
SOLANO	65.9%	<u>6.6%</u>	40.6%	21.8%	34.0%	17.5%	61.7%	22.2%
STANISLAUS, MERCED	65.3%	11.2%	40.6%	21.1%	29.5%	14.3%	48.8%	19.9%
TULARE, KINGS	68.3%	9.7%	31.5%	21.3%	40.9%	17.4%	55.7%	30.2%
VENTURA	68.6%	8.0%	35.1%	20.7%	33.2%	8.7%	57.9%	27.9%

Source: 2001 California Health Interview Survey (CHIS 2001).

Note: Underlined *italic* estimates are not reliable

**SUMMARY TABLE OF HEALTH INDICATORS BY COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	HEALTH STATUS						
	ARTHRITIS	ARTHRITIS- MODERATELY OR HIGHLY LIMITED IN DAILY ACTIVITIES	ASTHMA	CANCER OF SKIN	ALL CANCERS OTHER THAN SKIN	LIMITED A LOT IN CLIMBING STAIRS	IMPAIRED ACTIVITIES DUE TO EMOTIONAL PROBLEMS LIKE DEPRESSION OR ANXIETY LAST MONTH
STATEWIDE	50.0%	57.7%	10.3%	9.0%	17.3%	23.4%	11.1%
ALAMEDA	52.7%	54.0%	16.1%	8.3%	14.2%	22.1%	10.7%
ALPINE, AMADOR, CALAVERAS, INYO, MARIPOSA, MONO, TUOLUMNE	46.9%	57.6%	11.7%	<u>9.9%</u>	16.1%	22.7%	<u>5.9%</u>
COLUSA, GLENN, TEHAMA, BUTTE	52.3%	65.6%	11.2%	10.3%	20.7%	26.1%	10.0%
CONTRA COSTA	53.4%	58.3%	10.9%	7.6%	20.9%	23.2%	8.0%
DEL NORTE, HUMBOLDT, LAKE, MENDOCINO	53.7%	64.5%	9.6%	16.5%	19.8%	28.7%	11.9%
FRESNO	48.9%	56.4%	12.5%	6.4%	16.3%	20.2%	9.9%
IMPERIAL, RIVERSIDE	55.2%	51.6%	7.9%	11.9%	15.1%	22.5%	7.9%
KERN	60.9%	61.9%	9.7%	13.0%	16.2%	36.7%	12.0%
LASSEN, MODOC, SISKIYOU, TRINITY	53.1%	<u>64.6%</u>	<u>12.2%</u>	<u>7.6%</u>	<u>19.3%</u>	25.0%	<u>9.3%</u>
LOS ANGELES	49.0%	57.0%	9.7%	7.5%	17.9%	24.6%	13.5%
MADERA	58.1%	<u>55.7%</u>	<u>15.3%</u>	<u>10.2%</u>	<u>14.4%</u>	32.6%	<u>8.8%</u>
MARIN, SONOMA	49.0%	60.3%	7.6%	10.7%	20.4%	19.9%	8.8%
MONTEREY, SAN BENITO, SANTA CRUZ	52.6%	60.8%	7.8%	9.2%	16.4%	23.5%	13.2%
NAPA	48.0%	57.2%	<u>8.6%</u>	<u>17.0%</u>	<u>15.0%</u>	25.3%	<u>8.9%</u>
NEVADA, PLUMAS, SIERRA	50.4%	49.9%	<u>14.7%</u>	<u>10.7%</u>	22.1%	23.4%	<u>6.9%</u>
ORANGE	48.5%	64.9%	9.4%	9.5%	15.5%	21.7%	8.7%
PLACER, YOLO, EL DORADO, SUTTER, YUBA	50.0%	60.2%	10.4%	10.2%	16.1%	26.6%	10.9%
SACRAMENTO	53.1%	60.5%	13.3%	7.3%	17.5%	22.5%	10.5%
SAN BERNARDINO	49.9%	63.7%	10.4%	12.4%	14.0%	28.8%	11.2%
SAN DIEGO	48.5%	64.9%	9.4%	9.5%	15.3%	21.7%	8.7%
SAN FRANCISCO	45.2%	67.2%	10.2%	3.4%	19.3%	17.0%	11.8%
SAN JOAQUIN	48.3%	63.7%	10.5%	7.7%	14.8%	26.8%	12.4%
SAN LUIS OBISPO	51.2%	57.1%	9.7%	<u>8.6%</u>	17.0%	26.8%	<u>4.7%</u>
SAN MATEO	47.6%	43.4%	9.9%	5.8%	21.3%	19.5%	12.5%
SANTA BARBARA	46.0%	49.1%	8.1%	11.6%	25.5%	20.8%	8.3%
SANTA CLARA	41.0%	49.8%	8.8%	7.1%	19.1%	19.9%	9.0%
SHASTA	49.9%	60.9%	17.0%	14.5%	19.7%	33.0%	<u>8.0%</u>
SOLANO	47.4%	58.8%	13.1%	9.2%	13.6%	27.0%	12.9%
STANISLAUS, MERCED	52.5%	52.8%	10.5%	8.3%	16.0%	22.7%	12.3%
TULARE, KINGS	62.4%	66.2%	8.9%	7.6%	16.0%	32.0%	21.3%
VENTURA	52.3%	50.2%	11.4%	9.0%	21.8%	24.0%	8.0%

Source: 2001 California Health Interview Survey (CHIS 2001).

Note: Underlined *italic* estimates are not reliable

**SUMMARY TABLE OF HEALTH INDICATORS BY COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	HEALTH STATUS			PREVENTIVE SERVICE USE				
	DID NOT FEEL CALM AND PEACEFUL AT LEAST MOST OF THE TIME PAST MONTH	DID NOT HAVE A LOT OF ENERGY AT LEAST MOST OF THE TIME LAST MONTH	FELT SAD AT LEAST MOST OF THE TIME LAST MONTH	NO PAP SMEAR FOR PAST THREE YEARS (WOMEN)	NO MAMMOGRAM PAST YEAR (WOMEN)	EVER HAD BONE DENSITY TEST (WOMEN)	RECEIVE HORMONE REPLACEMENT THERAPY (WOMEN)	NEVER HAD COLON-OSCOPY
STATEWIDE	25.0%	46.0%	4.1%	23.7%	29.8%	41.1%	33.5%	37.3%
ALAMEDA	23.0%	45.0%	3.3%	23.3%	27.3%	29.4%	28.7%	37.8%
ALPINE, AMADOR, CALAVERAS, INYO, MARIPOSA, MONO, TUOLUMNE	19.5%	39.6%	1.1%	<u>18.4%</u>	32.7%	48.6%	44.8%	41.2%
COLUSA, GLENN, TEHAMA, BUTTE	20.8%	47.9%	<u>2.8%</u>	35.2%	30.0%	36.5%	34.8%	41.2%
CONTRA COSTA	30.0%	45.1%	2.1%	31.1%	38.6%	33.2%	31.1%	27.8%
DEL NORTE, HUMBOLDT, LAKE, MENDOCINO	28.7%	49.3%	7.3%	27.7%	29.3%	44.5%	29.6%	45.9%
FRESNO	23.6%	42.7%	3.0%	22.2%	25.6%	48.1%	42.4%	31.2%
IMPERIAL, RIVERSIDE	23.1%	43.0%	2.9%	25.3%	30.7%	49.5%	28.1%	37.3%
KERN	25.5%	54.1%	<u>2.9%</u>	28.4%	33.3%	39.5%	36.3%	40.1%
LASSEN, MODOC, SISKIYOU, TRINITY	21.5%	47.3%	<u>2.8%</u>	<u>31.9%</u>	35.3%	44.9%	<u>28.8%</u>	41.6%
LOS ANGELES	27.3%	47.3%	5.3%	22.7%	30.6%	39.5%	28.3%	40.0%
MADERA	29.2%	47.2%	<u>1.3%</u>	<u>21.8%</u>	<u>30.7%</u>	45.3%	39.5%	34.6%
MARIN, SONOMA	22.4%	39.6%	1.9%	25.3%	23.3%	45.5%	33.8%	39.5%
MONTEREY, SAN BENITO, SANTA CRUZ	20.3%	40.0%	2.1%	24.7%	28.9%	54.7%	42.7%	37.7%
NAPA	22.0%	49.5%	3.5%	<u>27.1%</u>	32.9%	41.2%	<u>20.1%</u>	36.6%
NEVADA, PLUMAS, SIERRA	20.2%	45.9%	<u>1.0%</u>	28.0%	34.2%	45.2%	37.1%	27.1%
ORANGE	26.3%	41.2%	5.3%	16.7%	30.3%	45.2%	39.4%	34.7%
PLACER, YOLO, EL DORADO, SUTTER, YUBA	21.6%	47.7%	2.3%	21.0%	28.3%	42.4%	35.6%	31.8%
SACRAMENTO	23.9%	54.6%	-	19.9%	24.7%	37.1%	43.4%	26.2%
SAN BERNARDINO	21.5%	44.2%	4.5%	30.4%	24.3%	42.2%	38.7%	43.6%
SAN DIEGO	26.3%	41.2%	5.3%	16.7%	30.3%	45.2%	39.4%	34.7%
SAN FRANCISCO	27.1%	48.0%	4.9%	20.8%	29.0%	44.5%	26.7%	42.1%
SAN JOAQUIN	28.8%	49.9%	<u>1.2%</u>	16.6%	25.6%	31.5%	39.0%	38.8%
SAN LUIS OBISPO	15.5%	41.7%	<u>1.0%</u>	22.2%	30.1%	56.0%	35.9%	30.0%
SAN MATEO	26.1%	45.5%	7.4%	22.4%	30.3%	37.2%	38.8%	33.8%
SANTA BARBARA	19.7%	44.5%	<u>2.3%</u>	17.1%	21.3%	64.0%	36.4%	29.3%
SANTA CLARA	22.4%	40.8%	2.3%	22.6%	35.7%	30.4%	33.8%	28.9%
SHASTA	24.5%	54.3%	<u>4.4%</u>	28.1%	28.1%	54.8%	47.5%	40.7%
SOLANO	26.9%	53.4%	<u>4.6%</u>	34.3%	31.2%	30.1%	38.6%	35.2%
STANISLAUS, MERCED	26.8%	46.0%	3.9%	23.8%	30.7%	34.5%	29.4%	39.8%
TULARE, KINGS	31.2%	48.3%	9.2%	25.5%	32.4%	38.7%	30.8%	44.6%
VENTURA	21.8%	47.7%	4.4%	30.9%	32.7%	38.5%	29.9%	42.1%

Source: 2001 California Health Interview Survey (CHIS 2001).

Note: Underlined *italic* estimates are not reliable

**SUMMARY TABLE OF HEALTH INDICATORS BY COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	PREVENTIVE SERVICE USE		HEALTH SERVICE USE					
	NEVER TESTED FOR BLOOD IN STOOL	NO FLU SHOT PAST YEAR	HAD LESS THAN TWO DOCTOR VISITS PAST YEAR	HAD AN EMERGENCY ROOM VISIT PAST YEAR	WAS HOSPITALIZED PAST YEAR	DELAYED GETTING CARE, GETTING A TEST, OR FILLING A PRESCRIPTION PAST YEAR	DID NOT VISIT A DENTIST OR HYGIENIST PAST YEAR	HAS MEDICARE AND PRIVATE SUPPLEMENTAL COVERAGE
STATEWIDE	39.5%	32.8%	19.7%	21.8%	15.7%	12.4%	32.0%	67.9%
ALAMEDA	37.1%	28.2%	19.3%	23.4%	15.5%	9.7%	33.3%	62.7%
ALPINE, AMADOR, CALAVERAS, INYO, MARIPOSA, MONO, TUOLUMNE	30.9%	34.4%	33.0%	26.8%	16.8%	12.5%	31.3%	77.2%
COLUSA, GLENN, TEHAMA, BUTTE	36.5%	32.1%	23.0%	22.4%	14.4%	9.4%	35.2%	71.3%
CONTRA COSTA	27.8%	33.1%	23.2%	24.3%	15.6%	10.6%	23.6%	72.5%
DEL NORTE, HUMBOLDT, LAKE, MENDOCINO	40.2%	30.4%	22.6%	23.7%	15.3%	11.0%	37.5%	68.3%
FRESNO	39.7%	32.9%	17.0%	17.8%	13.3%	9.3%	34.3%	65.9%
IMPERIAL, RIVERSIDE	40.5%	37.9%	19.4%	22.3%	15.5%	10.5%	31.3%	74.2%
KERN	54.7%	35.4%	16.7%	23.9%	18.9%	10.1%	45.1%	59.4%
LASSEN, MODOC, SISKIYOU, TRINITY	43.8%	36.7%	<u>19.0%</u>	23.4%	<u>17.2%</u>	<u>14.5%</u>	39.5%	69.0%
LOS ANGELES	45.9%	36.4%	17.6%	22.9%	16.7%	14.1%	32.7%	61.3%
MADERA	31.4%	30.3%	<u>15.6%</u>	<u>20.0%</u>	<u>15.7%</u>	<u>9.0%</u>	34.4%	66.6%
MARIN, SONOMA	33.4%	23.6%	20.9%	26.0%	13.1%	9.4%	23.9%	74.6%
MONTEREY, SAN BENITO, SANTA CRUZ	46.1%	29.1%	26.3%	18.2%	15.8%	14.4%	28.8%	73.5%
NAPA	34.9%	37.4%	23.3%	26.2%	<u>16.1%</u>	<u>9.9%</u>	25.0%	76.5%
NEVADA, PLUMAS, SIERRA	24.8%	33.8%	21.2%	33.0%	21.3%	<u>12.2%</u>	25.1%	80.9%
ORANGE	41.3%	34.8%	22.5%	21.8%	17.8%	15.7%	29.6%	72.4%
PLACER, YOLO, EL DORADO, SUTTER, YUBA	28.8%	26.7%	22.9%	18.8%	14.4%	12.2%	32.8%	75.2%
SACRAMENTO	30.8%	21.0%	16.3%	27.6%	17.4%	12.0%	30.6%	72.5%
SAN BERNARDINO	45.0%	35.6%	18.1%	18.3%	12.6%	14.9%	47.0%	70.2%
SAN DIEGO	41.3%	34.8%	22.5%	21.8%	17.8%	15.7%	29.6%	72.4%
SAN FRANCISCO	41.9%	34.7%	15.3%	20.2%	14.0%	10.6%	29.6%	55.1%
SAN JOAQUIN	40.7%	28.9%	20.9%	21.6%	16.1%	15.8%	44.6%	69.1%
SAN LUIS OBISPO	30.5%	23.8%	24.1%	21.2%	12.9%	14.7%	23.9%	76.9%
SAN MATEO	30.3%	36.2%	19.0%	24.1%	17.8%	11.1%	18.7%	73.7%
SANTA BARBARA	33.6%	30.3%	28.2%	19.6%	13.9%	9.4%	30.1%	74.6%
SANTA CLARA	36.2%	33.1%	21.7%	16.7%	13.7%	10.4%	29.1%	65.1%
SHASTA	52.8%	22.2%	23.6%	15.6%	17.6%	13.3%	41.9%	67.7%
SOLANO	29.8%	23.2%	18.1%	26.1%	14.9%	<u>7.9%</u>	35.2%	64.0%
STANISLAUS, MERCED	34.9%	35.0%	21.0%	21.0%	12.3%	10.2%	43.1%	71.6%
TULARE, KINGS	49.8%	36.9%	16.7%	23.4%	19.0%	17.4%	40.6%	58.2%
VENTURA	36.1%	33.3%	20.6%	20.0%	17.6%	13.3%	33.0%	79.5%

Source: 2001 California Health Interview Survey (CHIS 2001).

Note: Underlined *italic* estimates are not reliable

**SUMMARY TABLE OF HEALTH INDICATORS BY COUNTY
CALIFORNIA, AGE 65 AND OVER, 2001 (CONTINUED)**

	HEALTH SERVICE USE					
	HAS MEDICARE AND MEDI-CAL OR OTHER PUBLIC SUPPLEMENTAL COVERAGE	HAS MEDICARE AND NO SUPPLEMENTAL COVERAGE	INSURANCE DOES NOT INCLUDE PRESCRIPTION BENEFITS	INSURANCE DOES NOT INCLUDE VISION BENEFITS	INSURANCE DOES NOT INCLUDE EYE GLASS BENEFITS	NO DENTAL INSURANCE
STATEWIDE	20.2%	6.7%	14.6%	19.3%	30.9%	41.9%
ALAMEDA	23.8%	4.3%	9.9%	15.2%	32.8%	37.8%
ALPINE, AMADOR, CALAVERAS, INYO, MARIPOSA, MONO, TUOLUMNE	<u>9.3%</u>	<u>9.6%</u>	34.1%	47.1%	56.2%	62.4%
COLUSA, GLENN, TEHAMA, BUTTE	17.3%	9.4%	36.6%	32.8%	45.8%	55.6%
CONTRA COSTA	14.6%	5.5%	10.7%	19.6%	33.3%	40.7%
DEL NORTE, HUMBOLDT, LAKE, MENDOCINO	22.7%	5.3%	35.1%	41.5%	57.6%	60.5%
FRESNO	26.0%	5.3%	21.7%	25.8%	40.3%	51.4%
IMPERIAL, RIVERSIDE	17.5%	5.0%	16.9%	20.0%	32.7%	45.4%
KERN	31.7%	7.4%	10.6%	15.0%	21.6%	33.6%
LASSEN, MODOC, SISKIYOU, TRINITY	20.5%	<u>8.4%</u>	37.2%	43.0%	54.7%	59.0%
LOS ANGELES	24.5%	8.2%	12.3%	15.8%	25.8%	33.3%
MADERA	21.7%	<u>8.4%</u>	22.1%	24.7%	37.0%	50.5%
MARIN, SONOMA	15.0%	6.8%	13.1%	14.7%	31.1%	56.3%
MONTEREY, SAN BENITO, SANTA CRUZ	14.4%	9.3%	37.4%	38.7%	53.1%	60.9%
NAPA	<u>12.0%</u>	<u>7.0%</u>	<u>13.8%</u>	18.4%	39.0%	52.6%
NEVADA, PLUMAS, SIERRA	<u>9.6%</u>	<u>7.6%</u>	28.1%	40.1%	60.2%	57.6%
ORANGE	15.8%	5.2%	13.4%	18.5%	27.9%	38.1%
PLACER, YOLO, EL DORADO, SUTTER, YUBA	14.3%	6.8%	18.2%	27.0%	39.9%	51.4%
SACRAMENTO	22.7%	<u>2.3%</u>	8.5%	13.4%	27.2%	31.0%
SAN BERNARDINO	18.2%	6.8%	8.3%	13.4%	19.5%	34.8%
SAN DIEGO	15.8%	5.2%	13.4%	18.5%	27.9%	38.1%
SAN FRANCISCO	30.2%	7.2%	12.0%	15.1%	26.0%	44.4%
SAN JOAQUIN	20.9%	<u>5.3%</u>	11.8%	20.5%	33.1%	52.8%
SAN LUIS OBISPO	10.1%	10.4%	30.8%	37.6%	50.4%	62.8%
SAN MATEO	16.1%	5.6%	15.5%	14.9%	32.0%	52.5%
SANTA BARBARA	17.4%	6.8%	17.3%	24.3%	41.1%	53.2%
SANTA CLARA	20.4%	6.8%	9.3%	19.1%	28.8%	39.7%
SHASTA	18.2%	<u>9.9%</u>	37.5%	36.0%	55.7%	57.7%
SOLANO	21.2%	<u>4.5%</u>	<u>6.4%</u>	9.1%	30.0%	39.3%
STANISLAUS, MERCED	19.5%	<u>4.2%</u>	15.3%	24.3%	33.6%	53.8%
TULARE, KINGS	29.4%	8.4%	29.1%	40.0%	43.2%	49.6%
VENTURA	13.4%	<u>3.3%</u>	9.9%	24.1%	32.6%	45.9%

Source: 2001 California Health Interview Survey (CHIS 2001).

Note: Underlined *italic* estimates are not reliable

CALIFORNIA STATE DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	33,871,648	10,966,556	116,961	333,346	3,697,513	2,263,882	15,816,790	1,607,646
POPULATION AGE 60-64	1,146,841	204,552	3,053	8,926	133,547	74,729	704,203	31,576
POPULATION AGE 65 AND OVER	3,595,658	472,769	5,586	18,122	353,698	182,028	2,516,139	77,154
POPULATION AGE 85 AND OVER	425,657	38,746	382	1,480	28,412	19,079	332,768	7,040
POPULATION LIVING ALONE, AGE 65 AND OVER	892,207	69,131	577	3,917	44,562	51,500	709,633	17,361
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	116,765	9,269	162	302	5,561	7,672	93,055	1,156
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	738,444	77,023	**	1,448	236,914**	48,596	256,813	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	16.9%	53.1%	38.3%	14.6%	64.8%	1.6%	4.5%	35.7%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	3,425,705	460,017	5,378	17,659	345,489	171,763	2,379,146	75,468
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	1,961,662	267,099	2,930	9,997	197,921	101,982	1,356,016	42,803
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	8.1%	13.9%	11.6%	15.9%	10.9%	15.3%	5.9%	13.6%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	28.6%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	42.2%	48.1%	49.6%	54.3%	42.7%	52.1%	40.1%	51.8%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**REGION 1: NORTHERN AND SIERRA COUNTIES, DEMOGRAPHICS, 2000:
BUTTE, SHASTA, HUMBOLT, DEL NORTE, SISKIYOU, LASSEN, TRINITY, MODOC, MENDOCINO, LAKE, TEHAMA, GLENN, COLUSA,
SUTTER, YUBA, NEVADA, PLUMAS, SIERRA, TUOLUMNE, CALAVERAS, AMADOR, INYO, MARIPOSA, MONO, AND ALPINE COUNTIES
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	1,301,774	149,190	1,948	38,777	32,259	19,205	1,027,964	48,478
POPULATION AGE 60-64	59,356	2,721	50	1,225	974	491	52,705	1,349
POPULATION AGE 65 AND OVER	196,498	6,296	95	2,579	2,387	1,279	181,068	3,194
POPULATION AGE 85 AND OVER	22,316	438	5	216	181	114	21,098	287
POPULATION LIVING ALONE, AGE 65 AND OVER	52,285	1,195	19	734	357	394	48,711	948
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	5,585	109	1	48	28	60	5,322	25
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	25,699	686	**	411	1,730**	301	19,181	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	2.9%	35.8%	8.1%	3.5%	58.1%	0.7%	1.1%	8.5%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	188,978	6,010	40	2,412	2,129	1,171	174,042	2,936
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	103,422	3,172	51	1,467	1,314	609	95,344	1,668
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.0%	9.3%	32.4%	19.3%	17.1%	10.6%	6.5%	10.2%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	31.3%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	41.8%	42.2%	55.4%	56.6%	36.2%	47.0%	41.4%	54.8%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**REGION 2: GREATER BAY AREA COUNTIES, DEMOGRAPHICS, 2000:
SANTA CLARA, ALAMEDA, CONTRA COSTA, SAN FRANCISCO,
SAN MATEO, SONOMA, SOLANO, MARIN, AND NAPA COUNTIES
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	6,783,760	1,315,175	36,317	43,529	1,289,849	511,084	3,392,204	334,290
POPULATION AGE 60-64	245,426	26,957	1,021	1,254	46,485	17,541	147,948	6,390
POPULATION AGE 65 AND OVER	757,507	63,496	1,869	2,355	127,064	46,395	505,460	15,780
POPULATION AGE 85 AND OVER	95,427	5,899	145	184	10,430	5,053	72,584	1,590
POPULATION LIVING ALONE, AGE 65 AND OVER	193,417	10,145	183	467	16,890	13,354	149,514	3,633
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	25,668	1,354	55	50	1,747	2,029	20,216	281
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	144,782	9,319	**	163	62,083**	11,040	37,490	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	19.2%	47.5%	40.2%	14.8%	66.7%	1.5%	5.2%	33.8%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	719,816	60,306	1,627	1,557	121,608	43,477	478,194	12,231
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	416,425	36,384	976	1,285	71,388	26,179	274,165	8,954
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.9%	10.1%	11.1%	14.3%	9.8%	14.3%	5.1%	10.2%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	23.7%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	40.2%	44.4%	45.4%	57.6%	41.5%	53.0%	37.8%	49.3%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**REGION 3: SACRAMENTO AREA COUNTIES, DEMOGRAPHICS, 2000:
SACRAMENTO, PLACER, YOLO, EL DORADO COUNTIES
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	1,796,857	278,182	8,366	19,077	162,158	128,073	1,144,558	92,818
POPULATION AGE 60-64	64,102	5,359	184	514	5,079	3,773	47,994	1,598
POPULATION AGE 65 AND OVER	203,551	13,098	374	1,080	14,987	8,366	162,691	3,869
POPULATION AGE 85 AND OVER	22,948	926	22	80	1,233	695	19,725	327
POPULATION LIVING ALONE, AGE 65 AND OVER	52,336	2,438	36	259	2,291	2,155	44,398	946
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	7,265	254	9	16	211	335	6,390	66
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	30,346	1,393	**	90	7,075**	2,178	14,572	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	9.5%	39.8%	45.5%	5.5%	57.0%	1.1%	3.0%	21.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	193,614	12,599	302	851	13,982	7,973	154,464	3,227
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	109,816	6,962	211	587	8,376	4,415	87,669	2,101
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.1%	11.8%	1.9%	18.7%	9.8%	13.1%	4.8%	10.6%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	24.4%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	41.5%	45.2%	61.4%	51.2%	41.6%	49.5%	40.5%	50.1%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**REGION 4: SAN JOAQUIN VALLEY COUNTIES, DEMOGRAPHICS, 2000:
SAN JOAQUIN, FRESNO, KERN, STANISLAUS, TULARE, MERCED, KINGS, AND MADERA COUNTIES
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	3,302,792	1,312,904	6,720	48,479	201,646	161,080	1,518,424	165,137
POPULATION AGE 60-64	104,217	23,595	131	1,282	5,836	3,927	67,551	3,385
POPULATION AGE 65 AND OVER	326,833	53,780	273	2,670	17,184	10,628	237,163	8,343
POPULATION AGE 85 AND OVER	38,403	4,028	13	229	1,615	1,220	30,710	806
POPULATION LIVING ALONE, AGE 65 AND OVER	81,042	8,296	29	595	2,056	2,870	65,729	1,973
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	12,064	1,189	8	32	265	555	9,962	99
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	74,756	6,941	**	190	18,069**	3,633	33,133	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	14.2%	52.3%	46.1%	16.2%	59.9%	2.0%	2.9%	28.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	310,879	51,880	201	1,884	16,268	9,860	224,354	6,061
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	176,597	27,809	139	1,461	9,221	5,704	129,418	4,512
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	9.9%	17.4%	33.0%	16.0%	15.0%	20.4%	7.2%	16.8%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	36.6%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	46.5%	51.4%	52.3%	55.8%	48.1%	61.1%	44.3%	54.2%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**REGION 5: CENTRAL COAST COUNTIES, DEMOGRAPHICS, 2000:
VENTURA, SANTA BARBARA, SANTA CRUZ, SAN LUIS OBISPO, MONTEREY, AND SAN BENITO COUNTIES
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	2,109,823	710,569	4,927	21,504	97,507	46,961	1,196,394	89,195
POPULATION AGE 60-64	71,144	12,854	153	619	3,761	1,407	51,653	1,523
POPULATION AGE 65 AND OVER	233,355	29,114	279	1,198	10,571	3,155	186,988	3,852
POPULATION AGE 85 AND OVER	29,368	2,272	15	110	949	264	25,531	367
POPULATION LIVING ALONE, AGE 65 AND OVER	58,626	3,860	39	279	1,389	704	51,690	925
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	6,750	481	7	16	127	141	5,948	43
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	29,282	4,412	**	56	6,684**	543	13,180	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	10.4%	50.9%	14.2%	14.2%	53.0%	1.6%	2.2%	24.1%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	222,655	27,993	217	766	9,564	3,065	178,248	2,658
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	126,941	15,894	145	624	6,198	1,575	101,371	2,119
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.3%	11.4%	4.9%	12.6%	8.2%	12.5%	5.3%	9.6%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	23.3%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	38.7%	46.4%	37.7%	62.2%	41.6%	42.8%	37.2%	45.6%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**REGION 6: LOS ANGELES COUNTY, DEMOGRAPHICS, 2000:
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	9,519,338	4,242,213	27,053	76,988	1,137,500	930,957	2,959,614	469,781
POPULATION AGE 60-64	306,763	81,723	694	1,815	44,196	35,118	138,378	10,398
POPULATION AGE 65 AND OVER	926,673	187,447	1,257	3,744	119,554	87,228	513,602	25,408
POPULATION AGE 85 AND OVER	109,147	16,205	107	322	9,970	9,481	71,672	2,277
POPULATION LIVING ALONE, AGE 65 AND OVER	223,473	26,889	129	716	15,993	25,937	150,062	5,464
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	33,238	3,902	64	84	2,441	3,715	22,838	392
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	281,341	39,252	**	304	92,239**	24,587	82,564	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	26.1%	57.4%	48.8%	22.4%	65.6%	1.5%	9.5%	47.8%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	879,888	180,150	1,002	1,943	114,236	81,385	483,498	16,480
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	510,531	109,418	639	2,104	66,256	49,784	274,816	14,298
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	10.5%	15.1%	13.2%	16.6%	12.4%	16.3%	7.1%	17.1%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	33.6%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	44.8%	49.9%	51.9%	51.5%	42.7%	52.1%	41.9%	53.4%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**REGION 7: OTHER SOUTHERN CALIFORNIA COUNTIES, DEMOGRAPHICS, 2000:
ORANGE, SAN DIEGO, SAN BERNARDINO, RIVERSIDE AND IMPERIAL COUNTIES
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/ LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	9,057,304	2,958,323	31,630	84,992	776,594	466,522	4,577,632	407,947
POPULATION AGE 60-64	295,833	51,343	820	2,217	27,216	12,472	197,974	6,933
POPULATION AGE 65 AND OVER	951,241	119,538	1,439	4,496	61,951	24,977	729,167	16,708
POPULATION AGE 85 AND OVER	108,048	8,978	75	339	4,034	2,252	91,448	1,386
POPULATION LIVING ALONE, AGE 65 AND OVER	231,028	16,308	142	867	5,586	6,086	199,529	3,472
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	26,195	1,980	18	56	742	837	22,379	250
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	152,238	15,020	**	234	49,034**	6,314	56,693	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	13.1%	52.5%	31.2%	15.5%	65.0%	2.1%	2.8%	33.9%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	909,875	114,169	1,238	3,148	57,481	23,641	697,728	11,705
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	517,930	67,460	769	2,469	35,168	13,716	393,233	9,151
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.1%	13.6%	8.4%	14.4%	9.6%	12.5%	5.5%	12.2%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	26.4%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	41.1%	47.0%	51.4%	51.4%	44.2%	48.8%	39.3%	51.6%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**ALAMEDA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	1,443,741	273,910	9,142	9,146	295,218	215,598	591,095	81,224
POPULATION AGE 60-64	47,658	5,312	225	238	9,607	7,083	24,195	1,454
POPULATION AGE 65 AND OVER	147,591	12,888	424	475	26,402	20,957	83,972	3,517
POPULATION AGE 85 AND OVER	18,823	1,185	28	40	2,192	2,446	12,695	313
POPULATION LIVING ALONE, AGE 65 AND OVER	38,391	2,109	42	106	3,537	6,547	25,428	784
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	5,108	279	9	14	376	920	3,481	39
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	32,346	1,568	**	36	14,078**	5,099	6,324	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	19.1%	42.9%	39.7%	14.7%	67.6%	1.2%	4.6%	31.5%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	139,883	12,504	410	453	25,842	19,761	78,490	3,451
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	81,812	7,238	234	271	14,808	12,082	45,746	2,061
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	8.1%	8.2%	8.3%	15.7%	10.7%	16.1%	5.2%	8.4%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	26.7%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	43.4%	44.6%	55.3%	37.1%	43.0%	55.6%	39.7%	53.1%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**ALPINE COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	1,208	‡	‡	228	‡	‡	867	‡
POPULATION AGE 60-64	67			8			58	
POPULATION AGE 65 AND OVER	120			15			99	
POPULATION AGE 85 AND OVER	13			1			12	
POPULATION LIVING ALONE, AGE 65 AND OVER	26			3			21	
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	0			0			0	
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	15			4			7	
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	6.7%			47.1%			0.0%	
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	120	‡	‡	15	‡	‡	99	‡
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	55			9			41	
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	10.1%			29.4%			3.1%	
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	30.3%			-			-	
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	52.1%			88.2%			48.0%	

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**AMADOR COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	35,100	3,126	‡	626	350	1,359	28,920	847
POPULATION AGE 60-64	2,035	68		22	8	9	1,901	29
POPULATION AGE 65 AND OVER	6,329	153		46	24	17	6,028	63
POPULATION AGE 85 AND OVER	645	10		3	2	0	624	6
POPULATION LIVING ALONE, AGE 65 AND OVER	1,443	23		13	8	3	1,383	14
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	168	4		1	2	6	155	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	395	1		4	11**	1	340	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	1.1%	0.0%		0.0%	72.7%	0.0%	0.8%	0.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	6,094	149	‡	45	22	11	5,806	63
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	3,201	69		31	13	6	3,048	31
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	5.4%	9.2%		0.0%	0.0%	0.0%	5.4%	5.8%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	24.3%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	37.0%	49.2%		42.0%	9.1%	25.0%	36.4%	47.7%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

**BUTTE COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	203,171	21,339	296	3,866	6,752	2,816	162,564	7,923
POPULATION AGE 60-64	7,944	21,339	296	116	136	79	7,073	174
POPULATION AGE 65 AND OVER	32,056	996	16	226	335	230	29,807	511
POPULATION AGE 85 AND OVER	4,219	74	4	23	36	25	4,011	51
POPULATION LIVING ALONE, AGE 65 AND OVER	8,826	185	2	72	49	75	8,311	141
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	979	20	0	7	7	7	936	6
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	4,267	122	**	31	291**	73	3,185	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	2.4%	34.2%	0.0%	4.7%	54.2%	0.0%	0.9%	9.7%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	30,462	966	16	214	324	220	28,281	339
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	17,294	520	8	124	198	119	16,075	279
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.3%	6.6%	0.0%	19.2%	29.5%	17.2%	6.8%	19.3%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	32.4%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	43.0%	40.4%	63.2%	63.8%	26.9%	47.8%	42.8%	62.6%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

CALAVERAS COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	40,554	2,765	‡	705	345	304	35,465	1,341
POPULATION AGE 60-64	2,809	134		27	19	23	2,555	63
POPULATION AGE 65 AND OVER	7,373	230		54	50	39	6,926	89
POPULATION AGE 85 AND OVER	649	16		5	1	1	620	7
POPULATION LIVING ALONE, AGE 65 AND OVER	1,671	36		12	11	7	1,588	19
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	105	2		0	0	0	103	1
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	553	5		4	11**	3	451	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	1.1%	2.7%		7.8%	0.0%	0.0%	1.1%	0.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	7,225	228	‡	54	50	39	6,780	88
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	3,713	111		32	34	13	3,480	51
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.2%	8.7%		0.0%	0.0%	0.0%	5.9%	28.8%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	25.3%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	34.2%	24.0%		54.9%	0.0%	0.0%	34.5%	36.4%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

COLUSA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	18,804	8,752	‡	439	228	103	9,018	853
POPULATION AGE 60-64	652	148		17	12	0	456	26
POPULATION AGE 65 AND OVER	2,135	310		22	43	16	1,704	49
POPULATION AGE 85 AND OVER	253	19		1	3	4	224	3
POPULATION LIVING ALONE, AGE 65 AND OVER	617	52		8	11	5	530	14
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	84	5		0	0	0	79	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	460	73		4	75**	4	242	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	9.1%	62.8%		0.0%	45.0%	0.0%	0.0%	20.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	2,040	303	‡	22	43	16	1,616	47
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	1,127	153		8	24	8	916	21
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	8.2%	20.9%		22.2%	0.0%	60.0%	6.0%	0.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	33.2%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	42.4%	34.5%		66.7%	30.0%	40.0%	43.7%	42.5%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

**CONTRA COSTA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	948,816	167,776	3,466	5,830	103,993	88,813	549,409	48,714
POPULATION AGE 60-64	35,660	3,259	71	200	3,887	2,934	24,696	845
POPULATION AGE 65 AND OVER	107,272	7,419	151	328	9,288	6,925	81,706	1,997
POPULATION AGE 85 AND OVER	13,371	668	16	25	720	702	11,111	200
POPULATION LIVING ALONE, AGE 65 AND OVER	27,559	1,191	21	60	1,011	1,761	23,145	451
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	2,914	140	3	3	110	314	2,323	31
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	13,153	960	**	27	3,940**	1,625	4,602	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	10.6%	45.5%	38.9%	4.9%	54.7%	1.1%	3.2%	32.4%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	102,348	7,221	147	322	9,092	6,539	77,608	1,949
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	59,258	4,282	78	179	5,229	3,907	44,763	1,139
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.0%	10.6%	0.0%	15.7%	6.1%	14.8%	4.7%	12.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	20.4%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	39.6%	43.2%	55.8%	65.0%	42.0%	49.4%	37.9%	54.9%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

“-” Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**DEL NORTE COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	27,507	3,829	‡	1,770	637	‡	19,294	1,121
POPULATION AGE 60-64	1,065	45		57	18		914	24
POPULATION AGE 65 AND OVER	3,448	87		120	27		3,157	66
POPULATION AGE 85 AND OVER	375	3		11	3		356	2
POPULATION LIVING ALONE, AGE 65 AND OVER	928	12		31	4		864	20
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	82	2		3	0		74	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	615	18		25	24**		469	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	3.3%	24.6%		0.0%	100.0%		1.8%	0.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	3,326	84	‡	117	27	‡	3,044	66
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	1,810	45		71	15		1,652	34
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	8.2%	10.1%		39.1%	76.2%		5.5%	4.1%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	42.0%	-		-	-		-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	44.6%	71.0%		66.9%	38.1%		42.8%	58.9%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

“-” Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

‡ No data presented when there are less than five in a group's household population age 65 and over.

EL DORADO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	156,299	14,566	‡	1,566	3,328	813	132,725	4,627
POPULATION AGE 60-64	6,689	301		49	151	23	6,062	117
POPULATION AGE 65 AND OVER	19,334	595		87	295	48	18,065	264
POPULATION AGE 85 AND OVER	1,768	31		8	14	6	1,689	21
POPULATION LIVING ALONE, AGE 65 AND OVER	4,303	94		23	32	10	4,090	60
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	235	0		1	1	1	232	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	1,477	50		8	96**	9	1,149	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	3.2%	28.5%		0.0%	60.2%	0.0%	1.6%	4.7%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	19,014	594	‡	85	291	47	17,753	264
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	10,163	301		49	169	23	9,494	138
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	5.0%	5.9%		21.5%	1.5%	8.5%	4.7%	17.6%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	21.2%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	35.7%	34.4%		29.9%	27.7%	28.2%	35.9%	37.7%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

FRESNO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	799,407	351,636	1,000	12,790	64,362	42,337	317,522	37,812
POPULATION AGE 60-64	24,408	6,738	17	294	1,614	1,037	14,370	767
POPULATION AGE 65 AND OVER	79,209	15,469	40	635	5,213	3,037	53,887	1,854
POPULATION AGE 85 AND OVER	9,707	1,211	1	60	465	379	7,471	189
POPULATION LIVING ALONE, AGE 65 AND OVER	19,805	2,548	7	148	664	838	15,320	436
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	2,899	361	1	4	73	145	2,306	40
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	20,057	1,951	**	56	5,341**	1,196	7,986	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	15.4%	51.1%	0.0%	17.2%	52.9%	1.5%	2.7%	29.4%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	75,515	15,023	39	628	5,119	2,874	50,915	1,808
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	43,420	8,158	25	364	2,833	1,689	29,837	1,011
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	9.9%	17.6%	19.4%	22.7%	15.8%	21.1%	6.2%	20.3%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	36.3%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	46.5%	51.7%	19.4%	62.3%	49.9%	64.7%	43.4%	53.2%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**GLENN COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	26,453	7,840	‡	552	893	155	16,548	1,020
POPULATION AGE 60-64	1,023	130		11	21	4	831	38
POPULATION AGE 65 AND OVER	3,431	248		32	41	8	3,043	77
POPULATION AGE 85 AND OVER	434	14		1	5	1	405	9
POPULATION LIVING ALONE, AGE 65 AND OVER	985	40		10	1	1	909	26
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	62	1		0	0	0	61	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	550	33		9	54**	3	370	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	6.2%	72.3%		32.7%	33.3%	-	1.1%	34.6%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	3,353	247	‡	32	41	8	2,966	137
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	1,877	120		20	25	4	1,672	40
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.6%	5.9%		3.6%	22.2%	-	7.8%	3.8%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	34.8%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	43.0%	30.5%		25.5%	40.7%	-	43.8%	61.5%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

**HUMBOLDT COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	126,518	8,210	241	7,241	2,091	1,111	103,230	5,556
POPULATION AGE 60-64	4,798	114	4	205	51	30	4,284	116
POPULATION AGE 65 AND OVER	15,776	281	12	480	105	51	14,577	294
POPULATION AGE 85 AND OVER	2,002	22	0	52	12	4	1,891	24
POPULATION LIVING ALONE, AGE 65 AND OVER	4,689	73	1	137	19	17	4,349	98
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	452	5	0	11	0	2	432	2
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	2,049	20	**	80	46**	11	1,631	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	2.7%	28.3%	0.0%	1.7%	47.9%	0.0%	1.9%	2.7
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	15,030	273	12	465	105	48	13,860	290
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	8,507	152	7	287	60	19	7,853	143
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.2%	5.5%	0.0%	18.7%	19.2%	20.6%	6.5%	16.4%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	32.7%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	45.2%	47.0%	0.0%	57.6%	27.4%	32.4%	44.4%	68.7%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**IMPERIAL COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	142,361	102,817	119	2,666	2,836	5,624	28,768	‡
POPULATION AGE 60-64	4,608	2,666	3	70	115	119	1,607	
POPULATION AGE 65 AND OVER	14,305	7,715	6	209	260	337	5,746	
POPULATION AGE 85 AND OVER	1,213	491	0	20	48	41	611	
POPULATION LIVING ALONE, AGE 65 AND OVER	3,174	1,289	1	57	42	98	1,658	
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	414	213	0	5	5	26	165	
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	6,861	1,369	**	22	2,245**	110	2,036	
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	40.6%	71.2%	0.0%	38.1%	42.4%	1.7%	2.2%	
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	13,778	7,471	6	204	254	306	5,504	‡
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	7,455	4,163	2	113	115	166	2,892	
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	13.6%	17.1%	0.0%	22.5%	22.1%	10.3%	8.7%	
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	48.7%	-	-	-	-	-	-	
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	49.1%	52.5%	0.0%	69.5%	29.0%	48.4%	45.0%	

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

**INYO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	17,945	2,257	‡	1,802	163	‡	13,352	744
POPULATION AGE 60-64	883	52		52	4		755	21
POPULATION AGE 65 AND OVER	3,429	121		182	9		3,080	51
POPULATION AGE 85 AND OVER	415	11		5	2		387	9
POPULATION LIVING ALONE, AGE 65 AND OVER	1,044	29		56	2		937	22
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	136	1		4	0		131	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	376	13		31	11**		266	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	2.3%	38.8%		6.3%	66.7%		0.5%	26.9%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	3,293	120	‡	178	9	‡	2,949	51
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	1,840	71		110	5		1,638	28
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	8.3%	7.8%		21.1%	0.0%		7.5%	0.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	35.6%	-		-	-		-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	35.7%	32.6%		47.9%	0.0%		35.2%	40.4%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

**KERN COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	661,645	254,036	972	9,999	22,268	39,798	327,190	27,417
POPULATION AGE 60-64	20,923	4,064	15	287	800	906	14,494	598
POPULATION AGE 65 AND OVER	62,054	9,308	27	621	2,029	2,402	46,793	1,420
POPULATION AGE 85 AND OVER	6,457	672	0	55	172	263	5,214	118
POPULATION LIVING ALONE, AGE 65 AND OVER	16,243	1,398	2	128	189	730	13,496	384
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,891	195	1	11	25	100	1,552	7
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	12,684	1,085	**	29	2,850**	793	5,858	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	11.4%	53.4%	100.0%	13.6%	67.7%	2.1%	1.0%	22.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	59,853	9,068	26	610	1,993	2,281	45,009	1,412
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	33,630	4,844	16	319	1,092	1,316	25,556	765
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	10.5%	17.8%	0.0%	15.3%	16.4%	24.8%	7.9%	13.7%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	38.5%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	47.1%	51.6%	100.0%	46.9%	48.3%	57.4%	45.5%	52.8%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**KINGS COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	129,461	56,461	250	2,178	3,980	10,747	53,817	6,203
POPULATION AGE 60-64	3,503	995	5	58	148	189	2,062	98
POPULATION AGE 65 AND OVER	9,557	2,075	6	85	376	355	6,496	265
POPULATION AGE 85 AND OVER	1,089	169	0	5	34	45	817	28
POPULATION LIVING ALONE, AGE 65 AND OVER	2,330	323	1	19	48	93	1,798	62
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	506	82	0	1	9	41	370	4
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	2,276	286	**	3	474**	145	976	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	14.9%	51.3%	-	18.4%	55.5%	0.0%	2.9%	8.3%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	9,009	1,983	6	84	364	309	6,103	260
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	5,102	1,043	4	50	220	164	3,541	134
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	8.8%	11.7%	-	1.5%	8.5%	17.5%	7.7%	0.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	37.7%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	47.4%	51.4%	-	43.4%	35.2%	64.5%	45.4%	54.1%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

LAKE COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	58,309	6,639	93	1,772	482	1,233	46,933	‡
POPULATION AGE 60-64	3,167	149	4	52	27	87	2,789	
POPULATION AGE 65 AND OVER	11,359	397	10	106	59	338	10,298	
POPULATION AGE 85 AND OVER	1,182	24	0	13	5	25	1,094	
POPULATION LIVING ALONE, AGE 65 AND OVER	3,203	92	2	29	21	117	2,881	
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	244	3	0	1	0	6	234	
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	1,717	36	**	18	55**	61	1,360	
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	2.5%	31.1%	0.0%	0.0%	36.4%	0.0%	1.4%	
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	11,061	391	10	105	59	332	10,013	‡
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	5,871	194	6	48	36	171	5,334	
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	73%	10.3%	0.0%	21.6%	0.0%	8.3%	6.9%	
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	35.9%	-	-	-	-	-	-	
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	45.0%	68.9%	100.0%	69.1%	47.7%	47.4%	44.0%	

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

LASSEN COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	33,828	4,681	‡	1,104	249	2,992	23,893	909
POPULATION AGE 60-64	1,029	52		35	4	21	891	26
POPULATION AGE 65 AND OVER	3,054	114		63	7	41	2,770	65
POPULATION AGE 85 AND OVER	291	5		3	0	6	274	4
POPULATION LIVING ALONE, AGE 65 AND OVER	886	18		18	4	4	826	17
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	140	9		1	0	12	117	2
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	472	6		6	8**	5	390	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	3.7%	27.2%		0.0%	100.0%	0.0%	3.0%	6.9%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	2,903	104	‡	62	7	29	2,643	63
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	1,531	44		36	4	14	1,405	31
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	78%	20.9%		13.8%	0.0%	0.0%	7.6%	0.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	32.3%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	41.2%	35.2%		55.2%	0.0%	38.1%	41.4%	43.6%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

**LOS ANGELES COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	9,519,338	4,242,213	27,053	76,988	1,137,500	930,957	2,959,614	469,781
POPULATION AGE 60-64	306,763	81,723	694	1,815	44,196	35,118	138,378	10,398
POPULATION AGE 65 AND OVER	926,673	187,447	1,257	3,744	119,554	87,228	513,602	25,408
POPULATION AGE 85 AND OVER	109,147	16,205	107	322	9,970	9,481	71,672	2,277
POPULATION LIVING ALONE, AGE 65 AND OVER	223,473	26,889	129	716	15,993	25,937	150,062	5,464
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	33,238	3,902	64	84	2,441	3,715	22,838	392
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	281,341	39,252	**	304	92,239**	24,587	82,564	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	26.1%	57.4%	48.8%	22.4%	65.6%	1.5%	9.5%	47.8%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	879,888	182,329	1,178	3,635	116,240	82,226	480,727	24,867
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	510,531	109,418	639	2,104	66,256	49,784	274,816	14,298
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	10.5%	15.1%	13.2%	16.6%	12.4%	16.3%	7.1%	17.1%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	33.6%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	44.8%	49.9%	51.9%	51.5%	42.7%	52.1%	41.9%	53.4%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**MADERA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	123,109	54,515	210	3,212	1,566	5,072	57,391	6,458
POPULATION AGE 60-64	4,383	951	3	60	67	130	3,069	150
POPULATION AGE 65 AND OVER	13,596	2,194	10	190	176	417	10,346	387
POPULATION AGE 85 AND OVER	1,388	167	2	16	18	75	1,089	30
POPULATION LIVING ALONE, AGE 65 AND OVER	2,786	295	0	42	22	88	2,272	88
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	359	45	1	5	2	34	269	7
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	2,676	266	**	16	527**	125	1,337	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	9.0%	44.4%	0.0%	20.7%	62.1%	0.0%	2.0%	16.1%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	13,164	2,143	9	185	174	379	10,014	380
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	7,105	1,092	4	105	95	216	5,457	192
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	9.0%	17.7%	0.0%	2.8%	7.7%	15.0%	6.9%	23.6%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	36.2%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	43.6%	44.2%	0.0%	19.8%	67.3%	62.6%	42.6%	47.2%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

MARIN COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	247,289	27,351	388	1,061	11,203	7,142	194,254	8,579
POPULATION AGE 60-64	11,215	446	9	25	432	164	10,013	162
POPULATION AGE 65 AND OVER	33,432	951	33	38	1,052	416	30,663	342
POPULATION AGE 85 AND OVER	4,581	106	15	2	59	46	4,323	36
POPULATION LIVING ALONE, AGE 65 AND OVER	9,613	203	6	9	178	113	9,033	76
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,711	34	11	1	22	48	1,593	6
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	2,133	163	**	2	350**	86	1,300	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	5.7%	39.3%	38.5%	29.7%	43.0%	9.8%	3.1%	23.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	31,342	907	22	37	1,016	366	28,719	333
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	17,760	542	12	17	614	206	16,218	188
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	4.5%	5.8%	0.0%	13.5%	7.7%	10.3%	4.3%	1.3%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	14.4%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	31.3%	46.2%	0.0%	43.2%	34.1%	57.1%	30.2%	45.5%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

MARIPOSA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	17,130	1,329	‡	602	122	114	14,539	579
POPULATION AGE 60-64	1,040	31		30	6	1	948	17
POPULATION AGE 65 AND OVER	2,940	81		48	13	6	2,750	50
POPULATION AGE 85 AND OVER	279	4		3	0	0	273	1
POPULATION LIVING ALONE, AGE 65 AND OVER	741	14		16	1	2	692	17
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	30	0		0	0	0	30	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	255	1		3	1**	1	233	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	0.3%	0.0%		0.0%	0.0%	0.0%	0.3%	0.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	2,886	81	‡	48	13	6	2,697	49
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	1,473	38		30	11	2	1,373	24
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	9.0%	0.0%		25.5%	0.0%	0.0%	9.0%	9.4%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	38.1%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	35.4%	9.7%		27.7%	0.0%	0.0%	36.7%	11.3%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

MENDOCINO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	86,265	14,213	126	4,103	1,038	536	64,581	3,364
POPULATION AGE 60-64	3,753	190	6	138	38	12	3,287	86
POPULATION AGE 65 AND OVER	11,709	361	5	250	101	41	10,772	200
POPULATION AGE 85 AND OVER	1,483	29	0	21	6	4	1,405	20
POPULATION LIVING ALONE, AGE 65 AND OVER	3,448	56	1	52	15	12	3,244	69
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	307	4	0	3	0	7	292	1
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	1,790	82	**	62	118**	14	1,250	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	3.3%	48.8%	-	3.1%	37.3%	0.0%	1.4%	14.8%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	11,269	350	5	245	78	34	10,379	197
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	6,266	172	3	147	43	11	5,788	111
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.7%	11.1%	-	33.3%	7.3%	0.0%	7.0%	7.4%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	29.8%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	45.6%	29.6%	-	58.7%	41.3%	81.0%	45.7%	40.4%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

MERCED COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	210,554	95,466	396	2,510	14,321	8,064	85,585	11,900
POPULATION AGE 60-64	6,647	1,717	9	77	352	334	4,009	252
POPULATION AGE 65 AND OVER	20,004	3,928	25	138	933	762	13,798	635
POPULATION AGE 85 AND OVER	2,099	290	1	12	76	75	1,589	74
POPULATION LIVING ALONE, AGE 65 AND OVER	4,720	610	1	37	77	213	3,676	149
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	413	29	0	0	6	21	353	5
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	5,259	626	**	18	1,236**	254	2,265	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	16.9%	55.5%	0.0%	23.7%	53.0%	0.0%	5.1%	33.3%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	19,324	3,864	25	138	924	735	13,222	629
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	10,901	2,074	13	77	551	407	7,541	349
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	10.7%	16.7%	0.0%	10.5%	15.2%	17.2%	8.3%	13.8%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	36.9%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	44.9%	49.6%	48.0%	89.5%	56.3%	44.2%	42.6%	51.1%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**MODOC COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	9,449	1,088	‡	398	58	65	7,663	263
POPULATION AGE 60-64	520	23		15	4	2	463	16
POPULATION AGE 65 AND OVER	1,663	47		42	11	5	1,535	24
POPULATION AGE 85 AND OVER	163	3		4	0	0	155	1
POPULATION LIVING ALONE, AGE 65 AND OVER	479	8		16	2	1	441	10
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	73	0		4	0	0	68	1
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	228	6		13	4**	1	177	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	1.3%	34.4%		14.3%	0.0%	0.0%	0.3%	0.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	1,585	47	‡	38	11	5	1,462	23
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	826	23		20	8	2	761	12
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	8.6%	68.8%		31.3%	0.0%	0.0%	7.0%	0.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	38.3%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	47.8%	65.6%		50.0%	0.0%	100.0%	46.9%	64.7%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

**MONO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	12,853	2,274	‡	309	143	‡	9,837	289
POPULATION AGE 60-64	554	25		14	1		503	7
POPULATION AGE 65 AND OVER	976	40		28	14		885	10
POPULATION AGE 85 AND OVER	60	2		2	0		54	2
POPULATION LIVING ALONE, AGE 65 AND OVER	220	8		6	5		198	3
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1	0		0	0		1	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	54	2		4	0**		36	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	2.4%	11.1%		0.0%	0.0%		2.4%	0.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	973	40	‡	28	14	‡	882	10
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	439	22		18	5		390	5
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	1.9%	0.0%		0.0%	0.0%		2.1%	0.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	17.3%	-		-	-		-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	29.1%	0.0%		75.0%	0.0%		29.8%	22.6%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

**MONTEREY COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	401,762	187,969	1,789	4,202	24,245	15,050	162,045	20,012
POPULATION AGE 60-64	12,315	2,883	67	102	1,093	457	7,584	312
POPULATION AGE 65 AND OVER	40,299	6,304	104	221	3,481	1,195	28,546	861
POPULATION AGE 85 AND OVER	4,699	441	3	17	287	88	3,811	84
POPULATION LIVING ALONE, AGE 65 AND OVER	9,988	730	12	48	570	256	8,237	187
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	900	99	3	2	37	51	696	11
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	6,295	1,182	**	10	1,769**	167	2,157	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	15.5%	59.3%	8.2%	4.3%	46.8%	0.0%	3.1%	32.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	39,929	6,147	101	216	3,418	1,141	27,470	847
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	22,262	3,428	50	114	2,115	581	15,724	474
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.8%	11.7%	0.0%	15.1%	9.1%	10.8%	5.2%	9.4%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	24.8%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	40.4%	49.0%	37.6%	76.8%	42.5%	44.4%	37.8%	48.8%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

“-” Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**NAPA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	124,279	29,416	289	1,045	3,694	1,645	85,932	4,606
POPULATION AGE 60-64	5,035	469	11	33	160	51	4,230	107
POPULATION AGE 65 AND OVER	19,086	948	21	66	428	112	17,338	234
POPULATION AGE 85 AND OVER	2,926	92	2	6	36	12	2,752	32
POPULATION LIVING ALONE, AGE 65 AND OVER	5,253	146	4	12	51	21	4,958	77
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,607	40	1	7	19	23	1,509	9
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	1,539	175	**	3	183**	20	995	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	5.4%	52.7%	0.0%	29.0%	48.1%	0.0%	1.9%	18.3%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	17,042	893	19	57	397	87	15,425	223
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	9,928	482	11	31	236	46	9,028	122
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	5.6%	10.5%	100.0%	8.6%	2.1%	19.6%	5.3%	0.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	22.0%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	41.6%	41.3%	0.0%	48.6%	46.0%	55.4%	41.3%	51.4%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

“-” Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**NEVADA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	92,033	5,201	‡	814	715	259	83,098	2,434
POPULATION AGE 60-64	4,652	141		26	22	9	4,391	73
POPULATION AGE 65 AND OVER	16,049	288		57	88	15	15,444	172
POPULATION AGE 85 AND OVER	1,756	21		3	3	1	1,713	17
POPULATION LIVING ALONE, AGE 65 AND OVER	3,619	51		11	13	6	3,496	48
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	406	2		2	1	0	399	2
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	1,023	13		5	15**	3	883	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	1.8%	14.8%		0.0%	36.5%	0.0%	1.4%	2.7%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	15,619	286	‡	55	87	15	15,021	170
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	8,403	145		30	52	6	8,096	85
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	4.9%	7.1%		20.8%	0.0%	0.0%	4.8%	10.8%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	20.7%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	33.6%	49.2%		30.6%	59.5%	100.0%	32.7%	59.6%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

‡ No data presented when there are less than five in a group's household population age 65 and over.

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**ORANGE COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	2,846,289	875,579	8,938	19,906	386,785	47,649	1,458,978	117,151
POPULATION AGE 60-64	96,422	13,733	219	489	13,863	1,183	65,631	2,105
POPULATION AGE 65 AND OVER	280,763	28,175	373	852	29,808	1,878	216,732	4,592
POPULATION AGE 85 AND OVER	34,094	2,245	16	67	2,020	174	29,293	393
POPULATION LIVING ALONE, AGE 65 AND OVER	67,247	3,121	26	111	2,734	421	60,219	777
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	7,922	502	2	13	432	73	6,789	121
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	45,763	4,753	**	24	19,271**	432	13,727	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	15.5%	52.3%	31.0%	16.4%	69.8%	3.2%	3.4%	44.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	266,557	27,359	365	826	29,163	1,770	204,271	4,420
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	154,290	16,173	181	472	16,253	999	118,677	2,486
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.2%	11.2%	12.3%	13.5%	9.7%	8.2%	5.0%	9.9%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	22.7%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	38.3%	43.1%	47.5%	42.1%	44.6%	43.7%	36.6%	46.3%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

PLACER COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	248,399	24,019	386	2,199	7,317	2,031	207,236	7,981
POPULATION AGE 60-64	10,139	539	17	53	255	63	9,078	176
POPULATION AGE 65 AND OVER	32,560	1,457	22	151	782	148	29,682	413
POPULATION AGE 85 AND OVER	3,690	99	1	10	61	10	3,485	35
POPULATION LIVING ALONE, AGE 65 AND OVER	7,588	256	4	22	112	33	7,073	107
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,338	21	1	2	6	10	1,293	7
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	2,526	76	**	10	234**	28	1,888	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	4.5%	44.2%	100.0%	5.9%	39.3%	0.0%	1.7%	15.6%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	30,970	1,431	21	149	772	137	28,150	403
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	17,206	744	14	73	447	65	15,692	220
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	3.8%	9.3%	0.0%	9.3%	2.1%	4.0%	3.5%	8.47%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	18.8%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	38.7%	43.3%	100.0%	32.2%	40.0%	54.5%	38.3%	40.4%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions,

and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

PLUMAS COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	20,824	1,177	‡	530	110	130	18,473	544
POPULATION AGE 60-64	1,320	30		18	6	2	1,244	18
POPULATION AGE 65 AND OVER	3,725	61		37	17	19	3,546	45
POPULATION AGE 85 AND OVER	342	3		1	1	4	331	2
POPULATION LIVING ALONE, AGE 65 AND OVER	911	14		7	4	10	863	12
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	127	1		0	0	1	125	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	364	6		6	4**	9	302	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	1.0%	13.8%		0.0%	58.8%	0.0%	0.6%	0.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	3,598	60	‡	37	17	18	3,421	45
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	1,860	27		24	11	10	1,770	21
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.4%	10.3%		0.0%	0.0%	0.0%	6.0%	28.1%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	27.7%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	37.6%	29.3%		82.4%	41.2%	61.5%	37.2%	52.6%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

**RIVERSIDE COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/ LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	1,545,387	559,575	3,902	18,168	56,954	96,421	788,831	67,596
POPULATION AGE 60-64	54,046	9,837	99	532	1,759	2,800	38,443	1,251
POPULATION AGE 65 AND OVER	195,964	22,878	191	1,031	4,382	6,361	159,504	2,948
POPULATION AGE 85 AND OVER	21,084	1,592	13	83	271	601	18,340	263
POPULATION LIVING ALONE, AGE 65 AND OVER	47,276	2,995	25	212	420	1,473	41,682	651
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	4,330	330	5	5	49	194	3,738	18
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	24,737	2,871	**	60	5,252**	1,460	11,233	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	8.5%	50.0%	32.9%	9.0%	56.4%	1.4%	1.9%	21.9%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	188,839	22,394	186	1,018	4,282	6,089	153,277	2,910
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	104,741	12,398	99	534	2,599	3,477	84,754	1,628
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.6%	15.4%	17.3%	14.8%	10.3%	14.7%	6.0%	16.6%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	28.7%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	41.1%	47.7%	36.5%	54.8%	40.2%	48.3%	39.6%	53.3%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**SACRAMENTO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/ LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	1,223,499	195,890	7,264	13,359	134,899	121,804	706,655	71,392
POPULATION AGE 60-64	42,308	3,669	155	365	4,406	3,599	29,228	1,168
POPULATION AGE 65 AND OVER	135,875	9,027	327	729	13,163	7,932	102,521	2,826
POPULATION AGE 85 AND OVER	15,517	639	20	54	1,081	653	12,875	232
POPULATION LIVING ALONE, AGE 65 AND OVER	36,093	1,727	30	183	2,027	2,040	29,530	690
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	5,012	179	7	12	187	310	4,282	47
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	23,563	961	**	65	6,233**	2,080	10,080	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	11.4%	38.4%	43.5%	6.2%	58.5%	1.2%	3.5%	22.6%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	128,705	8,766	320	706	12,875	7,517	96,395	2,754
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	74,022	4,903	184	407	7,363	4,213	55,770	1,550
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.6%	11.5%	2.2%	20.9%	10.3%	13.3%	5.1%	9.2%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	25.9%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	42.8%	47.1%	58.7%	56.2%	41.7%	49.4%	41.7%	53.1%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**SAN BENITO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	53,234	25,516	‡	616	1,277	573	24,513	2,737
POPULATION AGE 60-64	1,488	512		12	60	15	869	54
POPULATION AGE 65 AND OVER	4,315	1,242		36	108	19	2,842	119
POPULATION AGE 85 AND OVER	463	86		1	11	3	354	12
POPULATION LIVING ALONE, AGE 65 AND OVER	853	151		8	15	2	656	23
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	104	17		0	2	0	85	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	733	180		–	132**	4	298	–
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	19.3%	57.3%		0.0%	39.1%	#DIV/0!	2.0%	20.6%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	4,161	1,221	‡	36	106	19	2,712	118
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	2,296	653		20	68	10	1,511	54
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	8.5%	11.0%		4.3%	9.2%	–	6.8%	23.5%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	26.2%	–		–	–	–	–	–
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	36.6%	41.7%		54.3%	47.1%	–	33.1%	40.2%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

“–” Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

**SAN BERNARDINO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	1,709,434	669,387	5,110	19,915	80,217	155,348	752,222	86,041
POPULATION AGE 60-64	50,482	11,409	102	496	2,679	4,078	30,978	1,419
POPULATION AGE 65 AND OVER	146,459	26,621	158	1,037	5,619	7,720	103,490	3,446
POPULATION AGE 85 AND OVER	15,250	1,933	12	62	399	650	12,030	260
POPULATION LIVING ALONE, AGE 65 AND OVER	34,822	3,541	15	185	430	1,797	28,304	759
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	4,311	397	3	13	63	261	3,552	52
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	28,150	3,224	**	69	6,523**	2,283	11,785	–
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	12.9%	47.1%	35.9%	18.3%	60.7%	1.3%	2.4%	26.6%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	140,410	26,127	154	1,015	5,530	7,378	98,433	3,367
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	80,438	15,084	89	567	3,351	4,231	56,162	1,910
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	8.4%	13.9%	6.6%	11.9%	9.6%	12.3%	6.5%	11.1%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	32.6%	–	–	–	–	–	–	–
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	46.1%	49.0%	54.1%	53.5%	44.9%	52.2%	44.7%	57.0%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

“–” Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**SAN DIEGO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	2,813,833	750,965	13,561	24,337	249,802	161,480	1,548,833	131,967
POPULATION AGE 60-64	90,275	13,698	397	630	8,800	4,292	61,315	2,000
POPULATION AGE 65 AND OVER	313,750	34,149	711	1,367	21,882	8,681	243,695	5,266
POPULATION AGE 85 AND OVER	36,407	2,717	34	107	1,296	786	31,174	443
POPULATION LIVING ALONE, AGE 65 AND OVER	78,509	5,362	75	302	1,960	2,297	67,666	1,176
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	9,218	538	8	20	193	283	8,135	57
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	46,727	2,803	**	59	15,743**	2,029	17,912	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	12.8%	53.9%	30.1%	13.7%	61.6%	3.2%	3.0%	35.1%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	300,291	33,353	697	1,340	21,535	8,269	231,896	5,176
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	171,006	19,642	398	783	12,850	4,843	130,748	2,897
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.8%	13.3%	4.9%	14.75%	9.3%	12.0%	5.2%	12.8%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	24.3%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	40.8%	46.9%	56.3%	49.4%	44.2%	47.2%	39.1%	52.6%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**SAN FRANCISCO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	776,733	109,504	3,844	3,458	239,565	60,515	338,909	33,255
POPULATION AGE 60-64	30,258	3,128	97	115	11,485	2,713	12,207	830
POPULATION AGE 65 AND OVER	106,111	9,254	242	240	39,181	8,616	46,957	2,540
POPULATION AGE 85 AND OVER	14,227	1,127	25	22	3,719	1,031	8,112	310
POPULATION LIVING ALONE, AGE 65 AND OVER	32,257	1,952	43	74	7,585	2,885	19,217	699
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	2,033	87	11	2	420	237	1,233	49
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	35,487	1,427	**	24	16,724**	2,270	7,615	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	39.7%	59.0%	45.4%	43.3%	74.1%	1.2%	14.5%	43.7%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	102,016	8,992	229	226	38,389	8,077	44,538	2,466
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	59,187	5,645	114	122	21,992	4,954	25,493	1,446
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	10.5%	13.7%	21.5%	10.5%	12.2%	13.7%	7.8%	15.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	34.8%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	44.1%	46.4%	60.1%	64.3%	42.3%	56.3%	42.3%	50.5%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**SAN JOAQUIN COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	563,598	172,073	1,955	6,377	64,283	37,689	267,002	34,074
POPULATION AGE 60-64	18,271	3,329	43	188	1,923	951	11,474	611
POPULATION AGE 65 AND OVER	59,799	7,839	81	351	6,023	2,621	41,872	1,543
POPULATION AGE 85 AND OVER	7,507	565	5	24	634	273	5,869	167
POPULATION LIVING ALONE, AGE 65 AND OVER	15,219	1,358	13	82	821	684	11,994	364
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	2,605	203	1	3	131	164	2,087	17
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	12,156	860	**	30	3,856**	771	4,463	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	15.3%	47.6%	73.3%	15.1%	62.8%	3.2%	2.9%	26.1%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	56,226	7,522	80	340	5,820	2,414	39,058	1,516
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	32,085	3,992	36	192	3,138	1,394	22,748	873
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	10.0%	17.6%	10.0%	15.4%	15.4%	16.4%	7.2%	14.5%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	34.6%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	47.1%	51.9%	85.0%	73.3%	46.8%	63.8%	44.5%	56.0%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

“-” Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**SAN LUIS OBISPO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	246,681	40,196	286	2,335	6,568	5,002	187,840	8,479
POPULATION AGE 60-64	9,482	757	10	84	207	73	8,209	203
POPULATION AGE 65 AND OVER	35,685	1,570	14	163	567	190	32,802	510
POPULATION AGE 85 AND OVER	4,176	115	2	21	80	19	3,903	39
POPULATION LIVING ALONE, AGE 65 AND OVER	9,510	288	3	40	96	46	8,908	162
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,072	60	2	8	6	29	964	3
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	2,771	180	**	4	277**	27	1,976	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	3.7%	39.2%	0.0%	8.2%	54.1%	0.0%	1.0%	9.3%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	34,301	1,503	12	153	556	161	31,540	507
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	19,322	841	5	73	337	84	17,768	285
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	5.9%	14.5%	-	23.4%	9.9%	14.0%	5.2%	9.2%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	23.7%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	37.2%	44.3%	-	66.4%	37.6%	28.0%	36.7%	44.0%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

“-” Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

SAN MATEO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	707,161	154,708	9,403	3,140	141,684	24,840	352,355	35,501
POPULATION AGE 60-64	27,901	3,597	296	100	5,491	1,184	16,737	777
POPULATION AGE 65 AND OVER	88,085	7,797	490	194	12,816	2,889	62,588	1,910
POPULATION AGE 85 AND OVER	11,343	721	27	16	942	278	9,210	200
POPULATION LIVING ALONE, AGE 65 AND OVER	21,256	1,151	22	42	1,139	628	17,945	422
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	3,456	194	11	4	249	139	2,827	37
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	12,183	1,480	**	5	5,007**	524	3,332	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	18.1%	54.4%	55.0%	10.6%	57.5%	1.1%	5.7%	34.7%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	83,787	7,549	478	190	12,537	2,729	59,031	1,863
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	48,545	4,598	256	115	7,301	1,560	34,014	1,061
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	5.1%	7.4%	7.6%	19.3%	6.0%	10.9%	4.3%	7.1%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	17.4%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	35.9%	40.1%	31.0%	66.7%	38.8%	49.6%	34.0%	40.8%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

SANTA BARBARA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	399,347	136,668	700	4,784	16,344	9,195	227,083	17,223
POPULATION AGE 60-64	14,157	2,575	17	143	526	336	10,460	292
POPULATION AGE 65 AND OVER	50,765	6,195	43	303	1,619	680	41,581	757
POPULATION AGE 85 AND OVER	6,896	516	0	30	154	54	6,095	79
POPULATION LIVING ALONE, AGE 65 AND OVER	12,833	976	10	71	202	163	11,312	170
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,538	94	0	5	28	23	1,385	10
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	5,507	782	**	13	1,205**	143	2,549	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	8.4%	43.7%	11.0%	9.6%	54.6%	0.0%	1.9%	19.5%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	47,865	6,057	43	297	1,574	652	38,906	739
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	27,104	3,352	27	163	920	342	22,118	419
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.2%	11.4%	19.2%	8.8%	9.3%	14.4%	5.2%	10.4%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	22.5%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	37.0%	44.7%	38.4%	54.4%	39.1%	44.5%	35.5%	48.5%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**SANTA CLARA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	1,682,585	403,401	5,773	11,350	430,095	47,182	744,282	78,437
POPULATION AGE 60-64	58,404	8,353	174	310	13,070	1,457	34,150	1,529
POPULATION AGE 65 AND OVER	160,527	18,811	285	575	31,641	2,356	104,579	3,530
POPULATION AGE 85 AND OVER	17,987	1,546	24	41	2,319	206	13,616	321
POPULATION LIVING ALONE, AGE 65 AND OVER	33,418	2,530	26	87	2,749	478	27,030	684
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	5,189	450	4	13	443	151	4,085	50
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	36,835	2,778	**	31	18,786**	621	8,413	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	22.9%	44.1%	24.9%	16.1%	67.3%	5.3%	6.0%	36.4%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	153,050	18,219	278	553	30,994	2,189	98,590	3,456
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	87,552	10,651	154	315	17,393	1,242	56,519	1,995
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.4%	10.4%	21.2%	18.2%	9.1%	10.1%	4.6%	11.4%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	21.7%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	39.3%	46.0%	42.0%	61.5%	40.7%	44.0%	37.2%	47.1%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**SANTA CRUZ COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	255,602	68,486	382	2,461	8,789	2,477	167,464	11,171
POPULATION AGE 60-64	7,820	1,125	4	66	260	51	6,198	182
POPULATION AGE 65 AND OVER	25,487	2,309	24	120	957	107	21,717	408
POPULATION AGE 85 AND OVER	3,845	195	3	17	128	11	3,461	43
POPULATION LIVING ALONE, AGE 65 AND OVER	7,449	330	6	33	158	34	6,776	133
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,241	44	1	1	20	6	1,163	9
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	3,261	452	**	4	583**	36	1,714	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	9.2%	52.6%	0.0%	31.0%	49.2%	0.0%	2.9%	29.7%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	23,917	2,243	23	118	918	101	20,269	394
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	14,068	1,297	13	68	527	55	11,968	228
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.3%	12.3%	0.0%	8.9%	4.7%	26.9%	5.6%	7.2%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	23.5%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	39.2%	53.5%	0.0%	75.9%	39.1%	36.5%	37.5%	41.5%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

SHASTA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	163,256	8,998	178	4,528	3,048	1,225	141,097	5,661
POPULATION AGE 60-64	7,526	161	7	136	85	36	6,939	178
POPULATION AGE 65 AND OVER	24,861	469	8	274	203	89	23,456	390
POPULATION AGE 85 AND OVER	2,875	45	0	24	17	8	2,744	38
POPULATION LIVING ALONE, AGE 65 AND OVER	6,501	121	2	81	24	25	6,151	108
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	898	15	1	3	3	1	874	2
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	3,499	34	**	38	149**	24	2,814	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	2.0%	22.2%	-	0.0%	71.1%	9.5%	0.8%	3.9%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	23,803	450	7	271	200	87	22,430	384
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	13,250	250	4	160	113	45	12,475	215
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	73%	8.4%	-	15.0%	20.5%	11.9%	7.1%	4.2%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	32.4%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	45.5%	44.5%	-	70.6%	67.3%	36.9%	44.8%	58.4%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

SIERRA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	3,555	213	‡	67	‡	‡	3,210	87
POPULATION AGE 60-64	226	7		1			212	5
POPULATION AGE 65 AND OVER	629	22		7			593	10
POPULATION AGE 85 AND OVER	84	3		1			81	1
POPULATION LIVING ALONE, AGE 65 AND OVER	175	3		1			169	3
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	25	0		0			25	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	81	-		-			70	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	1.1%	41.7%		0.0%			0.3%	0.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	604	22	‡	7	‡	‡	568	10
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	312	11		2			296	7
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	2.2%	33.3%		20.0%			1.6%	40.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	32.6%	-		-			-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	36.4%	75.0%		40.0%			35.8%	60.0%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

SISKIYOU COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	44,301	3,354	‡	1,726	526	580	36,910	1,615
POPULATION AGE 60-64	2,334	74		62	16	25	2,104	56
POPULATION AGE 65 AND OVER	8,040	212		132	34	90	7,423	156
POPULATION AGE 85 AND OVER	894	11		9	3	10	849	12
POPULATION LIVING ALONE, AGE 65 AND OVER	2,378	49		55	4	37	2,187	47
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	161	3		0	0	4	154	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	1,094	15		24	30**	22	840	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	2.9%	42.5%		1.6%	57.5%	0.0%	1.5%	1.1%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	7,844	209	‡	130	33	86	7,239	154
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	4,283	110		70	23	49	3,956	77
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.3%	8.4%		5.6%	50.0%	9.9%	7.0%	3.2%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	37.0%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	39.7%	45.4%		47.6%	17.5%	47.9%	39.1%	52.7%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

SOLANO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	394,542	69,598	3,078	3,110	50,299	58,827	194,282	25,229
POPULATION AGE 60-64	12,806	1,231	114	84	1,904	1,792	7,433	373
POPULATION AGE 65 AND OVER	37,426	2,860	184	185	5,064	3,763	24,757	894
POPULATION AGE 85 AND OVER	3,915	214	4	21	357	304	2,965	79
POPULATION LIVING ALONE, AGE 65 AND OVER	8,499	433	14	34	452	840	6,563	198
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,988	93	5	4	96	169	1,596	42
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	6,033	368	**	7	2,374**	702	1,629	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	12.5%	42.8%	20.8%	4.1%	54.3%	0.8%	2.6%	22.9%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	35,139	2,753	179	177	4,939	3,570	22,940	844
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	20,264	1,513	96	93	3,107	2,021	13,088	492
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.3%	8.3%	6.2%	6.8%	7.9%	10.0%	5.1%	9.1%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	23.2%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	43.4%	43.0%	58.5%	71.2%	42.0%	44.9%	43.0%	48.3%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**SONOMA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	458,614	79,511	934	5,389	14,098	6,522	341,686	18,745
POPULATION AGE 60-64	16,489	1,162	24	149	449	163	14,287	313
POPULATION AGE 65 AND OVER	57,977	2,568	39	254	1,192	361	52,900	816
POPULATION AGE 85 AND OVER	8,254	240	4	11	86	28	7,800	99
POPULATION LIVING ALONE, AGE 65 AND OVER	17,171	430	5	43	188	81	16,195	242
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,662	37	0	2	12	28	1,569	18
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	5,073	400	**	28	641**	93	3,280	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	5.0%	40.7%	0.0%	0.0%	45.4%	13.4%	2.5%	22.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	55,209	2,487	39	248	1,165	325	50,302	787
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	32,119	1,433	21	142	708	161	29,296	450
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	5.7%	14.8%	0.0%	8.9%	12.7%	11.7%	5.2%	7.3%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	22.2%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	37.9%	41.7%	50.0%	58.4%	34.5%	50.0%	37.6%	47.0%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**STANISLAUS COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	446,997	141,871	1,529	5,676	18,848	11,521	256,001	24,335
POPULATION AGE 60-64	14,595	2,476	25	160	566	250	10,734	538
POPULATION AGE 65 AND OVER	46,697	5,485	70	331	1,208	619	38,011	1,334
POPULATION AGE 85 AND OVER	5,819	400	2	33	100	59	5,125	116
POPULATION LIVING ALONE, AGE 65 AND OVER	11,408	702	5	72	91	132	10,162	299
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,899	102	3	4	11	20	1,750	13
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	10,104	827	**	21	1,868**	183	5,613	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	12.9%	51.6%	58.3%	10.1%	59.4%	1.0%	5.7%	28.4%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	43,797	5,324	65	321	1,178	586	35,363	1,315
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	25,083	2,804	34	181	654	311	20,571	721
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	8.8%	14.2%	57.6%	20.1%	13.5%	19.5%	7.4%	17.5%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	34.6%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	46.9%	50.3%	41.7%	56.2%	48.1%	64.5%	45.8%	56.5%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

SUTTER COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	78,930	17,529	161	1,225	8,884	1,509	47,532	3,628
POPULATION AGE 60-64	3,228	322	5	37	369	61	2,379	78
POPULATION AGE 65 AND OVER	9,755	702	9	75	850	98	7,877	180
POPULATION AGE 85 AND OVER	1,170	47	1	10	56	10	1,029	18
POPULATION LIVING ALONE, AGE 65 AND OVER	2,325	119	2	23	96	23	2,027	40
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	536	14	0	1	14	4	496	8
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	2,016	104	**	9	593**	18	949	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	9.8%	51.3%	50.0%	4.1%	73.1%	0.0%	0.8%	35.5%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	9,072	684	9	73	836	93	7,240	172
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	5,045	363	4	45	427	51	4,087	81
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.7%	10.0%	0.0%	10.3%	17.2%	10.3%	6.4%	12.4%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	33.3%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	40.7%	45.0%	50.0%	55.7%	25.7%	57.9%	41.4%	47.2%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

“-” Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

TEHAMA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	56,039	8,871	55	1,178	440	318	43,972	1,899
POPULATION AGE 60-64	2,765	151	2	41	13	10	2,489	70
POPULATION AGE 65 AND OVER	8,923	336	8	89	29	20	8,298	145
POPULATION AGE 85 AND OVER	981	25	0	9	1	2	929	14
POPULATION LIVING ALONE, AGE 65 AND OVER	2,408	56	2	22	8	5	2,266	41
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	245	6	0	5	0	2	232	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	1,285	39	**	9	39**	3	1,030	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	2.3%	38.3%	-	4.4%	0.0%	0.0%	0.9%	2.2%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	8,620	328	7	83	28	18	8,013	145
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	4,684	158	4	41	19	8	4,376	74
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	9.2%	18.0%	-	19.8%	21.7%	0.0%	8.8%	6.6%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	35.1%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	44.8%	32.9%	-	53.8%	41.3%	25.0%	44.8%	69.3%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

“-” Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

TRINITY COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	13,022	517	‡	631	61	‡	11,271	570
POPULATION AGE 60-64	817	20		28	1		742	25
POPULATION AGE 65 AND OVER	2,241	30		52	5		2,105	51
POPULATION AGE 85 AND OVER	174	4		4	0		165	3
POPULATION LIVING ALONE, AGE 65 AND OVER	622	6		17	1		577	20
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	27	0		1	0		26	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	281	-		5	1**		243	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	1.1%	17.6%		0.0%	-		0.9%	0.0%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	2,197	30	‡	51	5	‡	2,062	51
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	1,108	16		26	5		1,036	27
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.2%	0.0%		10.0%	-		7.3%	0.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	30.7%	-		-	-		-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	37.8%	11.8%		60.0%	-		37.3%	63.3%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

TULARE COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	368,021	186,846	408	5,737	12,018	5,852	153,916	16,938
POPULATION AGE 60-64	11,487	3,325	14	158	366	130	7,339	371
POPULATION AGE 65 AND OVER	35,917	7,482	14	319	1,226	415	25,960	905
POPULATION AGE 85 AND OVER	4,337	554	2	24	116	51	3,536	84
POPULATION LIVING ALONE, AGE 65 AND OVER	8,531	1,062	0	67	144	92	7,011	191
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,492	172	1	4	8	30	1,275	6
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	9,544	1,040	**	17	1,917**	166	4,635	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	16.4%	59.6%	25.0%	22.5%	66.5%	6.4%	2.2%	41.2%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	33,991	7,248	13	310	1,215	380	24,326	893
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	19,271	3,802	7	173	638	207	14,167	467
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	10.5%	20.1%	0.0%	11.6%	11.7%	28.0%	7.1%	20.4%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	39.3%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	45.7%	53.5%	81.0%	55.1%	42.8%	63.4%	42.9%	57.0%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

TUOLUMNE COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	54,501	4,445	‡	992	395	1,146	46,377	1,550
POPULATION AGE 60-64	2,988	107		33	21	13	2,765	61
POPULATION AGE 65 AND OVER	10,067	306		64	43	17	9,539	131
POPULATION AGE 85 AND OVER	967	19		2	0	1	941	7
POPULATION LIVING ALONE, AGE 65 AND OVER	2,465	58		20	6	4	2,349	39
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	221	7		1	0	3	210	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	834	7		6	10**	2	720	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	2.0%	25.5%		0.0%	31.8%	0.0%	1.2%	14.9%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	9,740	298	‡	63	43	14	9,224	131
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	5,190	149		33	21	8	4,932	74
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	4.0%	1.7%		4.6%	0.0%	0.0%	3.9%	0.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	23.1%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	36.0%	45.2%		35.4%	18.2%	0.0%	35.5%	63.1%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions, and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

VENTURA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	753,197	251,734	1,671	7,106	40,284	14,664	427,449	29,573
POPULATION AGE 60-64	25,882	5,002	51	212	1,615	475	18,333	480
POPULATION AGE 65 AND OVER	76,804	11,494	91	355	3,839	964	59,500	1,197
POPULATION AGE 85 AND OVER	9,289	919	7	24	289	89	7,907	110
POPULATION LIVING ALONE, AGE 65 AND OVER	17,993	1,385	8	79	348	203	15,801	250
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	1,895	167	1	0	34	32	1,655	10
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	10,715	1,636	**	25	2,718**	166	4,486	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	12.2%	50.6%	27.8%	18.8%	59.4%	6.0%	2.4%	27.1%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	73,482	11,232	89	354	3,762	915	56,584	1,164
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	41,889	6,323	47	186	2,231	503	32,282	659
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	6.3%	10.7%	0.0%	12.8%	7.4%	11.3%	5.4%	9.0%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	22.7%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	39.7%	45.2%	41.2%	54.0%	42.9%	43.0%	38.3%	43.5%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

"-" Indicates data is unavailable

* Persons living in households excludes those in nursing homes, other institutions,

and other group quarters

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

**YOLO COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	168,660	43,707	507	1,953	16,614	3,425	97,942	8,818
POPULATION AGE 60-64	4,966	850	7	47	267	88	3,626	137
POPULATION AGE 65 AND OVER	15,782	2,019	21	113	747	238	12,423	366
POPULATION AGE 85 AND OVER	1,973	157	1	8	77	26	1,676	39
POPULATION LIVING ALONE, AGE 65 AND OVER	4,352	361	2	31	120	72	3,705	89
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	680	54	1	1	17	14	583	12
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	2,780	306	**	7	512**	61	1,455	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	11.1%	46.2%	53.3%	6.3%	44.5%	0.0%	3.9%	33.8%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	14,925	1,942	20	112	725	221	11,694	349
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	8,425	1,014	11	58	397	114	6,713	193
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	74%	16.5%	0.0%	11.6%	11.9%	15.2%	5.3%	18.1%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	27.3%	-	-	-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	42.8%	41.0%	76.7%	62.1%	48.4%	54.0%	42.2%	52.6%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

**YUBA COUNTY DEMOGRAPHICS, 2000
CALIFORNIA CENSUS DATA, POPULATION AGE 65 AND OVER, 2000**

RACE AND ETHNICITY	ALL RACES & ETHNICITIES	HISPANIC/LATINO (of any race)	NATIVE HAWAIIAN/ OTHER PACIFIC ISLANDER†	NATIVE AMERICAN†	ASIAN AMERICAN†	AFRICAN AMERICAN†	WHITE (NON-LATINO)	TWO OR MORE RACES†
TOTAL POPULATION, ALL AGES	60,219	10,449	‡	1,569	4,519	1,904	39,320	3,578
POPULATION AGE 60-64	2,161	167		44	92	55	1,732	72
POPULATION AGE 65 AND OVER	6,410	401		78	278	131	5,356	187
POPULATION AGE 85 AND OVER	610	24		5	25	8	531	15
POPULATION LIVING ALONE, AGE 65 AND OVER	1,675	72		18	48	37	1,452	50
POPULATION INSTITUTIONALIZED IN NURSING HOMES, AGE 65 AND OVER	76	5		0	1	2	68	0
TOTAL MEDI-CAL ENROLLEES, AGE 65 AND OVER	1,426	50		11	179**	39	923	-
PERCENT LIMITED-ENGLISH PROFICIENT, AGE 65 AND OVER	6.2%	63.1%		4.7%	50.5%	0.0%	1.6%	14.3%
POPULATION AGE 65 AND OVER LIVING IN HOUSEHOLDS								
HOUSEHOLD POPULATION AGE 65 AND OVER*	6,261	395	‡	78	277	129	5,217	187
HOUSEHOLD POPULATION, WOMEN AGE 65 AND OVER*	3,457	208		45	162	61	2,894	102
PERCENT AGE 65 AND OVER LIVING BELOW POVERTY LEVEL*	7.8%	4.3%		20.3%	4.3%	11.7%	7.9%	8.4%
PERCENT AGE 65 AND OVER, POOR AND NEAR POOR (0-199% POVERTY)*	38.1%	-		-	-	-	-	-
PERCENT AGE 65 & OVER WITH ANY DISABILITY*	52.8%	39.9%		73.4%	53.8%	60.6%	53.1%	52.1%

Sources: U.S. Census 2000 and California Medi-Cal Beneficiary Profiles by County July 2002

† Numbers may include persons of Hispanic or Latino ethnicity

**For Medi-Cal, Asian includes Pacific Islanders

‡ No data presented when there are less than five in a group's household population age 65 and over.

"-" Indicates data is unavailable

*Persons living in households excludes those in nursing homes, other institutions, and other group quarters

METHODOLOGICAL APPENDIX

Data

Data on health behaviors, health status, and health service use comes from the 2001 California Health Interview Survey (CHIS 2001). CHIS 2001 is a new source of health information for California and is the largest state health survey conducted in the United States, collecting information from 55,428 households across every county in the state. The random-digit dial telephone interviews were conducted in six languages and were completed in September 2001. The screening portion of the survey was completed by 59% of the people contacted and 64% of those selected for the interview completed the survey. This rate is comparable to the 2000 California Behavioral Risk Factor Survey.

Results were weighted by the 2000 U.S. Census to represent county level households by age and by race/ethnicity. The weighting scheme also adjusts for households without telephones and for those who failed to complete the survey. We found that weighting resulted in underestimates of older Latinos and Asians compared to Census 2000. We therefore adjusted the weights to more accurately represent the number of elderly in the state's minority populations using SF2 Census data that was not available when CHIS 2001 was originally weighted. Funding for the survey came from the California Department of Health Services, The California Endowment, the California Children and Families Commission, the National Cancer Institute, the Centers for Disease Control and Prevention (CDC), and the Indian Health Service.

Demographic data in Section 4 and at the bottom of each table in Section 3 are from the 2000 U.S. Census. As noted in the tables, some data is based on the total population while other information is based on the population in households (i.e. excluding those in nursing homes and assisted living). The household population corresponds to the CHIS 2001 sample. The population size for some variables, such as limited-English ability, is close to but not the same as the household population. In these cases the percent of each race/ethnic group with the characteristic is presented rather than the number. Contact the authors of the report for a complete listing of the Census source tables.

Maps

The data in the maps is from the 2000 Census (see variables, below) and each map shows the percent of each county with the indicated characteristic. The rates are divided into five categories with a roughly similar number of counties in each group. This distribution is particularly useful for seeing the ranking of counties on different characteristics, although it may obscure a county with a particularly high or low rate. For example, the map of the percentage of older people with incomes below 200% poverty shows ten counties (in the darkest color) with between 37% to 49% of their elders having low-incomes. It does not distinguish the highest (Imperial County at 49%) from the lowest in the range (Siskiyou County and Merced County, each with 37%).

Demographic Variables

Race/Ethnicity CHIS 2001: The health tables follow the California Department of Finance definitions which are: Latino (of any race), non-Latino Asian, non-Latino Native Hawaiian/Other Pacific Islander (NHOPI), non-Latino American Indian/Alaska Native (AIAN), non-Latino African American, non-Latino white, non-Latino other, and non-Latino two or more races. Because of the small county-level sample sizes, health data on non-Latino NHOPI, non-Latino AIAN and two or more races are not presented in this report.¹⁴

Race/Ethnicity Census 2000: Census data follows a slightly different race coding scheme than CHIS 2001 because it is based on the Census 2000 SF3 file. Latinos and non-Latino whites are the same as in the CHIS 2001 data (above). All other racial groups disregard Latino origin and include all older people reporting the corresponding race (i.e. AIAN, NHOPI, Asian, African American). As a result, a small number who also report Latino/Hispanic origin are double counted in both the Latino and race categories. Those reporting two or more races are reported as a separate combined group. About half of American Indian/Alaska Native and Native Hawaiian/Other Pacific Islander elders report multiple races. Five percent or fewer older people from other race groups report multiple races.

¹⁴ Most older AIAN report multiple race or Latino origin. When they are separated from those categories there are enough in CHIS 2001 to analyze, which we plan to do in a separate report in the future.

Under 200% Federal Poverty Level: This is the family income relative to the federal poverty threshold. Poverty is based on the household income in the previous year in both CHIS 2001 and the 2000 Census, and the data presented in this report is for people who have less than twice the income of the poverty threshold (based on income and family size). This group is considered low-income. In the 2000 Census the poverty threshold for a person age 65 or older living alone was an income of \$7,990 per year in the previous year. For a couple it was \$10,070.

Limited English: In the CHIS 2001 and 2000 Census, individuals were asked what language(s) they speak at home. If they answered a language other than English, they were asked if they could speak English “Very well, well, not well, or not at all.” Those responding “well, not well, and not at all” were classified as limited-English speakers, following the convention used by the U.S. Census. See “How Good is ‘How Well’? An Examination of the Census English-Speaking Ability Question” <http://www.census.gov/population/socdemo/language/ASApaper1989.pdf>. The health tables in Section 3 report on the population in CHIS 2001 who reported limited English in that survey. Because the Census data on African Americans and American Indians includes those who also report Latino/Hispanic origin, a significant proportion of older people of those races who report limited English are Spanish speakers.

Medi-Cal Recipient: In CHIS 2001, respondents were asked if they were currently covered by Medi-Cal and separately if they were covered by Medicare. The Medi-Cal recipient column in the health tables includes all those who answered yes to the Medi-Cal question. It is important to note that not all Medi-Cal recipients, however, have Medicare.

Medi-Cal Enrollees: In the Census tables and the last row of the health tables we include information from the California Department of Health Services, “Medi-Cal Beneficiaries by Age/Demographics, July 2002.” This administrative data provides information for all people age 65 and over enrolled in Medi-Cal, including 54,000 statewide in nursing homes (7% of the total). The number, therefore, is an overestimate of older people in households who receive Medi-Cal at a single point in time. The race/ethnicity data for Medi-Cal in the Census tables includes those who do not report their race in the total column but the number of those who do not report their race is not shown elsewhere. <http://www.dhs.ca.gov/mcss/RequestedData/AgeXDemo/ageXdemo.htm>

Health Variables

Obese: A Body Mass Index (BMI) of 30 or more is considered obese. The BMI is calculated from: $([\text{weight in pounds}]/[\text{height in inches}]^2)*703$.

Fair or poor health: This combines those two answers to the question, “In general, would you say your health is excellent, very good, good, fair or poor.”

Health conditions: When asked about a health condition (diabetes, hypertension, etc.) the respondent self-reports that a doctor ever told them that they had that condition.

Limited a lot in climbing stairs: Is based on the question, “How much does your health limit you when climbing several flights of stairs? Would you say limited a lot, limited a little or not limited at all?”

Did not feel calm, did not have a lot of energy, felt sad: This series of questions was asked in reference to the past four weeks and we recoded as necessary to consistently provide the risk category. The calm question was asked, “During the past four weeks, did you feel calm and peaceful all of the time, most of the time, some of the time, a little of the time or not at all?” The energy question was asked in the same manner. We present the percentage who responded to the last two categories. For felt sad the question was, “Did you feel downhearted and sad all of the time, most of the time, some of the time, a little of the time or not at all?” In this case we reported the first two categories.

Medicare and Private Supplemental Coverage: Includes those with fee-for-service supplemental Medicare policies as well as those with Medicare HMO coverage that offers supplemental benefits.

Has Medicare and Medi-Cal or Other Public Supplemental Coverage: This category includes all those who reported that they had Medicare and either Medi-Cal or another supplemental insurance policy that is provided by the government. Because of the other public insurance coverage of some people in this group, the number in the “Medi-Cal Recipient” column is less than 100%.

Has Medicare and No Supplemental Coverage: These respondents reported that they have only traditional fee-for-service Medicare, implying that they have to pay out-of-pocket for Medicare's copayments, deductibles, and services not covered by the fee-for-service Medicare program.

Prescription, Vision, Eyeglass, and Dental Insurance: All Medi-Cal recipients were coded as having coverage, regardless of their response, since Medi-Cal offers this coverage.

Disability (in demographic section): Includes all those who answered yes in the 2000 Census long form to any question about whether they have a sensory, physical, mental, self-care, or "going outside the home" disability.

SUPPRESSED DATA

When a cell has fewer than five respondents in it, no information is presented. In addition, when the coefficient of variation (i.e. the standard error divided by the mean) is greater than 30%, we mark the estimate with an underline and italics to show that the point estimate has a very low reliability.

ACKNOWLEDGMENTS

The analysis and publication of this report was supported by grants from the Archstone Foundation and The California Endowment.

Special thanks to the reviewers of drafts of this document, including Roberta Wyn, Jerry Kominski, Mary Ellen Courtright, and Lydia Missaelides. Other UCLA Center for Health Policy Research staff who were instrumental in the production of the document include Doo Ree Jung, Yan Xiong, and Hongjian Yu.

Sheri Penney of Penney Layne Productions provided editing and production services and Donna Beilock, Anat Rodan, and Susan Pielech of Ikkanda Design Group provided design and production assistance.



UCLA CENTER FOR HEALTH POLICY RESEARCH

10911 WEYBURN AVENUE

SUITE 300

LOS ANGELES, CALIFORNIA 90024

PHONE: (310) 794-0909

FAX: (310) 794-2686

chpr@ucla.edu

www.healthpolicy.ucla.edu