

UC Agriculture & Natural Resources

California Agriculture

Title

Traditional market-animal projects positively influence 4-H enrollment

Permalink

<https://escholarship.org/uc/item/74v7524f>

Journal

California Agriculture, 74(2)

ISSN

0008-0845

Authors

Davy, Josh S
Forero, Larry C
Caeton, Nathaniel W
[et al.](#)

Publication Date

2020

DOI

10.3733/ca.2020a0008

Copyright Information

Copyright 2020 by the author(s). This work is made available under the terms of a Creative Commons Attribution-NonCommercial-NoDerivatives License, available at <https://creativecommons.org/licenses/by-nc-nd/4.0/>

Peer reviewed

Traditional market-animal projects positively influence 4-H enrollment

Linear modeling techniques suggest that beef, sheep and swine projects all contribute to increased county 4-H enrollment, though the degree of increase varies.

by Josh Davy, Larry Forero, Nathaniel W. Caeton, Ashton Hubbard and Allison Gross

Online: <https://doi.org/10.3733/ca.2020a0008>

Abstract

The 4-H Youth Development Program (4-H) teaches life skills. An understanding of the factors that drive participation in the California 4-H program can help the organization target its efforts to increase enrollment and benefit more California youth as they move toward adulthood. 4-H has long been associated with market-animal projects, but the effect of these projects on enrollment is not known. In this study, 7 years' worth of enrollment data from 27 Northern California counties was evaluated with linear modeling techniques to determine the impact of market-animal projects (beef, sheep and swine) on program participation. The analysis demonstrated that market-animal projects produce significant, positive effects on enrollment. Each beef project contributed nearly four new members to county enrollment; a single sheep project yielded just over two new members; and two new swine projects produced a single new enrollment. Region and population density influenced membership but year within the study period did not. These results demonstrate the multiplicative effect of beef and sheep projects on county 4-H enrollment.

The positive impact on youth development of the 4-H Youth Development Program (4-H) is well documented (Ladewig and Thomas 1987). Participation in the program can help discourage risky and unhealthy behavior (Jelicic et al. 2007; Schwartz et al. 2010). Alumni of the program have indicated that 4-H positively affected their leadership and communication skills and made them more responsible (Radhakrishna and Doamekpor 2009). Published research indicates that, in Shasta and Trinity counties, more than 90% of members developed the life skills of sharing, communicating, planning and organizing, goal-setting, keeping records, taking responsibility and self-motivation (Forero et al. 2009). Research suggests that the program can lead young people to maintain a positive image of agriculture (Croom and Flowers 2001) and can influence their college enrollment decisions (Rayfield et al. 2013; Torres and Wildman 2001). Once program alumni begin college, the civic and leadership skills they gained in the program can transfer to leadership roles in college (Park and Dyer 2005) — and, later, to leadership roles in their adult careers (Cano and Bankston 1992; Hoover et al. 2007).

According to the researchers, traditional 4-H livestock projects play a critical role in encouraging youth to participate in the 4-H Youth Development Program.



Some research hints that member interest in animals could be linked to increased 4-H enrollment (Esters and Bowen 2004) and that skills learned in market-animal projects help youth both at school and at home as they become more dependable and confident (Rusk et al. 2003). Additionally, 4-H alumni have indicated that involvement in livestock projects had a positive impact on the development of life skills (Ward 1996).

Though animal projects are highly visible and beneficial, it is not clear how such projects influence enrollment. Attempts to understand such dynamics can prove confounding because enrollment can potentially be affected by factors like fluctuations in the number of eligible youth, local population density or the geographic regions where youth reside.

Because animal projects are among the most recognized components of 4-H, this study examined the importance of beef, sheep and swine projects in relation to total 4-H enrollment. Previous research into 4-H recruitment and retention has drawn on survey information to produce data that describes drivers of 4-H interest — or, specifically, describes what participants like or dislike about the program (Gliem and Gliem 2000; Wingenbach et al. 1999). Much of this work, however, produces subjective results that, instead of contributing to enrollment and retention, prepare program managers to deliver the program in meeting settings.

While improving program delivery is important, the main hypothesis presented here is that encouraging market-animal projects in Northern California could increase overall 4-H enrollment at greater than a 1:1 rate (i.e., adding one market-animal project could increase enrollment by more than one youth participant). This research accounts for variables, beyond market-animal projects, that might reasonably be thought to influence total enrollment. These variables include year, region and population density. Taking these variables into account, a secondary hypothesis is that total enrollment varies naturally from year to year (trends in time), that differences in location (space) influence total enrollment and that population density (people per square mile) affects the pool of potential members and resulting enrollment. The secondary hypothesis seems very practical — but since this type of modeling has not previously been conducted with 4-H enrollment data, no known research-based reference can prove its validity.

County enrollment data over 7 years was used to determine how participation in beef, swine and sheep projects affected enrollment in Northern California. This was accomplished with a six-factor (with interactions) general linear model that included the three livestock species, year, region and population density to determine if, for each factor, a significant causal relationship with total enrollment existed. The novelty of this approach is that it allows the influences of all the factors to be simultaneously considered, resulting

in a specific interpretation of each individual factor's contribution to enrollment, independent of the contributions of the others. Because of this, the model can determine how many new 4-H memberships are produced by a new market-animal project — regardless of year, location or population density.

Methods

Animal project data collection

This research focused on 27 Northern California counties — rural, suburban and urban. The 27 counties display considerable diversity in population and geography and together they constitute a sample of ample size for investigating the importance of market-animal projects in 4-H enrollment. Data from the 4-H Online enrollment system was accessed to determine each county's annual level of participation in species-specific livestock projects and its total annual enrollment.

The 4-H program's oldest mode of delivery is the community club, an organized group of at least five young people drawn from at least three different families and led by at least two adult volunteers. Potential members who wish to join the community club program choose a club at the time they enroll in 4-H. They typically choose a club located in the area where they reside. Once they have enrolled, they choose to participate in one or more projects — such as livestock, archery or photography — that the club offers. Members are free to participate in as many projects as they like, but they must choose to participate in at least one. Members are required to attend both community club meetings and project meetings. Typically, projects facilitate in-depth learning about a particular subject while community club meetings provide opportunities for leadership and community service. Extension staff, using 4-H Online, collect and retain county data about projects and use it to prepare an annual, federally required report known as an ES-237 Activity Count.

In this research, when data derived from 4-H Online was used to determine the number of species-specific livestock projects conducted in each county, noncategorized projects (e.g., "sheep") and categorized projects (e.g., "market sheep") were — to account for categorization errors that may have occurred when individual families enrolled in 4-H at the local level



To determine how participation in beef, swine and sheep projects affected 4-H enrollment in Northern California, the authors used a six-factor general linear model that included the three livestock species, year, region and population.

— both included in the totals. The same approach was taken for each of the three livestock categories. Duplicate records were removed from the gross total membership reported for each year to arrive at the net totals. To make the research as current as possible, while still covering a period long enough to allow for accurate identification of trends, data was collected over an annual enrollment period of 7 years, from 2008 to 2015.

Region

In an effort to limit degrees of freedom in the model's categorical variables, counties were categorized as belonging to five distinct Northern California regions (fig. 1), which were coded as one through five. The regions are: (1) northern coastal counties, (2) northern mountain counties, (3) northern valley counties, (4) southern valley and coastal counties and (5) southeastern foothill/mountain counties.



FIG. 1. Geographical regions coded from 1 to 5.

Density

Information from the U.S. Census Bureau (USCB 2010) was used to determine each county's population per square mile, or population density. All Census Bureau data on population and population density were collected from the 2010 census. Population per square mile by county is outlined in table 1.

Statistical analysis

To test the potential impact of multiple variables on 4-H enrollment, a GLM Type III sums-of-squares procedure was used in Statgraphics (Statpoint Technologies 2009). Quantitative variables included population density and enrollments in swine, sheep and cattle projects. Categorical variables included year (time) and region (space). Initially, all two-way interactions were included. However, it was found that including interactions caused multicollinearity, which can increase the amount of error in estimation and lessen reliability in inferences about data. All interactions were therefore removed from the model. Insignificant variables ($P > 0.05$) were eliminated from the final model. Estimates of

TABLE 1. Population density per square mile by county

Population density per square mile	County
2.5	Modoc
3.4	Sierra
4.3	Trinity
7.2	Siskiyou
7.7	Lassen
7.8	Plumas
18.6	Colusa
21.4	Glenn
21.5	Tehama
25.1	Mendocino
28.4	Del Norte
37.7	Humboldt
46.9	Shasta
51.5	Lake
64.1	Amador
103.1	Nevada
106.0	El Dorado
114.2	Yuba
134.4	Butte
157.3	Sutter
182.4	Napa
197.9	Yolo
247.6	Placer
307.1	Sonoma
485.1	Marin
503.0	Solano
1,470.8	Sacramento

enrollments per variable and standard errors were calculated on all significant quantitative variables. Least square mean figures were developed using Fisher's least significant difference test. An analysis of variance was used to examine the significance of density and region on individual livestock species projects and the influence of density on the ratio of total market projects to enrollment. Pearson product correlations were run between density and all three livestock projects.

Results

The overall model explained 84% of the variance in total enrollment ($R = .84$). Multiple variables were found to contribute to total 4-H enrollment. Swine ($P < 0.01$, estimate 0.62, standard error [SE] 0.21), sheep ($P < 0.01$, estimate 2.30, SE 0.30), cattle ($P < 0.01$, estimate 3.97, SE 0.67), density ($P < 0.01$, estimate 0.19, SE 0.03) and region ($P < 0.01$) (fig. 2) all significantly influenced enrollment (table 2). Year ($P = 0.91$) was not significant, indicating limited annual variation in total enrollment across the study period; year was thus eliminated from the final model. The resulting final model to predict enrollment, with density, region, sheep, swine and beef as variables, is presented as:

$$\begin{aligned} \text{total enrollment} = & 92.3077 - 41.8653 \times I1(1) - \\ & 132.343 \times I1(2) - 54.8407 \times I1(3) + 144.675 \times \\ & I1(4) + 3.97672 \times \text{market beef cattle} + 2.29524 \times \\ & \text{market sheep} + 0.618433 \times \text{market swine} + 0.185265 \times \\ & \text{density per square mile} \end{aligned}$$

where

- $I1(1) = 1$ if region code = 1, -1 if region code = 5, 0 otherwise
- $I1(2) = 1$ if region code = 2, -1 if region code = 5, 0 otherwise
- $I1(3) = 1$ if region code = 3, -1 if region code = 5, 0 otherwise
- $I1(4) = 1$ if region code = 4, -1 if region code = 5, 0 otherwise

Discussion

4-H market-animal projects are a highly visible component of the 4-H program. This analysis identified how multiple variables independently influence enrollment. These data indicate that traditional 4-H livestock projects play a critical role in encouraging youth to participate in the 4-H Youth Development Program. This analysis indicates that the variables tested have a statistically significant relationship. The influence of these specific livestock market projects on 4-H enrollment can be inferred from the mechanics of program participation. Projects are the basis of the delivery method for traditional 4-H community clubs. Each




FIG. 2. Least square means of total enrollment per county by region in (1) northern coastal counties, (2) northern mountain counties, (3) northern valley counties, (4) southern valley and coastal counties and (5) southeastern foothill/mountain counties.

member is required to choose at least one project upon enrollment — it is not possible to complete the enrollment process without choosing a project. Youth are free to choose any project that interests them and may choose more than one project. They are not required to choose market-animal projects. New or returning members choose specific project(s), and those project(s) drive enrollment. The authors speculate that a member enrolling in 4-H creates awareness among siblings, peers and friends about the opportunities that 4-H offers. For example, if a youth is interested in raising a market animal, the youth's parents may reason that, since they will be taking one child to community club meetings, they might as well involve siblings as well because 4-H might offer projects that appeal to them. Determining the drivers that influence familial participation in the program is beyond the scope of this paper but should be explored.

The model indicates that the primary hypothesis of this research — that swine, beef and sheep projects are important to 4-H enrollment — is true. The three animal types, however, are important at different levels. The model shows that nearly two swine projects were required to encourage an additional enrollment in 4-H (beyond the two enrollments associated with the swine projects themselves). A single sheep project increased enrollment by just over two members and a beef project resulted in an increase of close to four members (table 2). The significance of these estimates is that, due

TABLE 2. Estimated influence of the occurrence of a single additional market-animal project on total 4-H enrollment, along with standard error

Parameter	Estimated increase in enrollment for each market project	Standard error
Market beef cattle	3.98	0.67
Market sheep	2.3	0.3
Market swine	0.62	0.21
Density	0.19	0.03

to the modeling method, they are independent for each particular market project, regardless of location, year or population density.

Although estimates of beef cattle projects' contribution to enrollment were nearly double those of sheep projects, the overall contributions to enrollment of each

TABLE 3. Least square mean beef, sheep and swine projects on a county basis by region, with statewide true means

Region and code	Beef*	Sheep	Swine
Southern valley and coastal counties (4)	24a	62b	107b
Northern coastal counties (1)	25ab	41a	77a
Southeastern foothill/mountain counties (5)	26ab	38a	84a
Northern valley counties (3)	30b	69b	114b
Northern mountain counties (2)	35c†	35a	75a
Statewide	28	52	94

* Within each column, values followed by the same letter are not significantly different ($P > 0.05$).

† Value is significantly higher than corresponding values for all other regions.




FIG. 3. Least square mean of total enrollment per county by population density.

project type did not differ markedly — because, in the average county statewide, youths in 4-H participate in nearly twice as many sheep projects as beef projects (table 3). This sort of relationship did not hold true for swine projects even though youth participated in nearly twice as many swine as sheep projects and nearly three times as many swine as beef projects. Though many more swine than beef or sheep projects are conducted on a statewide basis, the results show that swine projects contributed only half as much to increased enrollment as did the other two projects individually.

It is difficult to quantitatively determine why swine projects' contribution to enrollment was so much lower than that of sheep and beef projects, and no literature could be found that helped address this question. Anecdotally, swine are commonly considered an entry-level project compared to cattle projects because the greater size of beef cattle, along with the time commitment involved in raising them, often limits these projects to older members. Perhaps the greater complexity of beef cattle projects increases their prestige and appeal. Maybe the sheer number of swine projects leaves little room for the high additive effect on enrollment seen in other livestock projects. On average, county swine projects statewide account for nearly one-quarter (94) of all 4-H enrollments (424).

The secondary hypothesis was shown to be only partially valid — that is, region and population density were significant factors in 4-H enrollment but year was not. In the 7 years of total enrollment data analyzed, year itself was not significant and very little variation appeared in total annual enrollment. The lack of significant year effect on total enrollment hints that interest in the program, as well as a pool of potential members, is relatively consistent across years.

On the whole, higher density led to more enrollment than did lower density (fig. 3), so a large population to draw from does tend to increase 4-H enrollment. But the effect of density wasn't perfectly linear, as some enrollment rates were somewhat variable by density.

Given the importance of market-animal projects on enrollment, and a reported lack of opportunities to engage in these projects in urban areas (Cano and Bankston 1992), a larger membership from more rural areas could have been expected. However, regression analysis of this Northern California dataset did not show that population density (urban versus rural) limited the number of market livestock projects ($P = 0.63$), even though considerable differences in density existed. Further exploratory analysis showed no significant correlations between beef cattle ($P = 0.85$), sheep ($P = 0.87$) or swine projects ($P = 0.42$) when compared to density.

Regions 4 (southern valley and coastal counties) and 5 (southeastern foothill/mountain counties) had the largest modeled enrollment, with region 4 higher

Results showed that a single 4-H sheep project increased enrollment by just over two members.



than region 5 (fig. 2). Since density was accounted for separately, urban versus rural demographics are not likely the cause of the higher enrollment in these two regions. 4-H educators would benefit if the reasons for higher enrollment in these two regions were explored. Perhaps study of these regions could lead to development of programmatic practices that would benefit other regions.

Region also appeared to be more pronounced in its effect on livestock projects than did density (table 3). Specific regions differed in the number and types of livestock projects. It is difficult to determine the cause of these differences. They could be cultural in nature or due to mimicry of local agriculture in the area.

Although multiple variables affect subsequent 4-H enrollment, traditional market-animal projects are considered a significant avenue for encouraging youth to join an organization that offers many additional benefits, including leadership training and self-responsibility. Rusk et al. (2003) have discussed the positive lessons gained from animal science projects.

The results of this research show that market-animal projects positively increase enrollment; through participation in these projects, youth are exposed to the other constructive aspects of the youth development program. Future research might usefully focus on barriers that prevent youth participation in market-animal projects. Overcoming these barriers could result in an increase in participation in the 4-H Youth Development Program. Lessons learned from market-animal projects, coupled with the structure of the traditional community club system, produce encouraging outcomes well documented among 4-H alumni. [CA](http://calag.ucanr.edu)

J. Davy is UC Cooperative Extension (UCCE) Livestock and Natural Resources Advisor in Tehama, Glenn and Colusa counties, and County Director for Tehama County; L. Forero is UCCE Livestock and Natural Resources Advisor in Shasta and Trinity counties, and County Director for Shasta County; N.W. Caeton is UCCE Youth Development Advisor in Shasta, Tehama and Trinity counties; A. Hubbard is UCCE Community Education Specialist in Tehama County; and A. Gross is UCCE Community Education Specialist in Tehama County.



Event Kilmartin

References

- Cano J, Bankston J. 1992. Factors which influence participation and non-participation of ethnic minority youth in Ohio 4-H programs. *J Agr Education* 33(1):23–9.
- Croom DB, Flowers JL. 2001. Factors influencing an agricultural education student's perception of the FFA organization. *J Agr Education* 42(2):28–37.
- Esters LT, Bowen BE. 2004. Factors influencing enrollment in an urban agricultural education program. *J of Career and Technical Education* 21(1):25–37.
- Forero L, Heck K, Weliver P, et al. 2009. Member record books are useful tools for evaluating 4-H club programs. *Calif Agr* 63(4):215–9. <http://calag.ucanr.edu/archive/?article=ca.v063n04p15>
- Gliem RR, Gliem JA. 2000. Factors that encouraged, discouraged, and would encourage students in secondary agricultural education programs to join the FFA. In: *Proc 27th Ann Nat Agric Educ Res Conf*, San Diego, CA. p 251–63.
- Hoover TS, Scholl JF, Dunigan AH, Mamontova N. 2007. A historical review of leadership development in the FFA and 4-H. *J Agr Education* 48(3):100–10.
- Jelicic H, Bobek DL, Phelps E, et al. 2007. Using positive youth development to predict contribution and risk behaviors in early adolescence: Findings from the first two waves of the 4-H Study of Positive Youth Development. *Int J Behav Dev* 31(3):263–73.
- Ladewig H, Thomas JK. 1987. Assessing the Impact of 4-H on Former Members. The 4-H Alumni Study. The Texas A&M University System. <https://eric.ed.gov/?id=ED282681>
- Park TD, Dyer JE. 2005. Contributions of agricultural education, FFA, and 4-H to student leadership in agricultural colleges. *J Agr Education* 46(2):83–95. doi:10.5032/jae.2005.02083
- Radhakrishna R, Doamekpor P. 2009. Teaching leadership and communication skills and responsibilities: a comparison of 4-H and other youth organizations. *J Extension* 47(2).
- Rayfield J, Murphrey TP, Skaggs C, Shafer J. 2013. Factors that influence student decisions to enroll in a college of agriculture and life sciences. *NACTA J* 57(1):88–93.
- Rusk CP, Summerlot-Early JM, Machtmes KL, et al. 2003. The impact of raising and exhibiting selected 4-H livestock projects on the development of life and project skills. *J Agr Education* 44(3):1–11.
- Schwartz SJ, Phelps E, Lerner JV, et al. 2010. Promotion as prevention: positive youth development as protective against tobacco, alcohol, illicit drug, and sex initiation. *Appl Dev Sci* 14(4):197–211.
- StatPoint Technologies. 2009. *Statgraphics Centurion XVI user manual*.
- [USCB] US Census Bureau. 2010. U.S. Census Bureau state and county quickfacts: Various California counties. www.census.gov/quickfacts/fact/table/US/PST045215
- Ward CK. 1996. Life skill development related to participation in 4-H animal science projects. *J Extension* 34(2).
- Wildman M, Torres RM. 2001. Factors identified when selecting a major in agriculture. *J Agr Education* 42(2):46–55.
- ingenbach GJ, Meighan T, Lawrence LD et al. 1999. Associated factors in recruitment and retention of 4-H members in West Virginia. *J Agr Education* 40(1):23–9.